MATERIAL SAFETY DATA SHEET PG 50985.01 FROST BU PP AS

Version Number 1.0 Revision Date 06/07/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PG 50985.01 FROST BU PP AS
Product code :	CC10054859
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes Skin	 Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET PG 50985.01 FROST BU PP AS

Version Number 1.0 Revision Date 06/07/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET PG 50985.01 FROST BU PP AS

Version Number 1.0 Revision Date 06/07/2004 Page 3 of 6 Print Date 11/14/2011

0 1		nd contamination. Keep in a d				
		CONTROLS / PERSONAL				
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice.		
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Mica	20 mppcf	PEL:	Total dust.	OSHA		
				Oblin		
	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH		
Silica, amorphous, precipitated and gel		Time Weighted Average (TWA): Time Weighted Average				
Silica, amorphous, precipitated and gel	3 mg/m3 10 mg/m3	Time Weighted Average (TWA):	Respirable fraction. Dust.	ACGIH ACGIH		
	3 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction.	ACGIH		
	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL:	Respirable fraction. Dust. Respirable fraction. Total dust.	ACGIH ACGIH OSHA Z1		
	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	Respirable fraction. Dust. Respirable fraction. Total dust.	ACGIH ACGIH OSHA Z1		
	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Respirable fraction. Dust. Respirable fraction. Total dust.	ACGIH ACGIH OSHA Z1		
precipitated and gel	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not	ACGIH ACGIH OSHA Z1 OSHA Z1		
precipitated and gel	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO the Evapor the Specifi E Bulk d	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not ic Gravity: : Not ensity : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable		
precipitated and gel Form Appearance Color Odor	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BLU : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO the Evapor the Specifi E Bulk d faint Vapor	Respirable fraction. Dust. Respirable fraction. Total dust. DERTIES ration rate : Not ratior ratey : Not ensity : Not pressure : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable determined established applicable		
Form Appearance Color Odor Melting point/range	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not d	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specifi E Bulk d faint Vapor determined Vapou	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not c Gravity: : Not pressure : Not r density : Not r density : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not a	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specifi E Bulk d faint Vapor determined Vapou applicable pH	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not c Gravity: : Not pressure : Not r density : Not r density : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable determined established applicable		
precipitated and gel	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not d	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specifi E Bulk d faint Vapor determined Vapou applicable pH	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not c Gravity: : Not pressure : Not r density : Not r density : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not a : Insol	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO ts Specifi E Bulk d faint Vapor determined Vapou applicable pH	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not ic Gravity: : Not pressure : Not r density : Not : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not a : Insol 10. S	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: PEL: CAL AND CHEMICAL PRO It Evapor ts Specifi E Bulk d faint Vapor determined Vapou applicable pH	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not ic Gravity: : Not pressure : Not r density : Not : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable determined established applicable applicable		
precipitated and gel Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not a : Insol 10. S : S	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO the Evapor the Evapor the Bulk d faint Vapor determined Vapou applicable pH uble	Respirable fraction. Dust. Respirable fraction. Total dust. PERTIES ration rate : Not ic Gravity: : Not pressure : Not r density : Not : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable determined established applicable applicable		

PolyOne.

MATERIAL SAFETY DATA SHEET PG 50985.01 FROST BU PP AS

Version Number 1.0 Revision Date 06/07/2004 Page 4 of 6 Print Date 11/14/2011

		decompositio	n, do not overheat.			
Incompatible Mater	ials :	: Incompatible with strong acids and oxidizing agents.				
Hazardous decompo products	osition :			oxide (CO), oxides of nitrogen nd smoke are all possible.		
	11. '	TOXICOLOG	ICAL INFORMATIO	ON		
			health effects. Expose omprise the mixture.	ure effects listed are based on exi		
<u>Toxicity Overview</u> This product contai	ns the following	components w	hich in their pure form	have the following characteristic		
CAS-No.		nical Name	Effect	Target Organ		
12001-26-2	Mica		Systemic effects	Respiratory system.		
112926-00-8	Silica, amo precipitateo		Irritant	Respiratory system, Eyes.		
	12	2. ECOLOGIO	CAL INFORMATION	1		
Persistence and deg Environmental Tox	icity :	of the polyme	e not readily available a r.	is they are bound within the matrix		
Bioaccumulation Po	otential :	Chemicals are of the polyme		is they are bound within the matrix		
Additional advice	:	No data avail	able			
	1	3. DISPOSAL	CONSIDERATIONS	5		
Product Contaminated packaging		 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	1	4. TRANSPO	RT INFORMATION			

PolyOne.

MATERIAL SAFETY DATA SHEET PG 50985.01 FROST BU PP AS

sion Number 1.0 ision Date 06/07/2004		Page 5 Print Date 11/14/2
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15.	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	tances (40 CFR 302)
Not applicable		
California Proposition 65		WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	reme	ly Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic CI	hemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se In	ventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined

PolvOne.
POLYONE CORPORATION
MATERIAL SAFETY DATA SHEET
PG 50985.01 FROST BU PP AS
Version Number 1.0 Page 6 of 6 Revision Date 06/07/2004 Print Date 11/14/2011
Korea KECI : Listed
Philippines PICCS : Listed
16. OTHER INFORMATION
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.