

#### MATERIAL SAFETY DATA SHEET

#### PG 55097.00 RD PE

Version Number 1.0 Revision Date 06/10/2004

Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 55097.00 RD PE
Product code	:	CC10055097
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

]	Routes of Exposure:	: Inhalation, Ingestion, Skin contact
1	Acute exposure	
	Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
	Skin	: Experience shows no unusual dermatitis hazard from routine handling.
]	Chronic exposure Medical Conditions Aggravated by Exposure:	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>



## MATERIAL SAFETY DATA SHEET

# PG 55097.00 RD PE

Version Number 1.0 Revision Date 06/10/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
sower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



### MATERIAL SAFETY DATA SHEET **PG 55097.00 RD PE**

Version Number 1.0 Revision Date 06/10/2004 Page 3 of 6 Print Date 11/14/2011

and contamination. Keep in a dry, cool	l place.	
8. EXPOSURE CONTROLS / PERSONAL PROT	ECTION	
y protection : No personal respiratory protective equi	ipment normally re	equired.
Protection : Safety glasses with side-shields.		
ection : Protective gloves.		
ody protection : Long sleeved clothing.		
Protective : Safety shoes.		
ygiene : Handle in accordance with good industr ions Wash hands before breaks and at the er		fety practice.
g measures : Heat only in areas with appropriate exhaust ventilation at mach		Provide
imit(s)		
ponents Value Exposure time Ex	xposure type	List:
dioxide 10 mg/m3 Time Weighted Average	xposure type	ACGIH
(TWA): 15 mg/m3 PEL:	Total dust.	OSHA Z1
9. PHYSICAL AND CHEMICAL PROPERT	TES	
		1. 1.1
: Solid Evaporation r		applicable
e : Pellets Specific Grav	•	determined
: RED Bulk density		established
: Very faint Vapor pressur		applicable
vint/range : Not determined Vapour densit		applicable
int: : Not applicable pH	: Not a	applicable
bility : Insoluble		
10. STABILITY AND REACTIVITY		
: Stable.		
Polymerization : Will not occur.		
to avoid : Keep away from oxidizing agents and o decomposition, do not overheat.	open flame. To av	void thermal
ble Materials : Incompatible with strong acids and oxi	dizing agents.	
-	C	lizing agents.



### MATERIAL SAFETY DATA SHEET

### PG 55097.00 RD PE

### Version Number 1.0

Revision Date 06/10/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition : Carbon did products (NOx), oth

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	N
Persistence and degrada	ability : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals are of the polyme		as they are bound within the matri
Bioaccumulation Poten	tial : Chemicals are of the polyme		s they are bound within the matri
Additional advice	: No data avail	able	
	13. DISPOSAL	CONSIDERATIONS	6
Product Contaminated packagin	g : Recycling is possible recycling is possible recycling is possible fea	cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia ste classification, transportation licable federal, state/provincial
	14. TRANSPO	<b>RT INFORMATION</b>	
U.S. DOT Classificatio	n : Not regulated	for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.	
	15. REGULATO	DRY INFORMATION	N



### MATERIAL SAFETY DATA SHEET PG 55097.00 RD PE

Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : WARNING! This product contai 65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	re listed on or exempt from the TSCA
OSHA Status : Classified as hazardous based on TSCA Status : All components of this product an Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : WARNING! This product contai 65 : California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	re listed on or exempt from the TSCA
OSHA Status : Classified as hazardous based on TSCA Status : All components of this product an Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : WARNING! This product contai 65 : California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	re listed on or exempt from the TSCA
TSCA Status       : All components of this product an Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)         Not applicable         California Proposition       : WARNING! This product contait California to cause cancer.         SARA Title III Section 302 Extremely Hazardous Substance         Not applicable         SARA Title III Section 313 Toxic Chemicals:         Not applicable         Stara Title III Section 313 Toxic Chemicals:         Not applicable         Stara Title III Section 313 Toxic Chemicals:         Not applicable         Stara Title III Section 313 Toxic Chemicals:         Not applicable         Stara Title III Section 313 Toxic Chemicals:         Not applicable         Staradian Regulations:         National Pollutant Release Inventory (NPRI)	re listed on or exempt from the TSCA
Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : WARNING! This product contai 65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	-
Not applicable         California Proposition       : WARNING! This product contait         65       : California to cause cancer.         SARA Title III Section 302 Extremely Hazardous Substance         Not applicable         SARA Title III Section 313 Toxic Chemicals:         Not applicable         Canadian Regulations:         National Pollutant Release Inventory (NPRI)	ins a chemical known to the State of
California Proposition : WARNING! This product contai 65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	ins a chemical known to the State of
65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	ins a chemical known to the State of
65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	ins a chemical known to the State of
Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	
SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	
Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI)	
Canadian Regulations: National Pollutant Release Inventory (NPRI)	
Notappliashla	
Not applicable	
WHMIS Classification : Not controlled.	
DSL : All components of this product a Substances List (DSL) or are exe	
National Inventories:	
Australia AICS : Listed	
China IECS : Listed	
Europe EINECS : Listed	
Japan ENCS : Listed	
Korea KECI : Listed	
Philippines PICCS : Listed	
16. OTHER INFORMATION	



MATERIAL SAFETY DATA SHEET **PG 55097.00 RD PE** 

Version Number 1.0 Revision Date 06/10/2004

Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.