



MATERIAL SAFETY DATA SHEET

5445C BLUE

Version Number 1.0 Revision Date 06/11/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone : Emergency telephone : number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|---|
| Product name | : | 5445C BLUE |
| Product code | : | CC10055155 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Mica | 12001-26-2 | 10 - 30 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **5445C BLUE**

Version Number 1.0 Revision Date 06/11/2004 Page 2 of 6 Print Date 11/14/2011

| | 4. FIRST AID MEASURES |
|--|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 5. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |

2/6

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **5445C BLUE**

Version Number 1.0 Revision Date 06/11/2004 Page 3 of 6 Print Date 11/14/2011

| 0 17 | VDOCUDE | CONTROLS / PERSONAL | DDATECTION | | | |
|--|--|--|---|---|--|--|
| | | | | | | |
| Respiratory protection | : N | o personal respiratory protecti | ive equipment normally r | required. | | |
| Eye/Face Protection | : Sa | : Safety glasses with side-shields. | | | | |
| Hand protection | : P 1 | : Protective gloves. | | | | |
| Skin and body protection | : L | : Long sleeved clothing. | | | | |
| Additional Protective Measures | : Safety shoes. | | | | | |
| General Hygiene Considerations | | | | | | |
| Engineering measures | | eat only in areas with appropr ppropriate exhaust ventilation | | Provide | | |
| Exposure limit(s) | | | | | | |
| Components | Value | Exposure time | Exposure type | List: | | |
| Mica | 20 mppcf | PEL: | Total dust. | OSHA | | |
| | 3 mg/m3 | Time Weighted Average (TWA): | Respirable fraction. | ACGIH | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH | | |
| I nanium dioxide | | | | OSHA Z1 | | |
| Titanium dioxide | 15 mg/m3 | (TWA): PEL: | Total dust. | | | |
| | - | (TWA): PEL: | | | | |
| | - | (TWA): | | | | |
| | - | (TWA): PEL: CAL AND CHEMICAL PRO | DPERTIES | applicable | | |
| Form | 9. PHYSIC : Solid : Pelle | (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif | DPERTIES ration rate : Not ic Gravity: : Not | applicable determined | | |
| Form Appearance Color | 9. PHYSIC : Solid : Pelle : BLU | (TWA): PEL: CAL AND CHEMICAL PRO E Evapo Specif E Bulk d | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not | determined established | | |
| Form Appearance Color Odor | 9. PHYSIC : Solid : Pelle : BLU : Very | (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk d faint Vapor | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not | determined established applicable | | |
| Form Appearance Color Odor Melting point/range | 9. PHYSIC : Solid : Pelle : BLU : Very : Not c | (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk d faint Vapor letermined Vapou | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ur density : Not | determined established applicable applicable | | |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a | (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk d faint Vapor letermined Vapou upplicable pH | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ur density : Not | determined established applicable | | |
| Form Appearance Color Odor Melting point/range | 9. PHYSIC : Solid : Pelle : BLU : Very : Not c | (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk d faint Vapor letermined Vapou upplicable pH | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ur density : Not | determined established applicable applicable | | |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not z : Insol | (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk d faint Vapor letermined Vapou upplicable pH | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | determined established applicable applicable | | |
| Form Appearance Color Odor Melting point/range Boiling Point: | 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not z : Insol 10. S | (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk d faint Vapor letermined Vapou upplicable pH uble | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | determined established applicable applicable | | |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not z : Insol 10. S | (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif E Bulk d faint Vapor letermined Vapou upplicable pH uble TABILITY AND REACTIV | DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | determined established applicable applicable | | |

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET

5445C BLUE

Version Number 1.0 Revision Date 06/11/2004

Page 4 of 6 Print Date <u>11/14/2011</u>

| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|------------------|------------------|---------------------|
| 12001-26-2 | Mica | Systemic effects | Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

| | 12. ECOLOGICAL INFORMATION |
|-----------------------------------|--|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product Contaminated packaging | Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material |
| Containinated packaging | has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA (air) | : Refer to specific regulation. |
| ICAO/IATA (all) | . Refer to specific regulation. |
| | |

| POLYONE CORPORATION |
|---------------------|
|---------------------|



MATERIAL SAFETY DATA SHEET **5445C BLUE**

Version Number 1.0

Revision Date 06/11/2004

| ersion Number 1.0 evision Date 06/11/2004 | | | | Prin | Page 5 of 6 t Date 11/14/2011 |
|--|---------|--|---------------------|-----------------|----------------------------------|
| IMO / IMDG (maritime) | : F | Refer to specific regul | ation. | | |
| | 15. F | REGULATORY INI | FORMATION | | |
| US Regulations: | | | | | |
| OSHA Status | : (| Classified as hazardou | s based on compo | onents. | |
| TSCA Status | | All components of thi nventory. | s product are liste | d on or exemp | ot from the TSCA |
| US. EPA CERCLA Hazardous | Substa | unces (40 CFR 302) | | | |
| Not applicable | | | | | |
| | | | | | |
| California Proposition 65 | : Т | This product does not | contain a substan | ce listed by Ca | alifornia Prop 65. |
| SARA Title III Section 302 Extr | remely | y Hazardous Substanc | e | | |
| Not applicable | | | | | |
| SARA Title III Section 313 Tox | ic Che | emicals: | | | |
| Not applicable Canadian Regulations: | | | | | |
| National Pollutant Releas | se Invo | entory (NPRI) | | | |
| Chemical Name | | | CAS-No. | Weight % | NPRI ID# |
| Rutile, antimony chromium | | | 68186-90-3 | 0.22 | 68 |
| Rutile, antimony chromiun | Tourr | I | 68186-90-3 | 0.22 | 17 |
| WHMIS Classification | : N | Not controlled. | | | |
| DSL | | All components of thi Substances List (DSL) | | the Canadian I | Domestic |
| National Inventories: | | | | | |
| Australia AICS | : 1 | Listed | | | |
| China IECS | : 1 | Listed | | | |
| Europe EINECS | : 1 | Listed | | | |
| | | | | | |

| POLYONE CORPORATION | PolyOne. |
|---|--|
| MATERIAL SAFETY DATA SHEET | |
| 5445C BLUE | |
| Version Number 1.0 Revision Date 06/11/2004 | Page 6 of 6 Print Date <i>11/14/2011</i> |
| Japan ENCS : Not determined | |
| Korea KECI : Listed | |
| Philippines PICCS : Listed | |
| 16. OTHER INFORMATION | |
| The information provided in this Safety Data Sheet is correct to the best at the date of its publication. The information given is designed only as processing, storage, transportation, disposal and release and is not to be specification. The information relates only to the specific material desig material when used in combination with any other materials and/or in a conditions. | a guidance for safe handling, use, e considered a warranty or quality gnated and may not be valid for such |