

MATERIAL SAFETY DATA SHEET

PG 55323.00 PEARL YE PE

Version Number 1.0 Revision Date 06/16/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------------|---|
| Product name : | PG 55323.00 PEARL YE PE |
| Product code : | CC10055323 |
| Chemical Name : | Mixture |
| CAS-No. : | Mixture |
| Product Use : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 5 - 10 |
| Mica | 12001-26-2 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion | Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET PG 55323.00 PEARL YE PE

Version Number 1.0 Revision Date 06/16/2004 Page 2 of 6 Print Date 11/14/2011

| | 4. FIRST AID MEASURES |
|-------------------------------------|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits | |
| Upper explosion limit | : Not applicable |
| sower explosion limit | : Not applicable |
| Autoignition temperature | : Not applicable |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |

PolyOne.

MATERIAL SAFETY DATA SHEET PG 55323.00 PEARL YE PE

Version Number 1.0 Revision Date 06/16/2004 Page 3 of 6 Print Date 11/14/2011

| | | nd contamination. Keep in a d | iry, cool place. | |
|--|---|--|---|---|
| 8. E | XPOSURE | CONTROLS / PERSONAL | PROTECTION | |
| Respiratory protection | : No personal respiratory protective equipment normally required. | | | |
| Eye/Face Protection | : Safety glasses with side-shields. | | | |
| Hand protection | : Protective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothing. | | |
| Additional Protective Measures | : S | afety shoes. | | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | | | |
| Engineering measures | | eat only in areas with appropr ppropriate exhaust ventilation | | Provide |
| Exposure limit(s) | | | | |
| Components | Value | Exposure time | Exposure type | List: |
| Mica | 20 mppcf | PEL: | Total dust. | OSHA |
| | 3 mg/m3 | Time Weighted Average | Respirable fraction. | ACGIH |
| | - | (TWA): | Respirable fraction. | ACOIN |
| Titanium dioxide | 10 mg/m3 | | | ACGIH |
| Titanium dioxide | 10 mg/m3 15 mg/m3 | (TWA): Time Weighted Average | Total dust. | |
| Titanium dioxide | 15 mg/m3 | (TWA): Time Weighted Average (TWA): PEL: | Total dust. | ACGIH |
| Titanium dioxide | 15 mg/m3 | (TWA): Time Weighted Average (TWA): | Total dust. | ACGIH |
| | 15 mg/m3 | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO | Total dust. | ACGIH OSHA Z1 |
| Form | 15 mg/m3 9. PHYSIC | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO | Total dust. DPERTIES ration rate : Not | ACGIH |
| Form Appearance | 15 mg/m3 9. PHYSIC : Solid | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif | Total dust. DPERTIES ration rate : Not ic Gravity: : Not | ACGIH OSHA Z1 applicable |
| Form Appearance Color | 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO LOW Evapo ts Specif LOW Bulk d faint Vapor | Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not | ACGIH OSHA Z1 applicable determined established applicable |
| Form Appearance Color Odor Melting point/range | 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not c | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif LOW Bulk d faint Vapor letermined Vapou | Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not | ACGIH OSHA Z1 applicable determined established applicable applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: | 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not c : Not a | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif LOW Bulk d faint Vapor determined Vapou applicable pH | Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not | ACGIH OSHA Z1 applicable determined established applicable |
| Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not c | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif LOW Bulk d faint Vapor determined Vapou applicable pH | Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not | ACGIH OSHA Z1 applicable determined established applicable applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: | 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not c : Not a : Insol | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif LOW Bulk d faint Vapor determined Vapou applicable pH | Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | ACGIH OSHA Z1 applicable determined established applicable applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: | 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not c : Not a : Insol 10. S | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif LOW Bulk d faint Vapor determined Vapou applicable pH uble Uble | Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | ACGIH OSHA Z1 applicable determined established applicable applicable |
| Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not c : Not a : Insol 10. S : S | (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif LOW Bulk d faint Vapor determined Vapou uble STABILITY AND REACTIVE | Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | ACGIH OSHA Z1 applicable determined established applicable applicable |

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET PG 55323.00 PEARL YE PE

Version Number 1.0 Revision Date 06/16/2004 Page 4 of 6 Print Date 11/14/2011

| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|------------------|------------------|---------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| 12001-26-2 | Mica | Systemic effects | Respiratory system. |

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| | |
| U.S. DOT Classification | : Not regulated for transportation. |

| | | PolyOne. |
|--|-------|--|
| LYONE CORPORAT | ΓΙΟ | DN |
| TERIAL SAFETY DATA SHE | | |
| 6 55323.00 PEARL Y | ΈΙ | PE |
| sion Number 1.0 ision Date 06/16/2004 | | Page 5 c Print Date 11/14/20 |
| | | |
| IMO / IMDG (maritime) | : | Refer to specific regulation. |
| | 15 | . REGULATORY INFORMATION |
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Subs | stances (40 CFR 302) |
| Not applicable | | |
| | | |
| California Dromosition | | WADNING! This meduat contains a shamical known to the State of |
| 65 | • | WARNING! This product contains a chemical known to the State of California to cause cancer. |
| SARA Title III Section 302 Ext | rem | ely Hazardous Substance |
| Not applicable | | |
| SARA Title III Section 313 Tox | kic C | Chemicals: |
| Not applicable Canadian Regulations: | | |
| National Pollutant Relea | se Ir | nventory (NPRI) |
| Not applicable | | |
| WHMIS Classification | : | Not controlled. |
| DSL | : | DSL status has not been determined. Quantity use in Canada may be restricted by regulations. |
| National Inventories: | | |
| Australia AICS | : | Not determined |
| China IECS | : | Not determined |
| Europe EINECS | : | Not determined |
| Japan ENCS | : | Not determined |
| Korea KECI | : | Not determined |



MATERIAL SAFETY DATA SHEET PG 55323.00 PEARL YE PE

Version Number 1.0 Revision Date 06/16/2004

Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.