



MATERIAL SAFETY DATA SHEET

### **ROYAL BLUE**

Version Number 1.0 Revision Date 06/21/2004 Page 1 of 5 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ROYAL BLUE
Product code	:	CC10055622
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Re	outes of Exposure:	:	Inhalation, Ingestion, Skin contact	
Ac	cute exposure			
	Inhalation Ingestion Eyes Skin	:	Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.	
Cl	hronic exposure	:	Refer to Section 11 for Toxicological Information.	
	edical Conditions ggravated by Exposure:	:	None known.	
			A FIDST AID MEASUDES	

### 4. FIRST AID MEASURES



## MATERIAL SAFETY DATA SHEET **ROYAL BLUE**

ion Number 1.0 sion Date 06/21/2004	Pag Print Date 11/	ge 2 /1 <i>4/2</i>
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	es o
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	15
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	see
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in posit pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.</li> </ul>	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	l not
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	on 1
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpti and contamination. Keep in a dry, cool place.	ion
8. EXP(	SURE CONTROLS / PERSONAL PROTECTION	



## MATERIAL SAFETY DATA SHEET **ROYAL BLUE**

Version Numbe	r 1.0	
Revision Date (	06/21/2004	

Respiratory protection		ory protective equipment no ur wear appropriate respira	
Eye/Face Protection	: safety glasses		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothin	ıg.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		before breaks and immedia ccordance with good indust ics.	
Engineering measures		ith appropriate exhaust ven ventilation at machinery.	tilation. Provide
Exposure limit(s)			
There are no known hazardous	components above regulat	ory thresholds in this produ	ict.
9. P.	HYSICAL AND CHEM	ICAL PROPERTIES	
Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> </ul>
Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> </ul>	Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul><li>Not determined</li><li>Not determined</li><li>Not determined</li><li>Not determined</li></ul>
Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul><li>Not determined</li><li>Not determined</li><li>Not determined</li><li>Not determined</li></ul>
Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND	Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul><li>Not determined</li><li>Not determined</li><li>Not determined</li><li>Not determined</li></ul>
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> </ul>
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal decomposition</li> </ul>	Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	<ul> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> </ul>
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal dealer</li> <li>Incompatible with stable</li> </ul>	Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY composition, do not overhea rong acids and oxidizing ag 2), carbon monoxide (CO),	<ul> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> </ul>
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition products	<ul> <li>flakes</li> <li>BLUE</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal dealer</li> <li>Incompatible with st</li> <li>Carbon dioxide (CO</li> </ul>	Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY composition, do not overhea rong acids and oxidizing ag 2), carbon monoxide (CO), smoke.	<ul> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> </ul>

There are no known hazardous components above regulatory thresholds in this product.



## MATERIAL SAFETY DATA SHEET **ROYAL BLUE**

Version Number 1.0 Revision Date 06/21/2004 Page 4 of 5 Print Date 11/14/2011

D	
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the polymer matrix.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



### MATERIAL SAFETY DATA SHEET **ROYAL BLUE**

Version Number 1.0 Revision Date 06/21/2004		Page 5 of 5 Print Date 11/14/2011
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extra	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.