

MATERIAL SAFETY DATA SHEET

MAX FRESH GREEN

Version Number 1.0 Revision Date 06/24/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MAX FRESH GREEN
Product code	:	CC10055904
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET MAX FRESH GREEN

Version Number 1.0 Revision Date 06/24/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	ł	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	•	Not applicable
sower explosion limit		Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET MAX FRESH GREEN

Version Number 1.0 Revision Date 06/24/2004 Page 3 of 6 Print Date 11/14/2011

			lry, cool place.		
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally r	required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: P1	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.					
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH	
		(TWA):			
Titanium dioxide	10 mg/m3	(TWA): Time Weighted Average (TWA):		ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average	Total dust.	ACGIH OSHA Z1	
Titanium dioxide	15 mg/m3	Time Weighted Average (TWA): PEL:			
Titanium dioxide	15 mg/m3	Time Weighted Average (TWA):			
	15 mg/m3	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo	DPERTIES	OSHA Z1	
Form Appearance	15 mg/m3 9. PHYSIC : Solid : Peller	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif	DPERTIES ration rate : Not ïc Gravity: : Not	OSHA Z1 applicable determined	
Form Appearance Color	15 mg/m3 9. PHYSIC : Solid : Peller : GRE	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif EN Bulk d	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	OSHA Z1 applicable determined established	
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif EN Bulk d faint Vapor	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	OSHA Z1 applicable determined established applicable	
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Solid : Pellet : GRE : Very : Not d	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif EN Bulk d faint Vapor letermined Vapou	DPERTIES ration rate : Not Tic Gravity: : Not lensity : Not pressure : Not ur density : Not	OSHA Z1 applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pelled : GRE : Very : Not d : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif EN Bulk d faint Vapor letermined Vapou upplicable pH	DPERTIES ration rate : Not Tic Gravity: : Not lensity : Not pressure : Not ur density : Not	OSHA Z1 applicable determined established applicable	
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solid : Pellet : GRE : Very : Not d	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif EN Bulk d faint Vapor letermined Vapou upplicable pH	DPERTIES ration rate : Not Tic Gravity: : Not lensity : Not pressure : Not ur density : Not	OSHA Z1 applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pellee : GRE : Very : Not d : Insolu	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif EN Bulk d faint Vapor letermined Vapou upplicable pH	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	OSHA Z1 applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pelleu : GRE : Very : Not c : Not a : Insolu 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif EN Bulk d faint Vapor letermined Vapou upplicable pH uble	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	OSHA Z1 applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIC : Solid : Pellee : GRE : Very : Not d : Insolut 10. S : St	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif EN Bulk d faint Vapor letermined Vapou upplicable pH uble	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	OSHA Z1 applicable determined established applicable applicable	



MATERIAL SAFETY DATA SHEET MAX FRESH GREEN

Version Number 1.0 Revision Date 06/24/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia
	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET MAX FRESH GREEN

Version Number 1.0 Revision Date 06/24/2004 Page 5 of 6 Print Date 11/14/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	reme	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Themicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Ir	aventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed

POLYONE	CORPORATION



MATERIAL SAFETY DATA SHEET

MAX FRESH GREEN

Version Number 1.0 Revision Date 06/24/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.