

### MATERIAL SAFETY DATA SHEET

### MAX FRESH BLUE

Version Number 1.0 Revision Date 06/25/2004

Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	:	MAX FRESH BLUE
Product code :	:	CC10055906
Chemical Name :	:	Mixture
CAS-No. :	:	Mixture
Product Use :	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET MAX FRESH BLUE

Version Number 1.0 Revision Date 06/25/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
sower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



## MATERIAL SAFETY DATA SHEET MAX FRESH BLUE

Version Number 1.0 Revision Date 06/25/2004 Page 3 of 6 Print Date 11/14/2011

		nd contamination. Keep in a d	ny, 0001 piùco.			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice.		
Engineering measures		eat only in areas with appropri ppropriate exhaust ventilation a		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Mica	20 mppcf	PEL:	Total dust.	OSHA		
	3 mg/m3	Time Weighted Average				
	- 8 -	(TWA):	Respirable fraction.	ACGIH		
Titanium dioxide	10 mg/m3		Respirable fraction.	ACGIH ACGIH		
Titanium dioxide	-	(TWA): Time Weighted Average	Total dust.			
Titanium dioxide	10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA): PEL:	Total dust.	ACGIH		
Titanium dioxide	10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA):	Total dust.	ACGIH		
	10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust.	ACGIH OSHA Z1		
Form	10 mg/m3 15 mg/m3 9. PHYSIC	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapor	Total dust. DPERTIES ration rate : Not	ACGIH		
Form Appearance Color	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapor ts Specifi E Bulk d	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not	ACGIH OSHA Z1 applicable		
Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapor ts Specifi E Bulk d faint Vapor	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not	ACGIH OSHA Z1 applicable determined established applicable		
Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         ts       Specifi         E       Bulk d         faint       Vapor         letermined       Vapou	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         ts       Specifi         E       Bulk d         faint       Vapor         letermined       Vapou         upplicable       pH	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 applicable determined established applicable		
Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         ts       Specifi         E       Bulk d         faint       Vapor         letermined       Vapou         upplicable       pH	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         ts       Specifi         E       Bulk d         faint       Vapor         letermined       Vapou         upplicable       pH	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	(TWA):         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRODUCTS         E         Bulk d         faint       Vapou         upplicable       pH         uble	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	(TWA):         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         ts       Specifi         E       Bulk d         faint       Vapor         letermined       Vapou         upplicable       pH         uble       TABILITY AND REACTIV	Total dust. <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		



Page 4 of 6

Print Date 11/14/2011

### MATERIAL SAFETY DATA SHEET MAX FRESH BLUE

Version Number 1.0 Revision Date 06/25/2004	Prin
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.

Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
products		(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
	: Not regulated for transportation.
U.S. DOT Classification	



### MATERIAL SAFETY DATA SHEET MAX FRESH BLUE

Version Number 1.0 Revision Date 06/25/2004 Page 5 of 6 Print Date 11/14/2011

15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	:	Classified as hazardous based on component	its.	
TSCA Status	:	All components of this product are listed on a Inventory.	or exemp	ot from the TSCA
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance list	sted by Ca	alifornia Prop 65
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
STHAT THE III SCHOIL JOZ EAU		-		
Not applicable				
Not applicable		'homicale:		
		hemicals:		
Not applicable SARA Title III Section 313 Tox		hemicals:		
Not applicable SARA Title III Section 313 Tox Not applicable		hemicals:		
Not applicable SARA Title III Section 313 Tox		hemicals:		
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations:	xic C			
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea	xic C	wentory (NPRI)	Veight %	NPRI ID#
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations:	xic C	ventory (NPRI) CAS-No. We	<sup>7</sup> eight % .90	NPRI ID# 70
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	xic C se Ir	ventory (NPRI) CAS-No. We 147-14-8 0.9	.90	70
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification DSL	xic C se Ir	Not controlled.	.90	70
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification	xic C se Ir	Not controlled. All components of this product are on the C	.90	70
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification DSL	xic C se Ir	Not controlled. All components of this product are on the C	.90	70
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL National Inventories:	se Ir	Not controlled.         All components of this product are on the Casubstances List (DSL) or are exempt.	.90	70
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS	se Ir	Not controlled. All components of this product are on the Carton Substances List (DSL) or are exempt.	.90	70

		PolyOne.
POLYONE CORPORATION	ON	
MATERIAL SAFETY DATA SHEET	2	
MAX FRESH BLUE		
Version Number 1.0 Revision Date 06/25/2004		Page 6 of 6 Print Date 11/14/2011
Korea KECI :	Listed	
	Listed	
Philippines PICCS :		
	16. OTHER INFORMATION	
at the date of its publication. The in processing, storage, transportation, specification. The information relat	fety Data Sheet is correct to the best of nformation given is designed only as a disposal and release and is not to be co tes only to the specific material designa with any other materials and/or in any	guidance for safe handling, use, onsidered a warranty or quality ated and may not be valid for such