

MATERIAL SAFETY DATA SHEET

ORANGE PEARL

Version Number 1.0 Revision Date 07/01/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	ORANGE PEARL
Product code :	CC10055980
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **ORANGE PEARL**

Version Number 1.0 Revision Date 07/01/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	5
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature	 Not applicable Not applicable Not applicable On applicable 	
Suitable extinguishing media Special Fire Fighting	 Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive 	ve
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	at
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	n

2/6



MATERIAL SAFETY DATA SHEET ORANGE PEARL

Version Number 1.0 Revision Date 07/01/2004 Page 3 of 6 Print Date 11/15/2011

8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection	: N	o personal respiratory protect	ive equipment normally 1	required.	
Eye/Face Protection	: Sa	afety glasses with side-shields	3.		
Hand protection	: Pr	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective : Safety shoes. Measures					
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		afety practice.	
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
		(1 11).			
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
		PEL:		OSHA Z1	
				OSHA Z1	
	9. PHYSIC	PEL: CAL AND CHEMICAL PRO	OPERTIES		
Form	9. PHYSIC : Solid	PEL: CAL AND CHEMICAL PRO Evapo	OPERTIES	applicable	
Form Appearance	9. PHYSIC : Solid : Pelle	PEL: CAL AND CHEMICAL PRO Evapo ts Specif	DPERTIES Dration rate : Not fic Gravity: : Not	applicable determined	
Form Appearance Color	9. PHYSIC : Solid	PEL: CAL AND CHEMICAL PRO Evapo ts Specif NGE Bulk o	OPERTIES oration rate : Not fic Gravity: : Not density : Not	applicable	
Form Appearance Color Odor	9. PHYSIC : Solid : Pelle : ORA : Very	PEL: CAL AND CHEMICAL PRO Evapor ts Specif NGE Bulk of faint Vapor	OPERTIES oration rate : Not fic Gravity: : Not density : Not pressure : Not	applicable determined established applicable	
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : Pelle : ORA : Very : Not c	PEL: CAL AND CHEMICAL PRO Evapor ts Specif NGE Bulk of faint Vapor	OPERTIES oration rate : Not fic Gravity: : Not density : Not · pressure : Not ur density : Not	applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : ORA : Very : Not c	PEL: CAL AND CHEMICAL PRO Evapor ts Specif NGE Bulk of faint Vapor letermined Vapor pplicable pH	OPERTIES oration rate : Not fic Gravity: : Not density : Not · pressure : Not ur density : Not	applicable determined established applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a : Insol	PEL: CAL AND CHEMICAL PRO Evapor ts Specif NGE Bulk of faint Vapor letermined Vapor pplicable pH	OPERTIES oration rate : Not fic Gravity: : Not lensity : Not ' pressure : Not ir density : Not	applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a : Insol 10. S	PEL: CAL AND CHEMICAL PRO Evapor ts Specif NGE Bulk of faint Vapor letermined Vapor pplicable pH uble	OPERTIES oration rate : Not fic Gravity: : Not lensity : Not ' pressure : Not ir density : Not	applicable determined established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a : Insol 10. S	PEL: CAL AND CHEMICAL PRO Evapor ts Specif NGE Bulk of faint Vapor letermined Vapor upplicable pH uble TABILITY AND REACTIV	OPERTIES oration rate : Not fic Gravity: : Not lensity : Not ' pressure : Not ir density : Not	applicable determined established applicable applicable	



MATERIAL SAFETY DATA SHEET **ORANGE PEARL**

Version Number 1.0 Revision Date 07/01/2004

Page 4 of 6 Print Date 11/15/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Not readily biodegradable. Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. No data available DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste
polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. No data available DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste
polymer matrix. No data available DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste
DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste
Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste
classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
. TRANSPORT INFORMATION
Not regulated for transportation.



MATERIAL SAFETY DATA SHEET **ORANGE PEARL**

Version Number 1.0 Revision Date 07/01/2004

	sion Number 1.0 vision Date 07/01/2004		Page 5 of 6 Print Date 11/15/2011
	IMO / IMDG (maritime)	:	Refer to specific regulation.
		15	. REGULATORY INFORMATION
	US Regulations:		
	OSHA Status	:	Classified as hazardous based on components.
	TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
	US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
	Not applicable		
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
	SARA Title III Section 302 Extra	rem	ely Hazardous Substance
	Not applicable		
SARA Title III Section 313 Toxic Chemicals:			
	Not applicable Canadian Regulations:		
	National Pollutant Release	se Ir	iventory (NPRI)
	Not applicable		
	WHMIS Classification	:	Not controlled.
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
	National Inventories:		
	Australia AICS	:	Listed
	China IECS	:	Listed
	Europe EINECS	:	Not determined
	Japan ENCS	:	Not determined
	Korea KECI	:	Listed

POLYONE	CORPORATION



MATERIAL SAFETY DATA SHEET

ORANGE PEARL

Version Number 1.0 Revision Date 07/01/2004 Page 6 of 6 Print Date 11/15/2011

Philippines PICCS :

Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.