MATERIAL SAFETY DATA SHEET SHINE FREE SOFT CAMEO

Version Number 1.0 Revision Date 06/30/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SHINE FREE SOFT CAMEO
Product code	:	CC10056029
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET SHINE FREE SOFT CAMEO

Version Number 1.0 Revision Date 06/30/2004 Page 2 of 6 Print Date 11/15/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	ł	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	•	Not applicable
sower explosion limit		Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET SHINE FREE SOFT CAMEO

Version Number 1.0 Revision Date 06/30/2004 Page 3 of 6 Print Date 11/15/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protect	tive equipment normally r	equired.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		afety practice	
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
		CAL AND CHEMICAL PR	ODEDTIES		
	9.11130	CAL AND CHEMICAL FRO	UTERTIES		
		1 E	oration rate : Not	applicable	
	: Solic				
Appearance	: Pelle	ets Speci	fic Gravity: : Not	determined	
Appearance Color	: Pelle : BRO	ets Speci DWN Bulk	fic Gravity: : Not density : Not	established	
Appearance Color Odor	: Pelle : BRO : Very	ets Speci DWN Bulk faint Vapor	fic Gravity: : Not density : Not r pressure : Not	established applicable	
Appearance Color Odor Melting point/range	: Pelle : BRO : Very : Not o	ets Speci DWN Bulk faint Vapor determined Vapor	fic Gravity:: Notdensity: Notr pressure: Notur density: Not	established applicable applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not o : Not a	ets Speci WN Bulk faint Vapor determined Vapor applicable pH	fic Gravity:: Notdensity: Notr pressure: Notur density: Not	established applicable	
Appearance Color Odor Melting point/range	: Pelle : BRO : Very : Not o	ets Speci WN Bulk faint Vapor determined Vapor applicable pH	fic Gravity:: Notdensity: Notr pressure: Notur density: Not	established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not o : Not o : Insol	ets Speci WN Bulk faint Vapor determined Vapor applicable pH	fic Gravity: : Not density : Not r pressure : Not ur density : Not : Not	established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not o : Not a : Insol	ets Speci WN Bulk faint Vapor determined Vapor applicable pH luble	fic Gravity: : Not density : Not r pressure : Not ur density : Not : Not	established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BRO : Very : Not c : Not c : Insol 10. S : S	ets Speci DWN Bulk of faint Vapor determined Vapor applicable pH luble	fic Gravity: : Not density : Not r pressure : Not ur density : Not : Not	established applicable applicable	

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET SHINE FREE SOFT CAMEO

Version Number 1.0 Revision Date 06/30/2004

Page 4 of 6 Print Date 11/15/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET SHINE FREE SOFT CAMEO

Version Number 1.0 Revision Date 06/30/2004 Page 5 of 6 Print Date 11/15/2011

US Regulations:				
OSHA Status	: Classif	ied as hazardous b	based on compon	ients.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable				
California Proposition 65		IING! This produ nia to cause cance		emical known to the State
SARA Title III Section 302 Ext	remely Haza	rdous Substance		
Not applicable				
Not applicable	xic Chemical	s.		
SARA Title III Section 313 To	xic Chemical	s:		
SARA Title III Section 313 Tox	xic Chemical	s:	CAS-No.	Weight %
SARA Title III Section 313 To	xic Chemical	s:	CAS-No. 68187-51-9	Weight % 1.10
SARA Title III Section 313 Tox	xic Chemical	s:		
SARA Title III Section 313 To Chemical Name ZINC COMPOUNDS				
SARA Title III Section 313 To: Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea		(NPRI)		
SARA Title III Section 313 To: Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea	se Inventory : Not con : All con	(NPRI) ntrolled.	68187-51-9 product are on the	
SARA Title III Section 313 Top Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification	se Inventory : Not con : All con	(NPRI) ntrolled.	68187-51-9 product are on the	1.10
SARA Title III Section 313 Tor Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL	se Inventory : Not con : All con	(NPRI) ntrolled.	68187-51-9 product are on the	1.10
SARA Title III Section 313 Tor Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL National Inventories:	se Inventory : Not con : All con Substan	(NPRI) ntrolled.	68187-51-9 product are on the	1.10
SARA Title III Section 313 Tox Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Relea WHMIS Classification DSL National Inventories: Australia AICS	se Inventory : Not con : All con Substan : Listed	(NPRI) ntrolled.	68187-51-9 product are on the	1.10

MATERIAL SAFETY DATA SHEET SHINE FREE SOFT CAMEO

Version Number 1.0 Revision Date 06/30/2004

Page 6 of 6 Print Date 11/15/2011

Korea KECI	:	Listed
------------	---	--------

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.