MATERIAL SAFETY DATA SHEET STAN-TONE DB-17181 BLUE GREEN

Version Number 1.0 Revision Date 06/29/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	duct Stewardship (770) 271-5902 EMTREC 1-800-424-9300 (24hrs fe accident).	or spill, leak, fire, exposure
Product name	AN-TONE DB-17181 BLUE GREEN	
Product code	10056128	
Chemical Name	ture	
CAS-No.	ture	
Product Use	ustrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Chromium (III) oxide	1308-38-9	1 - 5
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET STAN-TONE DB-17181 BLUE GREEN

Version Number 1.0 Revision Date 06/29/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume



MATERIAL SAFETY DATA SHEET STAN-TONE DB-17181 BLUE GREEN

Version Number 1.0 Revision Date 06/29/2004 Page 3 of 6 Print Date 11/15/2011

condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Chromium (III) oxide	0.5 mg/m3	Time Weighted Average	as Cr	ACGIH
	_	(TWA):		
	1 mg/m3	PEL:	as Cr	OSHA Z1
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Solid
powder, granular
GREEN
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH Not applicable
Not determined
Not determined
Not applicable
Not applicable
Not applicable



MATERIAL SAFETY DATA SHEET STAN-TONE DB-17181 BLUE GREEN

Version Number 1.0 Revision Date 06/29/2004 Page 4 of 6 Print Date 11/15/2011

	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1308-38-9	Chromium (III) oxide	Irritant	Eyes, Skin.
		sensitizer	Skin.
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Additional Health Hazard Information:

Chromium (III) oxide 1308-38-9 The bi and trivalent forms of chrome have a low order of acute toxicity but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) componds are not considered carcinogenic in animals or humans.

12. ECOLOGICAL INFORMATION

Per	sistence and degradability	:	Not readily biodegradable.
Env	vironmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.
Bio	accumulation Potential	:	No data available
Ade	ditional advice	:	No data available

13. DISPOSAL CONSIDERATIONS



MATERIAL SAFETY DATA SHEET STAN-TONE DB-17181 BLUE GREEN

ion Number 1.0 sion Date 06/29/2004			Page 5 Print Date 11/15/2
Product	generator of waster classification, transp		
Contaminated packaging	has the responsibilit	y for proper waste cl rdance with applicab	ne generator of waste materia assification, transportation le federal, state/provincial
	14. TRANSPORT IN	FORMATION	
U.S. DOT Classification	: Not regulated for tra	insportation.	
ICAO/IATA (air)	: Not regulated for tra	insportation.	
IMO / IMDG (maritime)	: Not regulated for tra	insportation.	
	15. REGULATORY I	NFORMATION	
US Regulations:			
OSHA Status	: Classified as hazard	ous based on compo	nents.
TSCA Status	: All components of Inventory.	his product are listed	on or exempt from the TSCA
US. EPA CERCLA Hazardo	as Substances (40 CFR 302)		
Not applicable			
California Proposition 65	n : This product does n	ot contain a substance	e listed by California Prop 65
SARA Title III Section 302 H	Extremely Hazardous Substa	nce	
Not applicable			
SARA Title III Section 313	oxic Chemicals:		
Chemical Name		CAS-No.	Weight %
CHROMIUM III CO CHROMIUM III CO		1308-38-9 1308-14-1	3.51 0.47
		1500-14-1	יד.ט
Canadian Regulations:			

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE DB-17181 BLUE GREEN

Version Number 1.0 Revision Date 06/29/2004 Page 6 of 6 Print Date 11/15/2011

Chemical Name		ventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Chromium (III) oxide			1308-38-9	3.51	68
Chromium hydroxide (Cr(C)H)3	3)	1308-14-1	0.47	68
Misc00005- Misc Zinc Cpd	Cpd'sNot Available0.65241			241	
WHMIS Classification WHMIS Ingredient Disclo CAS-No. 1308-38-9 12001-26-2					
DSL ional Inventories:	:	All components of the Substances List (DSI		he Canadian	Domestic
Australia AICS	:	Not determined			
	:	Not determined			
China IECS					
Europe EINECS	:	Not determined			
	:	Not determined Not determined			
Europe EINECS	•				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.