

### MATERIAL SAFETY DATA SHEET

### GREEN PNT. 369C

Version Number 1.0 Revision Date 07/09/2004

Page 1 of 6 Print Date 11/15/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN PNT. 369C
Product code	:	CC10056228
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



## MATERIAL SAFETY DATA SHEET GREEN PNT. 369C

ion Number 1.0 sion Date 07/09/2004	Page : Print Date 11/15/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



### MATERIAL SAFETY DATA SHEET GREEN PNT. 369C

Version Number 1.0 Revision Date 07/09/2004 Page 3 of 6 Print Date 11/15/2011

Respiratory protection			tective equipment normally r appropriate respiratory pro-	
Eye/Face Protection	: 58	afety glasses		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	p		e breaks and immediately afte nce with good industrial hygi	
Engineering measures		leat only in areas with app ppropriate exhaust ventilat	ropriate exhaust ventilation. tion at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average	ge	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
Form	: Solid	i Ev	vaporation rate : Not	t applicable
Appearance	: Solic : flake	d Ev es Sp	vaporation rate : Not becific Gravity: : Not	t determined
Appearance Color	: Solic : flake : GRE	d Ev es Sp EEN Bu	vaporation rate : Not becific Gravity: : Not ilk density : Not	t determined t determined
Appearance Color Odor	: Solic : flake : GRE : Very	d Ev es Sp EEN Bu v faint Va	vaporation rate : Not becific Gravity: : Not ilk density : Not apor pressure : Not	t determined t determined t determined
Appearance Color Odor Melting point/range	: Solic : flake : GRE : Very : Grea	l Ev es Sp EEN Bu v faint Va tter than 130 °C Va	vaporation rate : Not becific Gravity: : Not alk density : Not apor pressure : Not apour density : Not	t determined t determined t determined t determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea : Not a	I Ev es Sp EEN Bu v faint Va tter than 130 °C Va applicable pF	vaporation rate : Not becific Gravity: : Not alk density : Not apor pressure : Not apour density : Not	t determined t determined t determined
Appearance Color Odor Melting point/range	: Solic : flake : GRE : Very : Grea	I Ev es Sp EEN Bu v faint Va tter than 130 °C Va applicable pF	vaporation rate : Not becific Gravity: : Not alk density : Not apor pressure : Not apour density : Not	t determined t determined t determined t determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea : Not a : Insol	I Ev es Sp EEN Bu v faint Va tter than 130 °C Va applicable pF	vaporation rate : Not becific Gravity: : Not alk density : Not apor pressure : Not apour density : Not H : Not	t determined t determined t determined t determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea : Not a : Insol <b>10. S</b>	d Eves Sp EEN Bu faint Va applicable pH luble	vaporation rate : Not becific Gravity: : Not alk density : Not apor pressure : Not apour density : Not H : Not	t determined t determined t determined t determined
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : flake : GRE : Very : Grea : Not a : Insol <b>10. S</b> : S	d Ev es Sp EEN Bu faint Va ter than 130 °C Va applicable pH luble	vaporation rate : Not becific Gravity: : Not alk density : Not apor pressure : Not apour density : Not H : Not	t determined t determined t determined t determined
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : flake : GRE : Very : Grea : Not a : Insol <b>10. S</b> : S	d Ev es Sp EEN Bu v faint Va tter than 130 °C Va applicable pH luble STABILITY AND REAC table.	vaporation rate : Not becific Gravity: : Not alk density : Not apor pressure : Not apour density : Not H : Not	t determined t determined t determined t determined



# MATERIAL SAFETY DATA SHEET

# GREEN PNT. 369C

#### Version Number 1.0 Revision Date 07/09/2004

Page 4 of 6 Print Date 11/15/2011

Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
products		(NOx), dense black smoke.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	I
Persistence and degrada	bility : Not readily b	iodegradable.	
Environmental Toxicity	: Chemicals ar polymer matr		as they are bound within the
Bioaccumulation Potent	ial : Not inherentl	y biodegradable.	
Additional advice	: Chemicals ar polymer matr		as they are bound within the
	13. DISPOSAL	CONSIDERATIONS	
Product	generator of classification	waste material has the r	d to disposal or incineration. Th esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packagin	has the respon	nsibility for proper was in accordance with appl	e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
U.S. DOT Classification	n : Refer to spec	ific regulation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	) : Refer to spec	ific regulation.	
	15. REGULATO	ORY INFORMATION	J
US Regulations:			



### MATERIAL SAFETY DATA SHEET GREEN PNT. 369C

Version Number 1.0 Revision Date 07/09/2004 Page 5 of 6 Print Date 11/15/2011

OSHA Status	:	Classified as hazard	lous based on comp	onents.	
TSCA Status	:	All components of Inventory.	this product are liste	ed on or exemp	pt from the TS
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)	)		
Not applicable					
California Proposition 65	:	This product does n	ot contain a substar	ice listed by C	alifornia Prop
SARA Title III Section 302 Ext	trem	ely Hazardous Substa	ance		
Not applicable					
SARA Title III Section 313 To:	xic C	Chemicals:			
Not applicable Canadian Regulations:	ase Ir	nventory (NPRI)			
	ase Ir	nventory (NPRI)	CAS-No. 147-14-8	Weight % 0.72	NPRI ID# 70
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name					
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Phthalocyanine blue			this product are on	0.72	70
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL	:	Not controlled. All components of	this product are on	0.72	70
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL	:	Not controlled. All components of	this product are on	0.72	70
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification DSL National Inventories:	:	Not controlled. All components of Substances List (DS	this product are on	0.72	70
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS	:	Not controlled. All components of Substances List (DS Listed	this product are on	0.72	70
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS China IECS	: : :	Not controlled. All components of Substances List (DS Listed Listed	this product are on	0.72	70
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	: : :	Not controlled. All components of Substances List (DS Listed Listed Listed	this product are on	0.72	70



MATERIAL SAFETY DATA SHEET

# GREEN PNT. 369C

Version Number 1.0 Revision Date 07/09/2004 Page 6 of 6 Print Date 11/15/2011

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.