## MATERIAL SAFETY DATA SHEET ABYSSINE TRANS AMBER PET

Version Number 1.1 Revision Date 10/24/2006

Page 1 of 6 Print Date 11/24/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ABYSSINE TRANS AMBER PET
Product code	:	CC10056503
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, fumed, crystal-free	112945-52-5	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Irritating to eyes and respiratory system.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

# MATERIAL SAFETY DATA SHEET ABYSSINE TRANS AMBER PET

Version Number 1.1 Revision Date 10/24/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive</li> </ul>
Procedures Unusual Fire/Explosion Hazards	<ul> <li>pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

## MATERIAL SAFETY DATA SHEET ABYSSINE TRANS AMBER PET

Version Number 1.1 Revision Date 10/24/2006 Page 3 of 6 Print Date 11/24/2011

	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: U	Inder normal handling condition	ons a respirator may not b	e required.
Eye/Face Protection	: S	afety glasses with side-shields	5.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and		ifety practic
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous, fumed, crystal-free	20 mppcf	PEL:	Total dust.	Z3
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL
	9. PHYSI(	CAL AND CHEMICAL PRO	OPERTIES	
	. 1		NT -	<b>t</b> - <b>1</b> - <b>1</b>
Form	: liqui			established determined
Form	· V1004	ous, nquiu specii	-	applicable
Appearance				determined
Appearance Color	: BRO	OWN Bulk of		
Appearance Color Odor	: BRO : Very	WN Bulk of a state of the state	pressure : Not	
Appearance Color Odor Melting point/range	: BRO : Very : Not a	DWNBulk ofapplicableVaporVaporVapor	r pressure : Not ur density : Not	determined
Appearance Color Odor	: BRO : Very : Not a	WNBulk ofy faintVaporapplicableVaporapplicablepH	r pressure : Not ur density : Not	
Appearance Color Odor Melting point/range Boiling Point:	: BRO : Very : Not a : Not a : Imm	WNBulk ofy faintVaporapplicableVaporapplicablepH	pressure : Not in density : Not : Not	determined

PolvOne

## MATERIAL SAFETY DATA SHEET ABYSSINE TRANS AMBER PET

Version Number 1.1 Revision Date 10/24/2006 Page 4 of 6 Print Date *11/24/2011* 

Conditions to avoid	:	Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112945-52-5	Silica, amorphous, fumed, crystal-free	Irritant	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	C	Themical Name	Route	Value	Species
112945-52-5	Silica, crystal	amorphous, fumed, -free	Oral LD50	3,160 mg/kg	rat
		12. ECOLOGICA	L INFORMAT	ION	
Persistence and degr	adability	: Not readily bio	degradable.		
Environmental Toxi	city	: Adverse ecolog	ical impact is not	t known or expected	l under normal use
Bioaccumulation Po	tential	: Does not bioacc	cumulate.		
Additional advice : No data availab		ble			
		13. DISPOSAL C	ONSIDERATI	ONS	
Product		generator of wa classification, th	ste material has t ransportation and	ferred to disposal of the responsibility fo disposal in accord ial and local regula	or proper waste ance with
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPOR	T INFORMATI	ON	

PolyOne.

# MATERIAL SAFETY DATA SHEET ABYSSINE TRANS AMBER PET

sion Number 1.1 vision Date 10/24/2006				Prir	Page 5 o nt Date 11/24/20
U.S. DOT Classification	:	Not regulated fo	r transportation.		
ICAO/IATA (air)	:	Not regulated fo	r transportation.		
IMO / IMDG (maritime)	:	Not regulated fo	r transportation.		
	15.	REGULATOR	Y INFORMAT	ION	
US Regulations:					
OSHA Status	:	Classified as haz	zardous based on	a components.	
TSCA Status	:	All components Inventory.	of this product a	are listed on or exem	pt from the TSCA
US. EPA CERCLA Hazardou	ıs Subst	tances (40 CFR 3	302)		
Not applicable					
California Propositior 65	1 :	Not applicable			
SARA Title III Section 302 E	Extreme	ly Hazardous Su	bstance		
Unless specific chemicals are	identifi	ied under this se	ction, this produce	ct is Not Applicable	under this regulati
I			, <b>1</b>	11	U
SARA Title III Section 313 T	OXIC CI	nemicals:			
Unless specific chemicals are	identifi	ied under this se	ction, this produc	ct is Not Applicable	under this regulati
Canadian Regulations:					
National Pollutant Rel	ease Inv	ventory (NPRI)			
Chemical Name Bis (2-ethylhexyl) adipate			CAS-No. 103-23-1	Weight % 30.00 - 60.00	NPRI ID# 24
Dis (2-emymexyi) actipate			103-23-1	30.00 - 00.00	24
WHMIS Classificatio	n :	Not controlled.			
DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.					
National Inventories:					

PolyOne

### MATERIAL SAFETY DATA SHEET ABYSSINE TRANS AMBER PET

Version Number 1.1 Revision Date 10/24/2006 Page 6 of 6 Print Date 11/24/2011

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.