



MATERIAL SAFETY DATA SHEET

GREEN 3295C

Version Number 1.0 Revision Date 07/12/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN 3295C
Product code	:	CC10056611
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:		: Inhalation, Ingestion, Skin contact				
1	Acute exposure					
	Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. 				
	Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
]	Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.				



MATERIAL SAFETY DATA SHEET GREEN 3295C

Version Number 1.0 Revision Date 07/12/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	;		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at		
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel		
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits				
Upper explosion limit	: Not applicable			
sower explosion limit	: Not applicable			
Autoignition temperature	: Not applicable			
Suitable extinguishing media : Carbon dioxide blanket, water spray, dry powder, foamnone.				
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve		
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen			
Hazards	(NOx), other hazardous materials, and smoke are all possible.			
	ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation.	ıt		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	n		



MATERIAL SAFETY DATA SHEET GREEN 3295C

Version Number 1.0 Revision Date 07/12/2004 Page 3 of 6 Print Date 11/15/2011

and contamination. Keep in a dry, cool place.									
8. EXPOSURE CONTROLS / PERSONAL PROTECTION									
Respiratory protection : No personal respiratory protective equipment normally required.									
Eye/Face Protection : Safety glasses with side-shields.									
Hand protection : Protective gloves.									
Skin and body protection : Long sleeved clothing.									
Additional Protective : Safety shoes. Measures									
General Hygiene:Handle in accordance with good industrial hygiene and safety practice.Considerations:Wash hands before breaks and at the end of workday.									
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.									
Exposure limit(s)									
Components	Value	Exposure time	ne Exposure typ		e List:				
Calcium carbonate	5 mg/m3	PEL:	Respirable fract						
	15 mg/m3	PEL:		Total dust.		OSHA Z1			
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES					
Form	: Solid			ation rate :		applicable			
Appearance		: Pellets : GREEN : Very faint		Specific Gravity:: Not determinedBulk density: Not established					
Color									
Odor Malting point/range	•	letermined	Vapor pressure : Not applica Vapour density : Not applica						
Melting point/range Boiling Point:		applicable	vapou pH	density :		applicable applicable			
Water solubility	: Insol	11	рп		NOU	applicable			
water solubility	10. STABILITY AND REACTIVITY								
	10. S		ACTIV	ITY					
Stability			ACTIV	ITY					
	: St	TABILITY AND RE	ACTIV	ITY					
Stability	: Si m : W : K	TABILITY AND RE	ng agen		To av	void thermal			
Stability Hazardous Polymerizatio	: Si on : W : K de	TABILITY AND RE table. /ill not occur. eep away from oxidizi	ng agen verheat.	ts and open flame.		void thermal			



MATERIAL SAFETY DATA SHEET GREEN 3295C

GREEN 32930

Version Number 1.0 Revision Date 07/12/2004 Page 4 of 6 Print Date 11/15/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3 Calcium carbonate		Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION



MATERIAL SAFETY DATA SHEET GREEN 3295C

Version Number 1.0 Revision Date 07/12/2004			Prin	t Date	Page 5 of 6 11/15/2011				
US Regulations:									
OSHA Status :	Classified as hazardou	is based on compor	nents.						
TSCA Status :	All components of thi Inventory.	s product are listed	on or exemp	ot from t	he TSCA				
US. EPA CERCLA Hazardous Subs	US. EPA CERCLA Hazardous Substances (40 CFR 302)								
Not applicable									
California Proposition : 65									
SARA Title III Section 302 Extreme	ely Hazardous Substanc	ce							
Not applicable									
SARA Title III Section 313 Toxic C	Chemicals:								
Not applicable Canadian Regulations:									
National Pollutant Release Ir Chemical Name	iventory (NPRI)	CAS-No.	Weight %	NPRI	ID#				
Aluminum		7429-90-5	0.52	12					
Phthalocyanine blue		147-14-8	0.13	70					
 WHMIS Classification : Not controlled. DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. 									
National Inventories:									
Australia AICS :	Listed								
China IECS :	Listed								
Europe EINECS :	Listed								
Japan ENCS :	Not determined								
Korea KECI :	Listed								



MATERIAL SAFETY DATA SHEET

GREEN 3295C

Version Number 1.0 Revision Date 07/12/2004 Page 6 of 6 Print Date 11/15/2011

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.