MATERIAL SAFETY DATA SHEET **BLUE 2925C VERS. II**

Version Number 1.2 Revision Date 10/24/2006

Page 1 of 6 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE 2925C VERS. II
Product code	:	CC10056687
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE 2925C VERS. II**

Version Number 1.2 Revision Date 10/24/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE 2925C VERS. II**

Version Number 1.2 Revision Date 10/24/2006 Page 3 of 6 Print Date 11/24/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	afety glasses with side-shields	i.			
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		safety practice		
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL		
		CALAND CHEMICAL DD				
	9. PH 1510	CAL AND CHEMICAL PRO	JPERTIES			
	: Solic	l Evapo	ration rate : No	t applicable		
Form	D 11	ets Specif	5	t determined		
Appearance	: Pelle		lensity : No	t established		
Appearance Color	: BLU	E Bulk d	•			
Appearance Color Odor	: BLU : Very	E Bulk d faint Vapor		t applicable		
Appearance Color Odor Melting point/range	: BLU : Very : Not o	EBulk dr faintVapordeterminedVapou	r density : No	t applicable		
Appearance Color Odor Melting point/range Boiling Point:	: BLU : Very : Not of : Not a	EBulk dr faintVapordeterminedVapouapplicablepH	r density : No			
Appearance Color Odor Melting point/range	: BLU : Very : Not o	EBulk dr faintVapordeterminedVapouapplicablepH	r density : No	t applicable		
Appearance Color Odor Melting point/range Boiling Point:	: BLU : Very : Not o : Not a : Insol	EBulk dr faintVapordeterminedVapouapplicablepH	r density : No : No	t applicable		
Appearance Color Odor Melting point/range Boiling Point:	: BLU : Very : Not c : Not a : Insol	E Bulk d faint Vapor determined Vapou applicable pH luble	r density : No : No	t applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BLU : Very : Not a : Not a : Insol 10. S : S	E Bulk d faint Vapor determined Vapou applicable pH luble STABILITY AND REACTIVE	r density : No : No	t applicable		

Page 4 of 6

Print Date 11/24/2011

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **BLUE 2925C VERS. II**

Version Number 1.2 Revision Date 10/24/2006		Print
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxide

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

products

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

_

_

MATERIAL SAFETY DATA SHEET **BLUE 2925C VERS. II**

sion Number 1.2 rision Date 10/24/2006		Page 5 of 6 Print Date <i>11/24/2011</i>
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	trem	ely Hazardous Substance
Unless specific chemicals are i	denti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	xic C	Chemicals:
Unless specific chemicals are i	denti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Relea	ase Iı	nventory (NPRI)
		CAS-No. Weight % NPRI ID#

PolyOne

MATERIAL SAFETY DATA SHEET **BLUE 2925C VERS. II**

Version Number 1.2 Revision Date 10/24/2006 Page 6 of 6 Print Date 11/24/2011

Aluminum oxide	1344-28-1	0.10 - 1.00	13
Phthalocyanine blue	147-14-8	0.10 - 1.00	71

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.