MATERIAL SAFETY DATA SHEET PINK 183C VERS II

Version Number 1.1 Revision Date 10/24/2006

Page 1 of 6 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------------|---|---|
| Product name | : | PINK 183C VERS II |
| Product code | : | CC10056708 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 30 - 60 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| : Inhalation, Ingestion, Skin contact |
|---|
| |
| Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed. |
| : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| : Experience shows no unusual dermatitis hazard from routine handling. |
| : Refer to Section 11 for Toxicological Information. |
| : None known. |
| |



MATERIAL SAFETY DATA SHEET **PINK 183C VERS II**

Version Number 1.1 Revision Date 10/24/2006 Page 2 of 6 Print Date 11/24/2011

| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
|---|--|
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| T 1 11 T ' | |
| Flammable Limits Upper explosion limit | Not applicable |
| | Not applicableNot applicable |
| Lower explosion limit Autoignition temperature | : Not applicable |
| | |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 3 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |

PolyOne.

MATERIAL SAFETY DATA SHEET PINK 183C VERS II

Version Number 1.1 Revision Date 10/24/2006 Page 3 of 6 Print Date 11/24/2011

| 8. E | EXPOSURE | CONTROLS / PERSONAL | L PROTECTION | | | | |
|--|---|---|--|---|--|--|--|
| Respiratory protection | : N | lo personal respiratory protec | ctive equipment normally | required. | | | |
| Eye/Face Protection | : Safety glasses with side-shields. | | | | | | |
| Hand protection | : Protective gloves. | | | | | | |
| Skin and body protection | : Long sleeved clothing. | | | | | | |
| Additional Protective Measures | : Safety shoes. | | | | | | |
| General Hygiene Considerations | | landle in accordance with goo Vash hands before breaks and | | safety practice. | | | |
| Engineering measures | | leat only in areas with appropriate exhaust ventilation | | . Provide | | | |
| Exposure limit(s) | | | | | | | |
| Components | Value | Exposure time | Exposure type | List: | | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH | | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 | | | |
| | 20 mg/m3 | Short Term Exposure Limi (STEL): | t as Ti | MX OEL | | | |
| | 9. PHYSI | CAL AND CHEMICAL PR | OPERTIES | | | | |
| | | | | | | | |
| | | | oration rate : No | ot applicable | | | |
| Form | : Solic | | | | | | |
| Appearance | : Pelle | ets Spec | ific Gravity: : No | ot determined | | | |
| Appearance Color | : Pelle : PINI | ets Spec K Bulk | ific Gravity: : No density : No | ot determined ot established | | | |
| Appearance Color Odor | : Pelle : PINI : Very | ets Spec K Bulk v faint Vapo | ific Gravity: : No density : No or pressure : No | ot determined ot established ot applicable | | | |
| Appearance Color Odor Melting point/range | : Pelle : PINI : Very : Not | ets Spec K Bulk v faint Vapo determined Vapo | ific Gravity::Nodensity:Noor pressure:Noour density:No | ot determined ot established ot applicable ot applicable | | | |
| Appearance Color Odor | : Pelle : PINI : Very : Not | ets Spec K Bulk 7 faint Vapo determined Vapo applicable pH | ific Gravity::Nodensity:Noor pressure:Noour density:No | ot determined ot established ot applicable | | | |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : PINI : Very : Not : Not : Insol | ets Spec K Bulk 7 faint Vapo determined Vapo applicable pH | ific Gravity: : No density : No or pressure : No our density : No : No | ot determined ot established ot applicable ot applicable | | | |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : PINJ : Very : Not : Not : Insol | ets Spec K Bulk V faint Vapo determined Vapo applicable pH luble | ific Gravity: : No density : No or pressure : No our density : No : No | ot determined ot established ot applicable ot applicable | | | |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility | : Pelle : PINI : Very : Not : Not : Insol 10. \$: S | ets Spec K Bulk y faint Vapo determined Vapo applicable pH luble | ific Gravity: : No density : No or pressure : No our density : No : No | ot determined ot established ot applicable ot applicable | | | |

PolyOne.

MATERIAL SAFETY DATA SHEET **PINK 183C VERS II**

| rsion Number 1.1 vision Date 10/24/200 | 6 | | | | Print I | Page 4 of 6 Date 11/24/2011 |
|--|-------------------|------------------------------------|------------------|--|---|--------------------------------|
| Incompatible Materials Hazardous decomposit | | Carbon dioxide | e (CC | | xide (CO), oxides | |
| products | | (NOx), other h | azard | lous materials, an | d smoke are all po | ossible. |
| | 11.7 | FOXICOLOGI | CAL | INFORMATIO | N | |
| This mixture has not be health data for the indi | | | | | re effects listed ar | e based on existing |
| <u>Toxicity Overview</u> This product contains t | the following | components wh | ich ir | n their pure form | have the following | g characteristics: |
| CAS-No. | Chem | ical Name | | Effect | Target | Organ |
| 13463-67-7 | Titanium d | | Sy | stemic effects | Respiratory syst | |
| CAS-No. 13463-67-7 | Che Titanium d | mical Name ioxide | | OSHA no | IARC 2B | NTP no |
| | Titanium d | | | | | |
| The component is c The component is The component is | s probably car | rcinogenic to hu | | | | |
| NTP Carcinogen Class 1 - The component is k 2 - The component is r | nown to be a | | | an carcinogen. | | |
| | 12 | 2. ECOLOGICA | AL II | NFORMATION | | |
| Persistence and degrad | ability : | Not readily bio | degra | adable. | | |
| Environmental Toxicit | у : | Chemicals are polymer matrix | | eadily available a | s they are bound w | vithin the |
| Bioaccumulation Poter | ntial : | Chemicals are polymer matrix | | eadily available a | s they are bound w | vithin the |
| Additional advice | : | No data availa | ble | | | |
| | 1. | 3. DISPOSAL (| CON | SIDERATIONS | | |
| Product | : | possible recycl generator of wa | ing is aste r | s preferred to disp naterial has the re | product can be rec osal or incineration sponsibility for prosal in accordance | on. The roper waste |

PolyOne.

MATERIAL SAFETY DATA SHEET PINK 183C VERS II

| rsion Number 1.1 vision Date 10/24/2006 | | Page 5 of 6 Print Date 11/24/2011 |
|--|--------|--|
| | | |
| | | applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : | Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 1 | 4. TRANSPORT INFORMATION |
| | | |
| U.S. DOT Classification | : | Not regulated for transportation. |
| ICAO/IATA (air) | : | Refer to specific regulation. |
| IMO / IMDG (maritime) | : | Refer to specific regulation. |
| | 15 | . REGULATORY INFORMATION |
| US Regulations: | - | |
| - | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Sub | stances (40 CFR 302) |
| Not applicable | | |
| | | |
| | | |
| California Proposition 65 | : | Not applicable |
| | | |
| SARA Title III Section 302 Ex | trem | ely Hazardous Substance |
| Unless specific chemicals are i | denti | fied under this section, this product is Not Applicable under this regulation |
| SARA Title III Section 313 To | oxic (| Chemicals: |
| Unless specific chemicals are i | denti | fied under this section, this product is Not Applicable under this regulation |
| Canadian Regulations: | | |
| National Pollutant Rele | ase Ii | nventory (NPRI) |
| | | CAS-No. Weight % NPRI ID# |

PolyOne

MATERIAL SAFETY DATA SHEET PINK 183C VERS II

Version Number 1.1 Revision Date 10/24/2006

_

Page 6 of 6 Print Date <u>11/24/2</u>011

| Aluminum oxide | | | 1344-28-1 | 0.10 - 1.00 | 13 |
|-----------------------|---|-----------------|---|---------------------|----------|
| | | | | | |
| WHMIS Classification | : | Not controlled. | | | |
| DSL | : | | s of this product a (DSL) or are exe | are on the Canadian | Domestic |
| National Inventories: | | | | | |
| Australia AICS | : | Listed | | | |
| China IECS | : | Listed | | | |
| Europe EINECS | : | Not determined | | | |
| Japan ENCS | : | Listed | | | |
| Korea KECI | : | Listed | | | |
| Philippines PICCS | : | Listed | | | |
| | | 16. OTHER I | NFORMATION | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.