

MATERIAL SAFETY DATA SHEET

TR RED PET 3

Version Number 1.0 Revision Date 07/29/2004 Page 1 of 5 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR RED PET 3
Product code	:	CC10056737
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of	Exposure:	:	Inhalation, Ingestion, Skin contact
Acute exp	osure		
In E	nhalation ngestion yes kin	:	Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic e			Refer to Section 11 for Toxicological Information.
	Conditions ed by Exposure:	:	None known.
			4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET TR RED PET 3

ion Number 1.0 sion Date 07/29/2004	Page 2 Print Date 11/15/2	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne. 	
Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET TR RED PET 3

Version Number 1.0 Revision Date 07/29/2004

Page 3 of 5 Print Date 11/15/2011

8. EXP	OSURE CONTROLS / I	PERSONAL PROTECTION		
Respiratory protection	: No personal respir	atory protective equipment normally requin	red.	
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved cloth	Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.	Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
There are no known hazardou	is components above regul	atory thresholds in this product.		
	is components above regu	alory inclusions in this product.		
9.	PHYSICAL AND CHE	MICAL PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets RED Very faint Not determined Not applicable Insoluble 	Evaporation rate: Not appliSpecific Gravity:: Not deterBulk density: Not estabVapor pressure: Not appliVapour density: Not applipH: Not appli	mined blished icable icable	
	10. STABILITY AN	D REACTIVITY		
Stability	: Stable.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.			
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.			
Hazardous decomposition products		O2), carbon monoxide (CO), oxides of nitr dous materials, and smoke are all possible		



MATERIAL SAFETY DATA SHEET TR RED PET 3

Version Number 1.0 Revision Date 07/29/2004 Page 4 of 5 Print Date 11/15/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	
	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



Page 5 of 5

MATERIAL SAFETY DATA SHEET **TR RED PET 3**

Version Number 1.0

Revision Date 07/29/2004		Print Date 11/15/2011
California Proposition 65	This product does not contain a substance listed	l by California Prop 65.
SARA Title III Section 302 Extre	nely Hazardous Substance	
Not applicable		
SARA Title III Section 313 Toxic	Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant Release	Inventory (NPRI)	
Not applicable		
WHMIS Classification	Not controlled.	
DSL	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domestic
National Inventories:		
Australia AICS	Not determined	
China IECS	Listed	
Europe EINECS	Listed	
Japan ENCS	Not determined	
Korea KECI	Listed	
Philippines PICCS	Not determined	
	16. OTHER INFORMATION	

.0. **OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.