MATERIAL SAFETY DATA SHEET

PG 56822.00 PEARL BN PP

Version Number 1.0 Revision Date 07/29/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PG 56822.00 PEARL BN PP
Product code :	CC10056822
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Mica	12001-26-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET PG 56822.00 PEARL BN PP

Version Number 1.0 Revision Date 07/29/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
sower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET PG 56822.00 PEARL BN PP

Version Number 1.0 Revision Date 07/29/2004 Page 3 of 6 Print Date 11/15/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protec	tive equipment normally r	equired.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.Considerations: Wash hands before breaks and at the end of workday.				
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	9. PHYSI(CAL AND CHEMICAL PR	OPERTIES	
	a 11			
C		1 Evap		applicable determined
	: Solic		tic Gravity · Not	ucici minicu
Appearance	: Pelle	ets Speci		established
Appearance Color	: Pelle : BRO	ets Speci DWN Bulk	density : Not	established applicable
Appearance Color Odor	: Pelle : BRO : Very	ets Speci DWN Bulk r faint Vapo	density : Not r pressure : Not	established applicable applicable
Appearance Color Odor Melting point/range	: Pelle : BRO : Very : Not o	ets Speci DWN Bulk r faint Vapo	density:Notr pressure:Notur density:Not	applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BRO : Very : Not o	ets Speci WN Bulk faint Vapo determined Vapo applicable pH	density:Notr pressure:Notur density:Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not o : Not a : Insol	ets Speci WN Bulk faint Vapo determined Vapo applicable pH	density:Notr pressure:Notur density:Not:Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not o : Not a : Insol	ets Speci WN Bulk faint Vapo determined Vapo applicable pH luble	density:Notr pressure:Notur density:Not:Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BRO : Very : Not a : Not a : Insol 10. S : S	ets Speci DWN Bulk of faint Vapo determined Vapo applicable pH luble	density:Notr pressure:Notur density:Not:Not	applicable applicable



MATERIAL SAFETY DATA SHEET PG 56822.00 PEARL BN PP

Version Number 1.0 Revision Date 07/29/2004 Page 4 of 6 Print Date 11/15/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	1.	3. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification ICAO/IATA (air)	:	Not regulated for transportation. Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.



MATERIAL SAFETY DATA SHEET PG 56822.00 PEARL BN PP

Version Number 1.0 Revision Date 07/29/2004 Page 5 of 6 Print Date 11/15/2011

	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous S	ubstances (40 CFR 302)		
Not applicable			
California Proposition 65	: This product does not contain a substance listed by California Prop 65.		
SARA Title III Section 302 Extre	emely Hazardous Substance		
Not applicable			
SARA Title III Section 313 Toxic	c Chemicals:		
Not applicable Canadian Regulations:			
National Pollutant Release	e Inventory (NPRI)		
Not applicable			
WHMIS Classification	: Not controlled.		
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:			
	: Listed		
Australia AICS			
Australia AICS China IECS	: Listed		
	: Listed : Listed		
China IECS			



MATERIAL SAFETY DATA SHEET PG 56822.00 PEARL BN PP

Version Number 1.0 Revision Date 07/29/2004 Page 6 of 6 Print Date 11/15/2011

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.