## MATERIAL SAFETY DATA SHEET TRL SEASHORE BLUE 7458C

Version Number 1.0 Revision Date 07/30/2004

Page 1 of 6 Print Date 11/15/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRL SEASHORE BLUE 7458C
Product code	:	CC10056971
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to over</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET TRL SEASHORE BLUE 7458C

Version Number 1.0 Revision Date 07/30/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
sower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET TRL SEASHORE BLUE 7458C

Version Number 1.0 Revision Date 07/30/2004 Page 3 of 6 Print Date 11/15/2011

	ar	nd contamination. Keej	p in a dr	ry, cool place.	
8. E	EXPOSURE	CONTROLS / PERSO	ONAL I	PROTECTION	
Respiratory protection	: N	o personal respiratory p	protectiv	ve equipment normall	y required.
Eye/Face Protection	: Sa	Safety glasses with side-shields.			
Hand protection : Protective gloves.					
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations		andle in accordance wit ash hands before break			l safety practice.
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			n. Provide		
Exposure limit(s)					
Components	Value	Exposure time	ne Exposure type Respirable fraction.		List:
Calcium carbonate	5 mg/m3	PEL:			OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	0				
	9. PHYSIC	AL AND CHEMICA	L PRO	PERTIES	
	9. PHYSIC	CAL AND CHEMICA			
Form	: Solid	l	Evapora	ation rate : N	ot applicable
Appearance	: Solid : Pelle	l ts	Evapor: Specific	ation rate : N c Gravity: : N	ot determined
Appearance Color	: Solid : Pelle : BLU	l ts E	Evapora Specific Bulk de	ation rate : N c Gravity: : N ensity : N	ot determined ot established
Appearance Color Odor	: Solid : Pelle : BLU : Very	ts E faint	Evapor Specific Bulk de Vapor p	ation rate : N c Gravity: : N ensity : N pressure : N	ot determined ot established ot applicable
Appearance Color Odor Melting point/range	: Solid : Pelle : BLU : Very : Not c	ts E faint letermined	Evapora Specific Bulk de Vapor p Vapour	ation rate : N c Gravity: : N ensity : N pressure : N density : N	ot determined ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not c : Not a	ts E faint determined applicable	Evapor Specific Bulk de Vapor p	ation rate : N c Gravity: : N ensity : N pressure : N density : N	ot determined ot established ot applicable
Appearance Color Odor Melting point/range	: Solid : Pelle : BLU : Very : Not c	ts E faint determined applicable	Evapora Specific Bulk de Vapor p Vapour	ation rate : N c Gravity: : N ensity : N pressure : N density : N	ot determined ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not c : Not a : Insol	ts E faint determined applicable	Evapora Specific Bulk de Vapor I Vapour pH	ation rate : N c Gravity: : N ensity : N pressure : N density : N : N	ot determined ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not c : Not a : Insol	ts E faint letermined applicable uble	Evapora Specific Bulk de Vapor I Vapour pH	ation rate : N c Gravity: : N ensity : N pressure : N density : N : N	ot determined ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : BLU : Very : Not c : Not a : Insol <b>10. S</b>	ts E faint letermined applicable uble TABILITY AND REA	Evapora Specific Bulk de Vapor I Vapour pH	ation rate : N c Gravity: : N ensity : N pressure : N density : N : N	ot determined ot established ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solid : Pelle : BLU : Very : Not c : Not a : Insol <b>10. S</b> : St n : W : K	ts E faint letermined applicable uble <b>TABILITY AND RE</b> table.	Evapor Specific Bulk de Vapor pH ACTIV	ation rate : N c Gravity: : N ensity : N pressure : N density : N : N	ot determined ot established ot applicable ot applicable ot applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Solid : Pelle : BLU : Very : Not c : Not a : Insol <b>10. S</b> : St n : W : K de	ts E faint letermined applicable uble <b>TABILITY AND RE</b> table. /ill not occur. eep away from oxidizir	Evapor Specific Bulk de Vapor p Vapour pH ACTIV	ation rate : N c Gravity: : N ensity : N pressure : N density : N : N <b>ITY</b>	ot determined ot established ot applicable ot applicable ot applicable

PolvOne

## MATERIAL SAFETY DATA SHEET TRL SEASHORE BLUE 7458C

### Version Number 1.0

Revision Date 07/30/2004

Page 4 of 6 Print Date 11/15/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET TRL SEASHORE BLUE 7458C

rsion Number 1.0 vision Date 07/30/2004		Page 5 Print Date 11/15/2
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION



# MATERIAL SAFETY DATA SHEET TRL SEASHORE BLUE 7458C

Version Number 1.0 Revision Date 07/30/2004 Page 6 of 6 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.