MATERIAL SAFETY DATA SHEET **B1 BLUE 0989**

Version Number 1.1 Revision Date 01/07/2008

Page 1 of 6 Print Date 12/3/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|---|
| Product name | : | B1 BLUE 0989 |
| Product code | : | CC10057035 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Calcium carbonate | 1317-65-3 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | |
|---------------------|---|--|--|
| Acute exposure | | | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. | | |
| Ingestion | : May be harmful if swallowed. | | |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |

PolyOne.

MATERIAL SAFETY DATA SHEET **B1 BLUE 0989**

Version Number 1.1 Revision Date 01/07/2008 Page 2 of 6 Print Date 12/3/2011

| Medical Conditions Aggravated by Exposure: | : None known. |
|--|---|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |



MATERIAL SAFETY DATA SHEET **B1 BLUE 0989**

| Version Number 1.1 | | | | |
|-------------------------|---|--|--|--|
| Revision Date 01/07/200 | 8 | | | |

Page 3 of 6 Print Date 12/3/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Respiratory protection | : No personal respiratory protective equipment normally requir | red. |
|-----------------------------------|--|------|
| Eye/Face Protection | : Safety glasses with side-shields | |
| Hand protection | : Protective gloves | |
| Skin and body protection | : Long sleeved clothing | |
| Additional Protective Measures | : Safety shoes | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. | ide |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|-------------------|---------------------------------------|--|----------------------|---------|
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | | MX OEL |
| | 20 mg/m3 | (TWA): Short Term Exposure Limit (STEL): | | MX OEL |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 Time Weighted Average (TWA): | | as Ti | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | as Ti | MX OEL |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Solid
pellets
BLUE
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable

MATERIAL SAFETY DATA SHEET **B1 BLUE 0989**

Version Number 1.1 Revision Date 01/07/2008 Page 4 of 6 Print Date 12/3/2011

| | 1 | 0. STABILITY AND REACTIVITY | |
|-------------------------------|--------|--|--|
| Stability | : | Stable. | |
| Hazardous Polymeriza | tion : | Will not occur. | |
| Conditions to avoid | : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. | |
| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. | |
| Hazardous decomposit products | ion : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|-------------------|------------------|-------------------------|
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory |
| | | | system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Environmental Toxicity

: Chemicals are not readily available as they are bound within the

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **B1 BLUE 0989**

| contaminated packaging : Recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Not applicable : | Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : No data available Image: | sion Number 1.1 ision Date 01/07/2008 | Page 5 Print Date 12/3/2 |
|---|---|--|--|
| Bioaccumulation Potential : Remicals are not readily available as they are bound within the polymer matrix. Additional advice : No data available IJ.DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. I. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable | Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : No data available I. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IMO / IMDG (maritime) : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable | | |
| Additional advice : No data available Additional advice : No data available Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. US. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: : All components of this product are listed on or exempt from the TSCA Status ISCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Not applicable : Sotapplicable | Additional advice : No data available Additional advice : No data available Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: : All components of this product are listed on or exempt from the TSCA Inventory. US EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Substances (40 CFR 302) Not applicable : Not applicable | | polymer matrix. |
| I3. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: : Classified as hazardous based on components. TSCA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition <td>I. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. teresponsibility for proper waste classification, U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Not applicable : Not applicable</td> <td>Bioaccumulation Potential</td> <td></td> | I. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. teresponsibility for proper waste classification, U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Not applicable : Not applicable | Bioaccumulation Potential | |
| Product : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable | Product : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Not applicable California Proposition : Not applicable | Additional advice | : No data available |
| possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Not applicable : Not applicable | possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable | | 13. DISPOSAL CONSIDERATIONS |
| material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification I. TRANSPORT INFORMATION U.S. DOT Classification Refer to specific regulation. ICAO/IATA (air) Refer to specific regulation. IMO / IMDG (maritime) Refer to specific regulation. IMO / IMDG (maritime) Refer to specific regulation. US Regulations: Classified as hazardous based on components. TSCA Status Classified as hazardous based on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable Not applicable California Proposition Not applicable | material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable : | Product | generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with |
| U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | Contaminated packaging | material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, |
| ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous based on CFR 302) Not applicable : Not applicable California Proposition : Not applicable | ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous based (40 CFR 302) Not applicable : Not applicable California Proposition : Not applicable | | 14. TRANSPORT INFORMATION |
| ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. US Regulations: US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous based on CFR 302) Not applicable : Not applicable California Proposition : Not applicable | ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous based (40 CFR 302) Not applicable : Not applicable California Proposition : Not applicable | | |
| IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable | IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | U.S. DOT Classification | : Not regulated for transportation. |
| IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable | IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable | ICAO/IATA (air) | : Refer to specific regulation. |
| US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | IMO / IMDG (maritime) | : Refer to specific regulation. |
| OSHA Status:Classified as hazardous based on components.TSCA Status:All components of this product are listed on or exempt from the TSCA Inventory.US. EPA CERCLA Hazardous:(40 CFR 302)Not applicable:StatusCalifornia Proposition:Not applicable | OSHA Status:Classified as hazardous based on components.TSCA Status:All components of this product are listed on or exempt from the TSCA Inventory.US. EPA CERCLA Hazardous:(40 CFR 302)Not applicable:Not applicableCalifornia Proposition:Not applicable | | 15. REGULATORY INFORMATION |
| TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | US Regulations: | |
| TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 | OSHA Status | : Classified as hazardous based on components. |
| Not applicable California Proposition : Not applicable 65 | Not applicable California Proposition : Not applicable 65 | TSCA Status | 1 1 1 |
| California Proposition : Not applicable 65 | California Proposition : Not applicable 65 | US. EPA CERCLA Hazardou | us Substances (40 CFR 302) |
| California Proposition : Not applicable 65 | California Proposition : Not applicable 65 | Not applicable | |
| 65 | 65 | Not applicable | |
| SARA Title III Section 302 Extremely Hazardous Substance | SARA Title III Section 302 Extremely Hazardous Substance | - | 1 : Not applicable |
| STATT THE IT SECTOR 502 EXTENSIV HULAROUS SUBState | | SARA Title III Section 302 E | Extremely Hazardous Substance |

PolyOne

Page 6 of 6

POLYONE CORPORATION

Version Number 1.1

MATERIAL SAFETY DATA SHEET **B1 BLUE 0989**

| Revision Date 01/07/2008 | | | | Р | rint Date 12/3/2011 |
|---|-------|--|--------------------|------------------------------|-------------------------|
| Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation | | | | | |
| SARA Title III Section 313 Tox | tic C | Chemicals: | | | |
| Unless specific chemicals are id | lenti | fied under this sec | ction, this produc | ct is Not Applicable | e under this regulation |
| Canadian Regulations: | | | | | |
| National Pollutant Relea | se Ir | ventory (NPRI) | | | |
| Chemical Name | | | CAS-No. | Weight % | NPRI ID# |
| Phthalocyanine blue | | | 147-14-8 | 0.10 - 1.00 | 71 |
| WHMIS Classification | : | D2A All components Substances List (| | are on the Canadiar empt. | n Domestic |
| National Inventories: | | | | | |
| Australia AICS | : | Listed | | | |
| China IECS | : | Listed | | | |
| Europe EINECS | : | Listed | | | |
| Japan ENCS | : | Listed | | | |
| Korea KECI | : | Listed | | | |
| Philippines PICCS | : | Listed | | | |
| | | 16. OTHER IN | FORMATION | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.