MATERIAL SAFETY DATA SHEET 10057197HBPVC-YELLOW #109

Version Number 1.0 Revision Date 07/29/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	10057197HBPVC-YELLOW #109
Product code :	CC10057197
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 10057197HBPVC-YELLOW #109

Version Number 1.0 Revision Date 07/29/2004 Page 2 of 6 Print Date 11/15/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET 10057197HBPVC-YELLOW #109

Version Number 1.0				
Revision Date	07/29/2004			

Titanium dioxide

Page 3 of 6 Print Date 11/15/2011

ACGIH

Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage		Keep containers dry and tightly closed to avoid moisture absorpt and contamination. Keep in a dry, cool place.		
8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.		
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
		1	I	1
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
TT: (1 1 1	10 / 2			ACCI

	9. PHYSICAL	AND CHEMICAL P	ROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pellets : YELLOV : Very fain : Not deter : Not appli : Insoluble	Spec Bull Vap nined Vap	cific Gravity: k density oor pressure	 Not applicable Not determined Not established Not applicable Not applicable Not applicable
	10. STAI	BILITY AND REACT	TIVITY	
Stability	: Stable			
Hazardous Polymerization	: Will n	ot occur.		

3/6

Time Weighted Average

(TWA):

10 mg/m3



MATERIAL SAFETY DATA SHEET 10057197HBPVC-YELLOW #109

Version Number 1.0 Page 4 of 6 Revision Date 07/29/2004 Print Date 11/15/2011 Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. Incompatible Materials : Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Cherr	nical Name	Effect	Target Organ	
7631-86-9	Silica, amorphous		Irritant	Eyes, Respiratory system.	
13463-67-7	Titanium dioxide		Systemic effects	Respiratory system.	
	12	2. ECOLOGIC	CAL INFORMATION	1	
Persistence and degrada	bility :	Not readily bi	odegradable.		
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice		: No data available			
	1	3. DISPOSAL	CONSIDERATIONS	5	
Product	:	possible recyc generator of v classification,	cling is preferred to dis vaste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	

PolyOne

MATERIAL SAFETY DATA SHEET 10057197HBPVC-YELLOW #109

Version Number 1.0 Revision Date 07/29/2004 Page 5 of 6 Print Date 11/15/2011

14. TRANSPORT INFORMATION	
	1
U.S. DOT Classification : Not regulated for transportation.	
ICAO/IATA (air) : Refer to specific regulation.	
IMO / IMDG (maritime) : Refer to specific regulation.	
15. REGULATORY INFORMATION	
US Regulations:	
OSHA Status : Classified as hazardous based on components.	
TSCA Status : All components of this product are listed on or exempt from the TSC Inventory.	CA
US. EPA CERCLA Hazardous Substances (40 CFR 302)	
Not applicable	
California Proposition:WARNING! This product contains a chemical known to the State65California to cause cancer.	of
SARA Title III Section 302 Extremely Hazardous Substance	
Not applicable	
SARA Title III Section 313 Toxic Chemicals:	
Not applicable Canadian Regulations:	
National Pollutant Release Inventory (NPRI)	
Not applicable	
WHMIS Classification : Not controlled.	
DSL : All components of this product are on the Canadian Domestic	

PolvOne.

MATERIAL SAFETY DATA SHEET 10057197HBPVC-YELLOW #109

Version Number 1.0 Revision Date 07/29/2004 Page 6 of 6 Print Date *11/15/2011*

National Inventories:		Substances List (DSL) or are exempt.		
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.