

MATERIAL SAFETY DATA SHEET

RED 18C

Version Number 1.0 Revision Date 08/11/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	RED 18C
Product code :	CC10057451
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Iron oxide	1309-37-1	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **RED 18C**

Version Number 1.0 Revision Date 08/11/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET **RED 18C**

Version Number 1.0 Revision Date 08/11/2004 Page 3 of 6 Print Date 11/15/2011

	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.			
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves. Refer to equipment supplier to ensure protection.		
Skin and body protection	: L	: Long sleeved clothing.		
Additional Protective Measures	: S	: Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with appropropropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z
	15 mg/m3	DEI	Total dust.	OCULA 7
	15 mg/m5	PEL:	Total dust.	USHA Z
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	
Iron oxide Titanium dioxide	•	Time Weighted Average		ACGIH
	5 mg/m3	Time Weighted Average (TWA): Time Weighted Average		ACGIH ACGIH
	5 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Dust and fume. as Fe Total dust.	OSHA Z ACGIH ACGIH OSHA Z
Titanium dioxide	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust and fume. as Fe Total dust.	ACGIH ACGIH OSHA Z
	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust and fume. as Fe Total dust. DPERTIES	ACGIH ACGIH
Titanium dioxide	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : RED	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ler, granular Specif Bulk of	Dust and fume. as Fe Total dust. DPERTIES ration rate : Not ic Gravity: : Not	ACGIH ACGIH OSHA Z applicable
Titanium dioxide Form Appearance Color Odor	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : RED : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO LET, granular Specif Bulk of faint Vapor	Dust and fume. as Fe Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	ACGIH ACGIH OSHA Z applicable applicable determined applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : RED : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ler, granular Specif Bulk of faint Vapor letermined Vapor	Dust and fume. as Fe Total dust. OPERTIES ration rate : Not Tic Gravity: : Not pressure : Not ur density : Not ur density : Not	ACGIH ACGIH OSHA Z applicable applicable determined applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powo : RED : Very : Not c : Not a	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor I Evapor	Dust and fume. as Fe Total dust. OPERTIES ration rate : Not Tic Gravity: : Not pressure : Not ur density : Not ur density : Not	ACGIH ACGIH OSHA Z applicable applicable determined applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : RED : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor I Evapor	Dust and fume. as Fe Total dust. OPERTIES ration rate : Not Tic Gravity: : Not pressure : Not ur density : Not ur density : Not	ACGIH ACGIH OSHA Z applicable applicable determined applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powc : RED : Very : Not c : Not c : Insol	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapor I Evapor	Dust and fume. as Fe Total dust. DPERTIES Tration rate : Not Tratic Gravity: : Not lensity : Not pressure : Not ur density : Not : Not	ACGIH ACGIH OSHA Z applicable applicable determined applicable applicable



MATERIAL SAFETY DATA SHEET **RED 18C**

Version Number 1.0 Revision Date 08/11/2004		Page 4 of 6 Print Date <i>11/15/2011</i>
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

_

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

T	
	12. ECOLOGICAL INFORMATION
Persistence and degradability	Not readily biodegradable.
Environmental Toxicity	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	No data available
	13. DISPOSAL CONSIDERATIONS
Product	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	Not regulated for transportation.



MATERIAL SAFETY DATA SHEET **RED 18C**

Version Number 1.0 Revision Date 08/11/2004		Page 5 of 6 Print Date 11/15/2011
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed

POLYONE CORPORATION POLYONE CORPORATION				
MATERIAL SAFETY DATA SHE	ET			
RED 18C				
Version Number 1.0 Revision Date 08/11/2004		Page 6 of 6 Print Date 11/15/2011		
Japan ENCS	: Not determined			
Japan ENCS	. Not determined			
Korea KECI	: Not determined			
Philippines PICCS	: Not determined			
	16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.