

MATERIAL SAFETY DATA SHEET SEXY PALE PINK 705C

Version Number 1.0 Revision Date 08/09/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	SEXY PALE PINK 705C
Product code :	CC10057466
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET SEXY PALE PINK 705C

Version Number 1.0 Revision Date 08/09/2004 Page 2 of 6 Print Date 11/15/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET SEXY PALE PINK 705C

Version Number 1.0 Revision Date 08/09/2004 Page 3 of 6 Print Date 11/15/2011

Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Val Silica, amorphous 20 m 20 m Titanium dioxide 10 m, 15 m	du : sa : Pr : L : Sa : W pr pr : H ap	lo personal respiratory usty conditions occur v afety glasses rotective gloves. ong sleeved clothing. afety shoes. Vash hands and face be roduct. Handle in accor ractice for diagnostics. Ieat only in areas with ppropriate exhaust ven Exposure time PEL: PEL:	efore breal ordance w appropria ttilation at	opriate respiratory ks and immediately ith good industrial l ate exhaust ventilati	protection. after handling th tygiene and safet
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Val Silica, amorphous 20 m 20 m Titanium dioxide 10 m	: Pr : L : S : W pr pr : H ap : H ap porf	Protective gloves. Long sleeved clothing. afety shoes. Vash hands and face be roduct. Handle in accorractice for diagnostics. Ieat only in areas with ppropriate exhaust ven Exposure time PEL: PEL:	ordance w	ith good industrial l ate exhaust ventilati t machinery. <u>Exposure type</u> Total dust.	nygiene and safet on. Provide List: OSHA
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Val Silica, amorphous 20 m 20 m Titanium dioxide 10 m	: L : Sa : W pu pu : H app lue uppcf	ong sleeved clothing. afety shoes. Vash hands and face be roduct. Handle in accor ractice for diagnostics. Ieat only in areas with ppropriate exhaust ven Exposure time PEL: PEL:	ordance w	ith good industrial l ate exhaust ventilati t machinery. <u>Exposure type</u> Total dust.	nygiene and safet on. Provide List: OSHA
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Val Silica, amorphous 20 m 20 m Titanium dioxide 10 m	: Si : W pi pi : H app lue uppcf	afety shoes. Vash hands and face be roduct. Handle in accor ractice for diagnostics. Ieat only in areas with ppropriate exhaust ven Exposure time PEL: PEL:	ordance w	ith good industrial l ate exhaust ventilati t machinery. <u>Exposure type</u> Total dust.	nygiene and safet on. Provide List: OSHA
Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Val Silica, amorphous 20 m 20 m Titanium dioxide 10 m	: W pr pr : H ap ppcf	Vash hands and face be roduct. Handle in accor ractice for diagnostics. leat only in areas with ppropriate exhaust ven Exposure time PEL: PEL:	ordance w	ith good industrial l ate exhaust ventilati t machinery. <u>Exposure type</u> Total dust.	nygiene and safet on. Provide List: OSHA
Considerations Engineering measures Exposure limit(s) Components Val Silica, amorphous 20 m 20 m 10 m 15 m	pi pi : H ap lue uppcf uppcf	roduct. Handle in acco ractice for diagnostics. Ieat only in areas with ppropriate exhaust ven Exposure time PEL: PEL:	ordance w	ith good industrial l ate exhaust ventilati t machinery. <u>Exposure type</u> Total dust.	nygiene and safet on. Provide List: OSHA
Exposure limit(s)ComponentsValSilica, amorphous20 m20 m20 mTitanium dioxide10 m15 m	aı lue oppcf oppcf	ppropriate exhaust ven Exposure time PEL: PEL:	itilation at	t machinery. Exposure type Total dust.	List: OSHA
ComponentsValSilica, amorphous20 m20 m20 mTitanium dioxide10 m15 m	nppcf nppcf	PEL: PEL:	2	Total dust.	OSHA
Silica, amorphous20 m20 m20 mTitanium dioxide10 m15 m	nppcf nppcf	PEL: PEL:	2	Total dust.	OSHA
Silica, amorphous20 m20 m20 mTitanium dioxide10 m15 m	nppcf nppcf	PEL: PEL:		Total dust.	OSHA
20 mTitanium dioxide10 m15 m	nppcf	PEL:			
Titanium dioxide10 m15 m					
		Time Weighted Av (TWA):	erage		ACGIH
9. PI	ng/m3	PEL:		Total dust.	OSHA Z1
9. PI					
	HYSIC	CAL AND CHEMICA	AL PROI	PERTIES	
Form :	: Solid	1	Evapora	ation rate :	Not applicable
	flake				Not determined
Color :	: PINK	K	Bulk de	•	Not determined
Odor :	: Very	v faint	Vapor p		Not determined
Melting point/range :		ter than 130 °C	Vapour	density :	Not determined
Boiling Point: :		applicable	pН	:	Not applicable
Water solubility :	: Insol	luble			
	10. S	STABILITY AND RE	EACTIVI	ITY	
Stability	: S1	table.			
Hazardous Polymerization	: W	Vill not occur.			
Conditions to avoid	: T	o avoid thermal decon	nposition,	, do not overheat.	

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET SEXY PALE PINK 705C

Version Number 1.0 Revision Date 08/09/2004

Page 4 of 6 Print Date 11/15/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the polymer matrix.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation
	and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET **SEXY PALE PINK 705C**

Version Number 1.0 Revision Date 08/09/2004 Page 5 of 6 Print Date 11/15/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic C	Chemicals:
	kic C	Chemicals:
SARA Title III Section 313 Tox Not applicable		
SARA Title III Section 313 Tox Not applicable Canadian Regulations:		
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea		nventory (NPRI)
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable	se Iı	ıventory (NPRI)
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories:	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS	se In : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	se I1 : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed

PolyOne

MATERIAL SAFETY DATA SHEET SEXY PALE PINK 705C

Version Number 1.0 Revision Date 08/09/2004 Page 6 of 6 Print Date 11/15/2011

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.