

MATERIAL SAFETY DATA SHEET

UV MAGENTA

Version Number 1.0 Revision Date 08/06/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	UV MAGENTA
Product code :	CC10057536
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30
Iron oxide	1309-37-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET

UV MAGENTA

Version Number 1.0 Revision Date 08/06/2004 Page 2 of 6 Print Date 11/15/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion : Do not induce vomiting without medical advice. When sympt persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET UV MAGENTA

Version Number 1.0 Revision Date 08/06/2004

Storage

Page 3 of 6 Print Date 11/15/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

Solid
Pellets
RED
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH Not applicable
Not determined
Not established
Not applicable
Not applicable
Not applicable
Not applicable

10. STABILITY AND REACTIVITY

Stability

: Stable.

Hazardous Polymerization

: Will not occur.



MATERIAL SAFETY DATA SHEET **UV MAGENTA**

/ersion Number 1.0 Revision Date 08/06/2004				Page 4 of Print Date 11/15/201		
	<u>.</u>					
Conditions to avoid	:		rom oxidizing agents ar on, do not overheat.	nd open flame. To avoid thermal		
Incompatible Materials	Incompatible Materials : I		Incompatible with strong acids and oxidizing agents.			
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.						
	11. '	TOXICOLOG	SICAL INFORMATION	ON		
<u>Toxicity Overview</u> This product contains t	the following	components w	which in their pure form	have the following characteristics:		
		components w	which in their pure form			
This product contains t		nical Name	-	have the following characteristics: Target Organ Respiratory system.		
This product contains t	Chem	ical Name ioxide	Effect	Target Organ		
This product contains t CAS-No. 13463-67-7	Cherr Titanium d	ical Name ioxide	Effect Systemic effects	Target Organ Respiratory system.		
This product contains t CAS-No. 13463-67-7	Cherr Titanium d	ical Name ioxide	Effect Systemic effects Irritant	Target OrganRespiratory system.Eyes, Skin.		
CAS-No. 13463-67-7 1317-65-3	Chem Titanium d Calcium ca Iron oxide	ical Name ioxide rbonate	Effect Systemic effects Irritant Systemic effects	Target OrganRespiratory system.Eyes, Skin.Eyes, Skin, Respiratory system.Respiratory system.		
CAS-No. 13463-67-7 1317-65-3	Chem Titanium d Calcium ca Iron oxide	iical Name ioxide rbonate 2. ECOLOGIO	Effect Systemic effects Irritant Systemic effects Systemic effects	Target OrganRespiratory system.Eyes, Skin.Eyes, Skin, Respiratory system.Respiratory system.		

 Bioaccumulation Potential
 : Chemicals are not readily available as they are bound within the polymer matrix.

 Additional advice
 : No data available

13. DISPOSAL CONSIDERATIONS

- Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
 Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
 - **14. TRANSPORT INFORMATION**



MATERIAL SAFETY DATA SHEET **UV MAGENTA**

sion Number 1.0 vision Date 08/06/2004		Page 5 o Print Date 11/15/20
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
	-	
SARA Title III Section 302 Ext	rem	ery nazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ac C	_nemicals:
Not applicable Canadian Regulations:		
Canadian Regulations:	se It	wentory (NPRI)
Canadian Regulations: National Pollutant Relea	se Ir	ıventory (NPRI)
Canadian Regulations: National Pollutant Relea Not applicable		
Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	:	Not controlled.
Canadian Regulations: National Pollutant Relea Not applicable		
Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	:	Not controlled. All components of this product are on the Canadian Domestic
Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	:	Not controlled. All components of this product are on the Canadian Domestic



MATERIAL SAFETY DATA SHEET UV MAGENTA

Version Number 1.0 Revision Date 08/06/2004

Page 6 of 6 Print Date *11/15/2011*

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.