

## MATERIAL SAFETY DATA SHEET

## ORANGE 157C

Version Number 1.0 Revision Date 08/10/2004 Page 1 of 5 Print Date 11/15/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE 157C
Product code	:	CC10057676
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET ORANGE 157C

: Move to fresh air in case of accidental inhalation of fumes from	
overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	ses c
: Do not induce vomiting without medical advice. When symptor persist or in all cases of doubt seek medical advice.	ms
: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
: Wash off with soap and plenty of water. If skin irritation persist medical attention.	s see
5. FIRE-FIGHTING MEASURES	
: Not applicable	
<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>	
: Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne contaminants	itive
: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.	en
ACCIDENTAL RELEASE MEASURES	
: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
: Should not be released into the environment. The product shoul be allowed to enter drains, water courses or the soil.	d no
: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
7. HANDLING AND STORAGE	
: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	leat
: Keep containers dry and tightly closed to avoid moisture absorpt and contamination. Keep in a dry, cool place.	tion
	<ul> <li>persist or in all cases of doubt seek medical advice.</li> <li>Rinse immediately with plenty of water, also under the eyelids, i least 15 minutes. If eye irritation persists, seek medical attention</li> <li>Wash off with soap and plenty of water. If skin irritation persist medical attention.</li> <li><b>5. FIRE-FIGHTING MEASURES</b></li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in pos pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrog (NOx), other hazardous materials, and smoke are all possible.</li> <li><b>ACCIDENTAL RELEASE MEASURES</b></li> <li>Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.</li> <li>Should not be released into the environment. The product shoul be allowed to enter drains, water courses or the soil.</li> <li>Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Sect of this MSDS for proper disposal methods.</li> <li><b>7. HANDLING AND STORAGE</b></li> <li>Keep containers dry and tightly closed to avoid moisture absorption applicable absorption and protection during cleanup and plastic charge. Honly in areas with appropriate exhaust ventilation.</li> </ul>



## MATERIAL SAFETY DATA SHEET **ORANGE 157C**

Version Number 1.0 Revision Date 08/10/2004 Page 3 of 5 Print Date 11/15/2011

Respiratory protection	: No personal respin	ratory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with	h side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	hing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		nce with good industrial hy e breaks and at the end of v	
Engineering measures		with appropriate exhaust v st ventilation at machinery.	
Exposure limit(s)			
9.	PHYSICAL AND CHE	MICAL PROPERTIES	
Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity:	: Not determined
Color	: ORANGE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point: Water solubility	: Not applicable : Insoluble	pH	: Not applicable
water solubility	. Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	oxidizing agents and open floor not overheat.	lame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and oxidizing	agents.
	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
Hazardous decomposition products			



# MATERIAL SAFETY DATA SHEET **ORANGE 157C**

Version Number 1.0 Revision Date 08/10/2004 Page 4 of 5 Print Date 11/15/2011

There are no known hazardous components above regulatory thresholds in this product.

polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : No data available <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled. W possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wa classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste m has the responsibility for proper waste classification, transportation and local regulations.		12. ECOLOGICAL INFORMATION
polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : No data available <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled. V possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper was classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA (air)       : Refer to specific regulation.         IMO / IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : There are no known hazardous components above regulatory	Persistence and degradability	: Not readily biodegradable.
polymer matrix.         Additional advice       : No data available         13. DISPOSAL CONSIDERATIONS         Product       : Like most thermoplastic plastics the product can be recycled. V possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wa classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste mather and disposal in accordance with applicable federal, state/provincial and local regulations.         Locat regulations.       : Recycling is preferred when possible. The generator of waste mather and disposal in accordance with applicable federal, state/provin and local regulations.         Locat regulations.       : Recycling is preferred when possible. The generator of waste mather sponsibility for proper waste classification, transportation, transportation.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA (air)       : Refer to specific regulation.         IMO / IMDG (maritime)       : Refer to specific regulation.         US Regulations:       : There are no known hazardous components above regulatory	Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
13. DISPOSAL CONSIDERATIONS         Product       : Like most thermoplastic plastics the product can be recycled. V possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wa classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste m has the responsibility for proper waste classification, transportat and disposal in accordance with applicable federal, state/provin and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA (air)       : Refer to specific regulation.         IMO / IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : There are no known hazardous components above regulatory	Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Product       : Like most thermoplastic plastics the product can be recycled. V possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wa classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste m has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA (air)       : Refer to specific regulation.         IMO / IMDG (maritime)       : Refer to specific regulation.         US Regulations:       : There are no known hazardous components above regulatory	Additional advice	: No data available
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper wa classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste m has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste m has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA (air)       : Refer to specific regulation.         IMO / IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : There are no known hazardous components above regulatory		13. DISPOSAL CONSIDERATIONS
has the responsibility for proper waste classification, transporta and disposal in accordance with applicable federal, state/provin and local regulations. <b>14. TRANSPORT INFORMATION</b> U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. <b>15. REGULATORY INFORMATION</b> US Regulations: OSHA Status : There are no known hazardous components above regulatory	Product	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. <b>15. REGULATORY INFORMATION</b> US Regulations: OSHA Status : There are no known hazardous components above regulatory	Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory		14. TRANSPORT INFORMATION
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory		
IMO / IMDG (maritime)       : Refer to specific regulation.         15. REGULATORY INFORMATION         US Regulations:         OSHA Status       : There are no known hazardous components above regulatory		: Not regulated for transportation.
15. REGULATORY INFORMATION         US Regulations:         OSHA Status         : There are no known hazardous components above regulatory	ICAO/IATA (air)	: Refer to specific regulation.
US Regulations: OSHA Status : There are no known hazardous components above regulatory	IMO / IMDG (maritime)	: Refer to specific regulation.
OSHA Status : There are no known hazardous components above regulatory		15. REGULATORY INFORMATION
	US Regulations:	
	OSHA Status	
TSCA Status : All components of this product are listed on or exempt from the Inventory.	TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Substances (40 CFR 302)	US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable		



### MATERIAL SAFETY DATA SHEET ORANGE 157C

Version Number 1.0 Revision Date 08/10/2004 Page 5 of 5 Print Date 11/15/2011

California Proposition : WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Rutile, antimony chromium buff	68186-90-3	0.66	68
Rutile, antimony chromium buff	68186-90-3	0.66	17

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
l Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
	DSL I Inventories: Australia AICS China IECS Europe EINECS Japan ENCS Korea KECI	l Inventories: Australia AICS : China IECS : Europe EINECS : Iapan ENCS : Korea KECI :

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.