MATERIAL SAFETY DATA SHEET **PANTONE 341C**

Version Number 1.1 Revision Date 04/25/2007

Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PANTONE 341C
Product code	:	CC10057780
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %		
Calcium carbonate	1317-65-3	10 - 30		
Titanium dioxide	13463-67-7	10 - 30		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PANTONE 341C**

Version Number 1.1 Revision Date 04/25/2007 Page 2 of 6 Print Date 11/27/2011

	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inhalation of fu overheating or combustion. When symptoms persist of doubt seek medical advice.	
Ingestion	Do not induce vomiting without medical advice. Whe persist or in all cases of doubt seek medical advice.	n symptoms
Eyes	Rinse immediately with plenty of water, also under the least 15 minutes. If eye irritation persists, seek medicated	
Skin	Wash off with soap and plenty of water. If skin irritation	on persists seel
	5. FIRE-FIGHTING MEASURES	
Flash point	Not applicable	
Flammable Limits		
Upper explosion limit	Not applicable	
Lower explosion limit	Not applicable	
Autoignition temperature	Not applicable	
Suitable extinguishing media	Carbon dioxide blanket, Water spray, Dry powder, Fo	am.
Special Fire Fighting Procedures	Fullface self-contained breathing apparatus (SCBA) us pressure mode should be worn to prevent inhalation of contaminants.	
Unusual Fire/Explosion Hazards	Carbon dioxide (CO2), carbon monoxide (CO), oxides (NOx), other hazardous materials, and smoke are all p	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	Wear appropriate personal protection during cleanup, impervious gloves, boots and coveralls.	such as
Environmental precautions	Should not be released into the environment. The pro- be allowed to enter drains, water courses or the soil.	duct should not
Methods for cleaning up	Clean up promptly by sweeping or vacuum. Package plastic, cardboard or metal containers for disposal. Res of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	Take measures to prevent the build up of electrostatic only in areas with appropriate exhaust ventilation.	charge. Heat
Storage	Keep containers dry and tightly closed to avoid moistu	re absorption

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **PANTONE 341C**

Version Number 1.1 Revision Date 04/25/2007 Page 3 of 6 Print Date 11/27/2011

0,1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.			
Eye/Face Protection	: S	: Safety glasses with side-shields					
Hand protection	: P	rotective gloves					
Skin and body protection	: L	ong sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic			
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z			
	15 mg/m3	PEL:	Total dust.	OSHA Z			
	10 mg/m3	Time Weighted Average (TWA):		MX OEL			
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
I itanium dioxide			Total dust.				
	15 mg/m3	PEL:	I otal dust.	OSHA Z			
	15 mg/m3 10 mg/m3		as Ti				
		PEL: Time Weighted Average		MX OEL			
	10 mg/m3 20 mg/m3	PEL: Time Weighted Average (TWA): Short Term Exposure Limit	as Ti as Ti	MX OEL			
Form	10 mg/m3 20 mg/m3	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti as Ti PERTIES	MX OEL			
	10 mg/m3 20 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti as Ti PERTIES ration rate : Not	MX OEL			
Form	10 mg/m3 20 mg/m3 9. PHYSIC : Solic	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Evapor ts Specifi	as Ti as Ti PERTIES ration rate : Not c Gravity : Not	MX OEL MX OEL applicable			
Form Appearance	10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifi EN Bulk d	as Ti as Ti PPERTIES ration rate : Not c Gravity : Not ensity : Not	MX OEL MX OEL applicable determined			
Form Appearance Color Odour Melting point/range	10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE : Very : Not o	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifi EN Bulk d faint Vapou determined Vapou	as Ti as Ti PPERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not r density : Not	MX OEL MX OEL applicable determined established applicable applicable			
Form Appearance Color Odour	10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE : Very : Not o	PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO I Evapor ts Specifi EN Bulk d faint Vapou determined Vapou applicable pH	as Ti as Ti PPERTIES ration rate : Not c Gravity : Not ensity : Not r pressure : Not r density : Not	determined established applicable			

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET **PANTONE 341C**

Version Number 1.1 Revision Date 04/25/2007

Page 4 of 6 Print Date 11/27/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **PANTONE 341C**

Version Number 1.1 Revision Date 04/25/2007 Page 5 of 6 Print Date 11/27/2011

	polymer matrix.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.		
US. EPA CERCLA Hazardo	as Substances (40 CFR 302)		
Not applicable			
California Proposition 65	n : Not applicable		
SARA Title III Section 302 I	Extremely Hazardous Substance		
	e identified under this section, this product is Not Applicable under this regul		

PolvOne

MATERIAL SAFETY DATA SHEET **PANTONE 341C**

Version Number 1.1 Revision Date 04/25/2007 Page 6 of 6 Print Date 11/27/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name		,	CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13
Phthalocyanine green			1328-53-6	1.00 - 5.00	71
WHMIS Classification	1 :	D2A			
WHMIS Ingredient Dis	sclosu	re List			
CAS-No. 1328-53-6					
DSL	:		of this product a (DSL) or are exer	re on the Canadiar mpt.	n Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16 OTHER IN	FORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.