MATERIAL SAFETY DATA SHEET

TR. BLUE

Version Number 1.0 Revision Date 08/20/2004 Page 1 of 5 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR. BLUE
Product code	:	CC10058068
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	



Page 2 of 5

Print Date 11/15/2011

MATERIAL SAFETY DATA SHEET TF

TR. BLUE			
/ersion Number 1.0 Revision Date 08/20/2004		Page 2 o Print Date <i>11/15/20</i>	
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits			
Upper explosion limit	:	Not applicable	
sower explosion limit	:	Not applicable	
Autoignition temperature	:	Not applicable	
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting	•	Fullface self-contained breathing apparatus (SCBA) used in positive	
Procedures	-	pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen	
Hazards		(NOx), other hazardous materials, and smoke are all possible.	
	6. A	CCIDENTAL RELEASE MEASURES	

Personal precautions Wear appropriate personal protection during cleanup, such as : impervious gloves, boots and coveralls. : Should not be released into the environment. The product should not Environmental precautions be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET **TR. BLUE**

Version Number 1.0 Revision Date 08/20/2004

Page 3 of 5 Print Date 11/15/2011

Respiratory protection	: No personal respir	tory protective equipment normally re	quired.
Eye/Face Protection	: Safety glasses with		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	ing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ce with good industrial hygiene and sa breaks and at the end of workday.	fety practic
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	PHYSICAL AND CHEN	atory thresholds in this product.	
Form	: Solid		pplicable
Appearance	: Pellets	1 5	letermined
Color	: BLUE	5	established
Odor	: Very faint		applicable
Melting point/range	: Not determined		applicable
Boiling Point:	: Not applicable : Insoluble	pH : Not a	applicable
Water solubility	: Insoluble		
	10. STABILITY AN	O REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from or decomposition, do	idizing agents and open flame. To av not overheat.	oid therma
	: Incompatible with	strong acids and oxidizing agents.	
Incompatible Materials		D2), carbon monoxide (CO), oxides of	nitrogen
Incompatible Materials Hazardous decomposition products		dous materials, and smoke are all poss	



MATERIAL SAFETY DATA SHEET **TR. BLUE**

Version Number 1.0 Revision Date 08/20/2004 Page 4 of 5 Print Date 11/15/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

TR. BLUE

Version Number 1.0			
Revision Date	08/20/2004		

Page 5 of 5 Print Date 11/15/2011

California Proposition : This product does not contain a substance listed by California Prop 65. 65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)	
---	--

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue	147-14-8	1.20	70

WHMIS Classification : Not controlled.

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belie at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.