MATERIAL SAFETY DATA SHEET OPAQUE DARK BLUE

Version Number 1.0 Revision Date 08/24/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	OPAQUE DARK BLUE
Product code	CC10058104
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET OPAQUE DARK BLUE

Version Number 1.0 Revision Date 08/24/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **OPAQUE DARK BLUE**

Version Number 1.0 Revision Date 08/24/2004 Page 3 of 6 Print Date 11/15/2011

8. F	XPOSURE	CONTROLS / PERSON	NAL PROTECTION	[
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks			fety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure ty	vne	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):		/P*	ACGIH
	15 mg/m3	PEL:	Total dus	t.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
P					1. 1.1
Form Appearance	: Solid : Pelle		vaporation rate pecific Gravity:		pplicable letermined
Color	: BLU		ulk density		established
Odor	: Very		apor pressure		pplicable
Melting point/range			apour density		pplicable
Boiling Point:			Н		pplicable
Water solubility	: Insol				
	10. S	TABILITY AND REA	CTIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : W	/ill not occur.			
mazardous i orymenzation	: K	eep away from oxidizing		ie. To av	oid thermal
Conditions to avoid		ecomposition, do not ove	rneat.		

PolyOne

MATERIAL SAFETY DATA SHEET OPAQUE DARK BLUE

Version Number 1.0

Revision Date 08/24/2004

Page 4 of 6 Print Date 11/15/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	I		
Persistence and degrada	bility : Not readily b	viodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: No data avail	lable			
	13. DISPOSAL	CONSIDERATIONS			
Product	possible recy generator of classification	cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packagin	has the respo and disposal	: Recycling is preferred when possible. The generator of waste mathematical has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/province and local regulations.			
	14. TRANSPO	ORT INFORMATION			
U.S. DOT Classification	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	: Refer to specific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	1		

PolyOne.

MATERIAL SAFETY DATA SHEET OPAQUE DARK BLUE

sion Number 1.0 /ision Date_08/24/2004		Page Print Date 11/15/
US Regulations:		
OSHA Status		Classified as hazardous based on components.
TSCA Status	•	All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Sub	
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 6
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET OPAQUE DARK BLUE

Version Number 1.0 Revision Date 08/24/2004

Page 6 of 6 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.