MATERIAL SAFETY DATA SHEET

PG 58525.00 PEARL FT PE

Version Number 1.0 Revision Date 09/03/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 58525.00 PEARL FT PE
Product code	:	CC10058525
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET PG 58525.00 PEARL FT PE

Version Number 1.0 Revision Date 09/03/2004 Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET PG 58525.00 PEARL FT PE

Version Number 1.0 Revision Date 09/03/2004 Page 3 of 6 Print Date 11/15/2011

ð. E	XPOSURE	CONTROLS / PERSON	AL PROTECTIO	DN		
Respiratory protection	: N	lo personal respiratory pro	tective equipment	normally r	equired.	
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		Iandle in accordance with § Vash hands before breaks a			afety practice	
Engineering measures		Ieat only in areas with app ppropriate exhaust ventilat		entilation.	Provide	
Exposure limit(s)						
Components	Value	Exposure time	Exposure	e type	List:	
Mica	20 mppcf	PEL:	Total d		OSHA	
	3 mg/m3	Time Weighted Averag (TWA):	ge Respirable	fraction.	ACGIH	
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES			
Form	: Solid	1 Ex	Evaporation rate : Not applicable			
Appearance	: Pelle		ecific Gravity:		determined	
Color	: WHI		ılk density	: Not	established	
Odor	: Very		apor pressure	: Not	applicable	
Melting point/range	: Not	determined Va	pour density	: Not	applicable	
Boiling Point:	: Not a	applicable pH	I	: Not	applicable	
Bolling Follit.	: Insol	luble				
Water solubility						
	10.8	STABILITY AND REAC	TIVITY			
		STABILITY AND REAC	TIVITY			
Water solubility	: S		<u>'TIVITY</u>			
Water solubility Stability	: S n : W : K	table.	agents and open fla	ame. To a	void thermal	

PolyOne

MATERIAL SAFETY DATA SHEET PG 58525.00 PEARL FT PE

Version Number 1.0

Revision Date 09/03/2004

Page 4 of 6 Print Date 11/15/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
12001-26-2	Mica	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	I		
Persistence and degrada	bility : Not readily b	biodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: No data avai	lable			
	13. DISPOSAI	CONSIDERATIONS			
Product Contaminated packagin	g : Recycling is has the response	ycling is preferred to dis waste material has the r n, transportation and disp ederal, state/provincial and preferred when possible onsibility for proper was in accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial		
	14. TRANSPO	DRT INFORMATION			
U.S. DOT Classification	n : Not regulate	d for transportation.			
ICAO/IATA (air)	: Refer to spec	cific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	cific regulation.			
	15. REGULAT	ORY INFORMATION	1		

PolyOne.

MATERIAL SAFETY DATA SHEET PG 58525.00 PEARL FT PE

ion Number 1.0 sion Date 09/03/2004	Print Date	Page : 11/15/
US Regulations:		
OSHA Status	Classified as hazardous based on components.	
TSCA Status	All components of this product are listed on or exempt from th Inventory.	e TSC
US. EPA CERCLA Hazardous	bstances (40 CFR 302)	
Not applicable		
California Proposition 65	This product does not contain a substance listed by California	Prop 6
SARA Title III Section 302 Ext	nely Hazardous Substance	
Not applicable		
SARA Title III Section 313 Tox	Chemicals:	
Not applicable Canadian Regulations:		
National Pollutant Relea	Inventory (NPRI)	
Not applicable		
WHMIS Classification	Not controlled.	
DSL	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	;
National Inventories:		
Australia AICS	Listed	
China IECS	Listed	
Europe EINECS	Listed	
Japan ENCS	Not determined	
Korea KECI	Listed	
Philippines PICCS	Listed	

PolyOne

MATERIAL SAFETY DATA SHEET PG 58525.00 PEARL FT PE

Version Number 1.0 Revision Date 09/03/2004 Page 6 of 6 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.