MATERIAL SAFETY DATA SHEET **BLUE 2746C**

Version Number 1.1 Revision Date 04/25/2007 Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
:	BLUE 2746C
:	CC10058936
:	Mixture
:	Mixture
:	Industrial Applications
	: :

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET **BLUE 2746C**

Version Number 1.1 Revision Date 04/25/2007 Page 2 of 6 Print Date 11/27/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	:	Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET **BLUE 2746C**

Version Number 1.1 Revision Date 04/25/2007 Page 3 of 6 Print Date 11/27/2011

Image: Constraint of the constraint	8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Safety shoes General Hygiene : Handle in accordance with good industrial hygiene and safety practive wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Maximum divide : Norder the machinery. Exposure limit(s) : Total dust. OSHA Z Components Value : Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average a CGH (TWA): 10 mg/m3 Short Term Exposure Limit as Ti MX OE (STEL): : Otal dust. OSHA Z POPHYSICAL AND CHEMICAL PROPERTIES : Not applicable Not applicable Appearance : pellets Specific Gravity : Not applicable Odour : Very faint Vapour density : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Poin	Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.
Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : General Hygiene : Handle in accordance with good industrial hygiene and safety practive or considerations Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Total dust. OSHA Z Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average as Ti MX OE (TWA): : Total dust. OSHA Z 10 mg/m3 Time Weighted Average as Ti MX OE (TWA): : OSHA Z OSHA Z 20 mg/m3 Short Term Exposure Limit as Ti MX OE (STEL): : Not applicable Appearance : Pellets Specific Gravity : Not applicable Appearance : pellets Specific Gravity : Not applicable PH <	Eye/Face Protection	: S	afety glasses with side-shields		
Additional Protective :: Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practiconsiderations General Hygiene :: Handle in accordance with good industrial hygiene and safety practiconsiderations Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIF (TWA): OSHA Z 10 mg/m3 Time Weighted Average as Ti MX OE (STEL): Total dust. OSHA Z 0 mg/m3 Short Term Exposure Limit as Ti MX OE (STEL): Not applicable Appearance : pellets Specific Gravity : Not applicable Appearance : pellets Specific Gravity : Not applicable Odour : Very faint Vapour density : Not applicable Metting point/range : Not determined Vapour density : Not applicable Water solubility : Insoluble	Hand protection	: P	rotective gloves		
Measures General Hygiene : Handle in accordance with good industrial hygiene and safety practi Considerations : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation at machinery. Exposure limit(s) : Total dust. OSHA Z Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average as Ti MX OE 15 mg/m3 PEL: Total dust. OSHA Z 10 mg/m3 Time Weighted Average as Ti MX OE (TWA): : 0 OSHA Z 20 mg/m3 Short Term Exposure Limit as Ti MX OE Stability : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not applicable Appearance : pellets Specific Gravity : Not applicable Odour <td>Skin and body protection</td> <td>: L</td> <td>ong sleeved clothing</td> <td></td> <td></td>	Skin and body protection	: L	ong sleeved clothing		
Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): Io mg/m3 Time Weighted Average as Ti MX OE MX OE (TWA): Io mg/m3 Short Term Exposure Limit (STEL): As Ti MX OE PHYSICAL AND CHEMICAL PROPERTIES Form Solid Evaporation rate Not applicable Appearance pellets Specific Gravity Not determined Vapour pressure Not applicable Mot applicable PH Not applicable		: S	afety shoes		
appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average ACGIF (TWA): (TWA): OSHAZ 10 mg/m3 Time Weighted Average as Ti MX OE (TWA): (TWA): ost Ti MX OE 20 mg/m3 Short Term Exposure Limit as Ti MX OE (STEL): 0 Ost Applicable Stell PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity :: Not determined Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density :: Not applicable Boiling Point: : Not applicable pH : Not applicable Hot applicable Mot applicable Extension is in the stablishe List and the stablishe Hazardous Polymerization : Will not occur. <td></td> <td></td> <td></td> <td></td> <td>afety practice</td>					afety practice
Components Value Exposure time Exposure type List: Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGH 15 mg/m3 PEL: Total dust. OSHAZ 10 mg/m3 Time Weighted Average (TWA): as Ti MX OE 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OE PHYSICAL AND CHEMICAL PROPERTIES Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour density : Not applicable Melting point/range : Not determined Vapour density : Not applicable Water solubility : Insoluble Insoluble : Not applicable Hazardous Polymerization : Will not occur. : Will not occur.	Engineering measures				Provide
Titanium dioxide 10 mg/m3 Time Weighted Average (TWA): ACGIF 15 mg/m3 PEL: Total dust. OSHA Z 10 mg/m3 Time Weighted Average (TWA): as Ti MX OE 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OE 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : Not applicable pH : Not applicable Boiling Point: : : Insoluble : Not applicable Builty : : Insoluble : Not applicable Hazardous Polymerization : : Will not occur. : : :	Exposure limit(s)				
Image: Constraint of the constraint	Components	Value	Exposure time	Exposure type	List:
10 mg/m3 Time Weighted Average (TWA): as Ti MX OE 20 mg/m3 Short Term Exposure Limit (STEL): as Ti MX OE 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Mater solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.		10 mg/m3	• •		ACGIH
Image: constraint of the constraint		15 mg/m3	PEL:	Total dust.	OSHA Z1
Image: stability (STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble : Not applicable : Not applicable Stability : Stable. : : Will not occur.		10 mg/m3		as Ti	MX OEL
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability Hazardous Polymerization : Will not occur.		20 mg/m3		as Ti	MX OEL
Form : Solid Evaporation rate : Not applicable Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble Insoluble Stability Hazardous Polymerization : Will not occur.					
Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble		9. PH 1510	LAL AND CHEMICAL PRO	JPERTIES	
Appearance : pellets Specific Gravity : Not determined Color : BLUE Bulk density : Not established Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble	Form	: Solic	l Evapo	ration rate : Not	applicable
Odour : Very faint Vapour pressure : Not applicable Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble Insoluble	Appearance	: pelle			11
Melting point/range : Not determined Vapour density : Not applicable Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.					
Boiling Point: : Not applicable pH : Not applicable Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.			1	1	
Water solubility : Insoluble 10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.			1		
10. STABILITY AND REACTIVITY Stability : Stable. Hazardous Polymerization : Will not occur.					
Stability: Stable.Hazardous Polymerization: Will not occur.	, ator soluonity	. 111301			
Hazardous Polymerization : Will not occur.		10. 5	STABILITY AND REACTIV	/ITY	
•	Stability	: S	table.		
Carditions to sucid		n : V	Vill not occur.		
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid therm	Hazardous Polymerization				



MATERIAL SAFETY DATA SHEET **BLUE 2746C**

	decompositio	n, do not overheat.			
Incompatible Materia	als : Incompatible	with strong acids and c	oxidizing agents.		
Hazardous decompos products		de (CO2), carbon mono hazardous materials, ar			
	11. TOXICOLOG	ICAL INFORMATIO	DN		
Toxicity Overview This product contain	s the following components w	-	-	-	
CAS-No. Chemical Name Effect Target Organ					
CAS-No.			<u> </u>	0	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory syste	<u> </u>	
13463-67-7 Carcinogenicity		Systemic effects	Respiratory syste	em.	
13463-67-7 Carcinogenicity This product containe data:	Titanium dioxide	Systemic effects	Respiratory system, have the following	em. ng carcinogeni	

Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	No data available	
	3. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The	iere



MATERIAL SAFETY DATA SHEET **BLUE 2746C**

sion Number 1.1 ision Date 04/25/2007	Page 5 o Print Date 11/27/20
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	tremely Hazardous Substance
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic Chemicals:
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET BLUE 2746C

Version Number 1.1 Revision Date 04/25/2007			Print Date	Page 6 of 6 11/27/2011
100000000000000000000000000000000000000				
National Pollutant Releas	se Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	D2A		
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.