## MATERIAL SAFETY DATA SHEET

### PET LIQUID CARRIER

Version Number 1.0 Revision Date 09/09/2004 Page 1 of 5 Print Date 11/15/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	PET LIQUID CARRIER
Product code	CC10058949
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Irritating to eyes and respiratory system.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		

PolyOne.

## MATERIAL SAFETY DATA SHEET PET LIQUID CARRIER

sion Date 09/09/2004	Page Print Date 11/15
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significan exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists semedical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable.</li> <li>Not applicable.</li> <li>Not applicable</li> <li>Carbon dioxide blanket, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for prope disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

PolyOne.

# MATERIAL SAFETY DATA SHEET PET LIQUID CARRIER

Version Number 1.0 Revision Date 09/09/2004 Page 3 of 5 Print Date 11/15/2011

	USURE CONTROLS / PE	RSONAL PROTECTION	
Respiratory protection	: Under normal handli	ng conditions a respirator may not be required.	
Eye/Face Protection	: Safety glasses with s	ide-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothir	ıg.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		e with good industrial hygiene and safety practice preaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
There are no known hazardou	s components above regulat	ory thresholds in this product	
There are no known nazardou	s components above regulat	ory unesholds in this product.	
9	PHYSICAL AND CHEM	ICAL PROPERTIES	
Form	: liquid	Evaporation rate : Not determined	
Appearance	: Viscous, liquid	Specific Gravity: : Not determined	
Color	: NO PIGMENT	Bulk density : Not applicable	
Odor	: Very faint	Vapor pressure : Not determined	
Melting point/range	: Not applicable	Vapour density : Not determined	
Boiling Point:	: Not applicable	pH : Not applicable	
Water solubility	: Immiscible		
	10. STABILITY AND	REACTIVITY	
Stability	: Stable.		
Stability	. Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxi	dizing agents and open flame.	
Incompatible Materials	: Incompatible with st	rong acids and oxidizing agents.	
Hazardous decomposition		2), carbon monoxide (CO), oxides of nitrogen ous materials, and smoke are all possible.	
products			

PolyOne.

# MATERIAL SAFETY DATA SHEET PET LIQUID CARRIER

Version Number 1.0 Revision Date 09/09/2004 Page 4 of 5 Print Date 11/15/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.
IMO / IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition	: This product does not contain a substance listed by California Prop 65

## MATERIAL SAFETY DATA SHEET PET LIQUID CARRIER

Version Number 1.0			
Revision Date 09/09/2	004		

Page 5 of 5 Print Date 11/15/2011

65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Bis (2-ethylhexyl) adipate	103-23-1	50.00	24

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

		16 OTHED INCODMATION	Т
Philippines PICCS	:	Listed	
Korea KECI	:	Listed	
Japan ENCS	:	Listed	
Europe EINECS	:	Listed	
China IECS	:	Listed	
Australia AICS	:	Listed	

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.