MATERIAL SAFETY DATA SHEET UV IRWIN GREY #31 PP

Version Number 1.0 Revision Date 09/24/2004 Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV IRWIN GREY #31 PP
Product code	:	CC10059320
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET UV IRWIN GREY #31 PP

Version Number 1.0 Revision Date 09/24/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **UV IRWIN GREY #31 PP**

Version Number 1.0 Revision Date 09/24/2004 Page 3 of 6 Print Date 11/16/2011

8. F	XPOSURE	CONTROLS / PERSO	NAL I	PROTECTION		
Respiratory protection	: N	lo personal respiratory p	rotectiv	ve equipment norm	ally r	equired.
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks				afety practice
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	,	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera	age		·	ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	L PRO	PERTIES		
Form	: Solid	і т	Euonor	ation rate	Not	annliashla
Appearance	: Pelle		Evaporation rate: Not applicableSpecific Gravity:: Not determined			
Color	: GRE		Bulk de			established
Odor				pressure :		applicable
Melting point/range			Vapour density : Not applicable			
Boiling Point:	: Not a		ρΗ	:		applicable
Water solubility	: Insol	uble				
	10. 5	STABILITY AND REA	CTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				
Conditions to avoid		eep away from oxidizing ecomposition, do not over		s and open flame.	To a	void thermal
Conditions to avoid		-				

PolyOne

MATERIAL SAFETY DATA SHEET UV IRWIN GREY #31 PP

Version Number 1.0

Revision Date 09/24/2004

Page 4 of 6 Print Date 11/16/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity	Chemicals ar polymer matr		as they are bound within the			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avail	able	ot readily available as they are bound within the le ONSIDERATIONS noplastic plastics the product can be recycled. Where ng is preferred to disposal or incineration. The ste material has the responsibility for proper waste ansportation and disposal in accordance with al, state/provincial and local regulations. ferred when possible. The generator of waste materi			
	13. DISPOSAL	CONSIDERATIONS	6			
Product Contaminated packagin	possible recy generator of v classification applicable fea ng : Recycling is p has the respo and disposal	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classificatio	n : Not regulated	l for transportation.				
ICAO/IATA (air)	: Refer to spec	: Refer to specific regulation.				
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.				
	15. REGULATO	ORY INFORMATION	Ň			

PolyOne.

MATERIAL SAFETY DATA SHEET UV IRWIN GREY #31 PP

Version Number 1.0 Revision Date 09/24/2004				Prin	Pa t Date 11	age 5 of 6 /16/2011			
US Regulations:									
OSHA Status	:	Classified as hazardo	us based on comp	onents.					
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.								
US. EPA CERCLA Hazardous Substances (40 CFR 302)									
Not applicable									
California Proposition 65	:	This product does not	contain a substan	ce listed by Ca	alifornia Pr	op 65.			
SARA Title III Section 302 Extr	tremel	ly Hazardous Substan	ce						
Not applicable									
SARA Title III Section 313 Tox	xic Ch	nemicals:							
Not applicable Canadian Regulations:									
National Pollutant Releas	ise Inv	ventory (NPRI)	CAS-No.	Weight %	NPRI ID#	±			
Rutile, antimony chromium	n buff	f	68186-90-3	0.56	68	r			
Rutile, antimony chromiun			68186-90-3	0.56	17				
WHMIS Classification DSL	:	Not controlled. All components of th Substances List (DSL		the Canadian	Domestic				
National Inventories:									
Australia AICS	:	Listed							
China IECS	:	Listed							
Europe EINECS	:	Listed							
Japan ENCS	:	Not determined							
Korea KECI	:	Not determined							

PolyOne.

MATERIAL SAFETY DATA SHEET UV IRWIN GREY #31 PP

Version Number 1.0 Revision Date 09/24/2004 Page 6 of 6 Print Date 11/16/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.