MATERIAL SAFETY DATA SHEET 10026173 SAFETY YELLOW

Version Number 1.0 Revision Date 09/21/2004 Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10026173 SAFETY YELLOW
Product code	:	CC10059368
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **10026173 SAFETY YELLOW**

Version Number 1.0 Revision Date 09/21/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **10026173 SAFETY YELLOW**

Version Number 1.0 Revision Date 09/21/2004 Page 3 of 6 Print Date 11/16/2011

8. F	XPOSURE	CONTROLS / PEI	RSONAL	PROTECTION	
Respiratory protection	: N	lo personal respirato	ry protecti	ve equipment normally	y required.
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations				l industrial hygiene and at the end of workday.	l safety practice
Engineering measures		leat only in areas wit		iate exhaust ventilatior at machinery.	n. Provide
Exposure limit(s)					
Components	Value	Exposure tir	me	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):			ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMI	CAL PRO	PERTIES	
F					. 1. 11
Form Appearance	: Solic : Pelle				ot applicable ot determined
Color	: YEL		Bulk d		ot established
Odor	: Very faint				ot applicable
Melting point/range	: Not determined				ot applicable
Boiling Point:	: Not applicable		pH : Not applicable		
Water solubility	: Insol		I		
	10. 5	STABILITY AND F	REACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
	: K	eep away from oxid ecomposition, do no	00	its and open flame. To	avoid thermal
Conditions to avoid	d	ecomposition, do no			

PolyOne

MATERIAL SAFETY DATA SHEET 10026173 SAFETY YELLOW

Version Number 1.0 Revision Date 09/21/2004

Page 4 of 6 Print Date 11/16/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOG	ICAL INFORMATION	N		
Persistence and degrada	ability : Not readily	v biodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: No data ava	ailable			
	13. DISPOSA	L CONSIDERATIONS	6		
Product Contaminated packagin	possible red generator o classificatio applicable : g : Recycling i	cycling is preferred to dis of waste material has the r on, transportation and dis federal, state/provincial a is preferred when possible			
		al in accordance with app	licable federal, state/provincial		
	14. TRANSP	PORT INFORMATION			
U.S. DOT Classificatio	n : Not regulat	ted for transportation.			
ICAO/IATA (air)	: Refer to sp	: Refer to specific regulation.			
IMO / IMDG (maritime	e) : Refer to sp	ecific regulation.			
	15. REGULA	TORY INFORMATIO	N		

PolyOne.

MATERIAL SAFETY DATA SHEET 10026173 SAFETY YELLOW

ion Number 1.0 sion Date 09/21/2004		Page Print Date 11/16
US Regulations:		
OSHA Status	: Classi	fied as hazardous based on components.
TSCA Status	: All co Invent	mponents of this product are listed on or exempt from the TSC ory.
US. EPA CERCLA Hazardous	ubstances	(40 CFR 302)
Not applicable		
California Proposition 65	: This p	roduct does not contain a substance listed by California Prop 6
SARA Title III Section 302 Ext	emely Haz	ardous Substance
Not applicable		
SARA Title III Section 313 Tox	c Chemica	ls:
Not applicable Canadian Regulations:		
National Pollutant Relea	e Inventor	ı (NPRI)
Not applicable		
WHMIS Classification	: Not co	ntrolled.
DSL		omponents of this product are on the Canadian Domestic nces List (DSL) or are exempt.
National Inventories:		
Australia AICS	: Listed	[
China IECS	: Listed	l
Europe EINECS	: Listed	1
Japan ENCS	: Not de	termined
Korea KECI	: Not de	termined
	· Not de	
Philippines PICCS	. Not ut	termined

PolyOne

MATERIAL SAFETY DATA SHEET **10026173 SAFETY YELLOW**

Version Number 1.0 Revision Date 09/21/2004 Page 6 of 6 Print Date 11/16/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.