MATERIAL SAFETY DATA SHEET **WHITE**

Version Number 1.0 Revision Date 09/30/2004

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|---|
| Product name | : | WHITE |
| Product code | : | CC10059721 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Silica, amorphous | 7631-86-9 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 09/30/2004 Page 2 of 6 Print Date 11/16/2011

| | 4. FIRST AID MEASURES |
|--|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures Unusual Fire/Explosion | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen |
| Hazards | (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.0 Revision Date 09/30/2004 Page 3 of 6 Print Date 11/16/2011

| 8. E | XPOSURE | CONTROLS / PERSO | NAL PROTECTION | | | |
|---------------------------------------|-------------------------------------|---|---|----------------------------------|--|--|
| Respiratory protection | : N | lo personal respiratory p | rotective equipment norma | lly required. | | |
| Eye/Face Protection | : Safety glasses with side-shields. | | | | | |
| Hand protection | : Protective gloves. | | | | | |
| Skin and body protection | : Long sleeved clothing. | | | | | |
| Additional Protective Measures | : Safety shoes. | | | | | |
| General Hygiene Considerations | | | good industrial hygiene and at the end of workday | | | |
| Engineering measures | | leat only in areas with ap ppropriate exhaust ventil | propriate exhaust ventilation at machinery. | on. Provide | | |
| Exposure limit(s) | | | | | | |
| Components | Value | Exposure time | Exposure type | List: | | |
| Silica, amorphous | 20 mppcf | PEL: | Total dust. | OSHA | | |
| | 20 mppcf | PEL: | Total dust. | Z3 | | |
| | 10 mg/m3 | Time Weighted Avera (TWA): | age | ACGIH | | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Avera (TWA): | nge | ACGIH | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 | | |
| | 9. PHYSIC | CAL AND CHEMICAL | PROPERTIES | | | |
| | | | | | | |
| Form | : Solic | | | Not applicable | | |
| Appearance | : Pelle | | 1 2 | Not determined | | |
| Color | : WHI | | | Not established | | |
| Odor Malting gaint/manag | | | | Not applicable | | |
| Melting point/range Boiling Point: | | | | Not applicable Not applicable | | |
| Water solubility | : Insol | | | Not applicable | | |
| | 10 \$ | STABILITY AND REA | | | | |
| | | | ~****** | | | |
| Stability | : S | table. | | | | |
| Hazardous Polymerization | n : W | Vill not occur. | | | | |
| | | Leep away from oxidizing | | п · 1.4 п | | |



MATERIAL SAFETY DATA SHEET WHITE

| sion Date 09/30/2 | 2004 | | | Print Date 11/16/ |
|---|-------------------|---|---|---|
| | | decompositio | on, do not overheat. | |
| Incompatible Mater | ials | : Incompatible | with strong acids and | oxidizing agents. |
| Hazardous decompo products | osition | | | oxide (CO), oxides of nitrogen nd smoke are all possible. |
| | | 11. TOXICOLOG | GICAL INFORMATI | ON |
| health data for the in Toxicity Overview | ndividual co | omponents which c | omprise the mixture. | ure effects listed are based on ex |
| This product contain | ns the follow | ving components w | which in their pure form | have the following characterist |
| CAS-No. | | Chemical Name | Effect | Target Organ |
| 7631-86-9 13463-67-7 | | amorphous Im dioxide | Irritant Systemic effects | Eyes, Respiratory system.Respiratory system. |
| 13403 07 7 | Titaine | | bystenne eneets | Respiratory system. |
| Environmental Tox | - | : Chemicals ar polymer matr | ix. | as they are bound within the |
| Environmental Tox Bioaccumulation Po Additional advice | icity | : Chemicals ar polymer matr | e not readily available ix. e not readily available ix. | as they are bound within the as they are bound within the |
| Environmental Tox Bioaccumulation Po | icity | Chemicals ar polymer matr Chemicals ar polymer matr No data avail | e not readily available ix. e not readily available ix. | as they are bound within the |
| Environmental Tox Bioaccumulation Po | icity | Chemicals ar polymer math Chemicals ar polymer math No data avail 13. DISPOSAL Like most the possible recy generator of v classification | e not readily available rix. e not readily available rix. able CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r | as they are bound within the spool of the spool of the sp |
| Environmental Tox Bioaccumulation Po Additional advice | icity otential | Chemicals ar polymer mature Chemicals ar polymer mature Chemicals ar polymer mature No data availe 13. DISPOSAL Like most the possible recy generator of a classification applicable feature Recycling is phas the respondent | e not readily available ix. e not readily available ix. able CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app | as they are bound within the product can be recycled. Wher sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations. |
| Environmental Tox Bioaccumulation Po Additional advice Product | icity otential | Chemicals ar polymer math Chemicals ar polymer math Chemicals ar polymer math No data avail 13. DISPOSAL Like most the possible recy generator of classification applicable feat Recycling is has the respondent of the possible recy | e not readily available ix. e not readily available ix. able CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app | as they are bound within the product can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with and local regulations. e. The generator of waste materia ste classification, transportation blicable federal, state/provincial |
| Environmental Tox Bioaccumulation Po Additional advice Product | aging | Chemicals ar polymer mature Chemicals ar polymer mature Chemicals ar polymer mature No data availe 13. DISPOSAL Like most the possible recy generator of y classification applicable feet Recycling is phas the resport and disposal and local regise 14. TRANSPO | e not readily available tix. e not readily available tix. able CONSIDERATIONS ermoplastic plastics the cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app ulations. | as they are bound within the product can be recycled. Wher sposal or incineration. The responsibility for proper waste posal in accordance with and local regulations. e. The generator of waste materi- ste classification, transportation blicable federal, state/provincial |

PolyOne.

MATERIAL SAFETY DATA SHEET **WHITE**

Version Number 1.0 Revision Date 09/30/2004

Page 5 of 6 Print Date 11/16/2011

| | 15 | 5. REGULATORY INFORMATION |
|--|-----------------|---|
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous S | Sub | |
| Not applicable | | |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65. |
| SARA Title III Section 302 Extr | rem | ely Hazardous Substance |
| Not applicable | | |
| Not applicable | | |
| | cic C | Chemicals: |
| SARA Title III Section 313 Tox Not applicable | tic C | Chemicals: |
| SARA Title III Section 313 Tox Not applicable | | |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: | | |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable | | |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable | se Iı | nventory (NPRI) |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL | se Iı | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL | se Iı | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS | se Iı : : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed |

| POLYONE | CORPOR | ATION |
|---------|--------|-------|
| | | |



MATERIAL SAFETY DATA SHEET **WHITE**

Version Number 1.0

Revision Date 09/30/2004

Page 6 of 6 Print Date 11/16/2011

Korea KECI : Listed

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.