### MATERIAL SAFETY DATA SHEET VOLUMIZING COLOR RED

Version Number 1.0 Revision Date 10/04/2004

Page 1 of 6 Print Date 11/16/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	VOLUMIZING COLOR RED
Product code :	CC10059781
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET VOLUMIZING COLOR RED

Version Number 1.0 Revision Date 10/04/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET VOLUMIZING COLOR RED

Version Number 1.0 Revision Date 10/04/2004 Page 3 of 6 Print Date 11/16/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice
Engineering measures	: H aj	eat only in areas with appropr	iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	<b>DPERTIES</b>	
Form	· Solid	Fyano	ration rate · Not	annlicahla
Form	: Solid			applicable
Appearance	: Pelle	ts Specif	ic Gravity: : Not	determined
Appearance Color	: Pelle : RED	ts Specif Bulk d	ic Gravity: : Not lensity : Not	determined established
Appearance Color Odor	: Pelle : RED : Very	ts Specif Bulk d faint Vapor	ic Gravity: : Not lensity : Not pressure : Not	determined established applicable
Appearance Color Odor Melting point/range	: Pelle : RED : Very : Not o	ts Specif Bulk d faint Vapor determined Vapou	ic Gravity: : Not lensity : Not pressure : Not ir density : Not	determined established applicable applicable
Appearance Color Odor	: Pelle : RED : Very : Not o	ts Specif Bulk d faint Vapor determined Vapou applicable pH	ic Gravity: : Not lensity : Not pressure : Not ir density : Not	determined established applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : RED : Very : Not c : Not a : Insol	ts Specif Bulk d faint Vapor determined Vapou applicable pH uble	ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : RED : Very : Not c : Not a : Insol	ts Specif Bulk d faint Vapor letermined Vapou applicable pH	ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : RED : Very : Not c : Not a : Insol	ts Specif Bulk d faint Vapor determined Vapou applicable pH uble	ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : RED : Very : Not c : Not a : Insol <b>10. S</b> : St	ts Specif Bulk d faint Vapor determined Vapou applicable pH uble	ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable

PolyOne.

## MATERIAL SAFETY DATA SHEET VOLUMIZING COLOR RED

Version Number 1.0 Revision Date 10/04/2004 Page 4 of 6 Print Date 11/16/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

## MATERIAL SAFETY DATA SHEET **VOLUMIZING COLOR RED**

Version Number 1.0 Revision Date 10/04/2004 Page 5 of 6 Print Date 11/16/2011

	15	. REGULATORY INFORMATION
	15	REGULATORI INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	reme	ely Hazardous Substance
Not applicable		
Not applicable SARA Title III Section 313 Tox	kic C	Chemicals:
	xic C	Chemicals:
SARA Title III Section 313 Tox Not applicable		
SARA Title III Section 313 Tox Not applicable Canadian Regulations:		
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas	se In	ventory (NPRI)
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable	se In	ventory (NPRI)
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	se In	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	se In	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories:	se In :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS	se In :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	se In : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed

<u>PolyOne</u>

### MATERIAL SAFETY DATA SHEET VOLUMIZING COLOR RED

Version Number 1.0 Revision Date 10/04/2004 Page 6 of 6 Print Date 11/16/2011

Philippines PICCS

: Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.