MATERIAL SAFETY DATA SHEET SEDONA BROWN PEARL

Version Number 1.0 Revision Date 10/21/2004 Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SEDONA BROWN PEARL
Product code	:	CC10060585
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Aluminum	7429-90-5	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin Chronic exposure	 Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **SEDONA BROWN PEARL**

Version Number 1.0 Revision Date 10/21/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **SEDONA BROWN PEARL**

Version Number 1.0 Revision Date 10/21/2004 Page 3 of 6 Print Date 11/16/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally r	equired.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		fety practice		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH		
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1		
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
			·			
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES			
Form	: Solid	l Evapo	ration rate : Not	applicable		
Appearance	: Pelle		Specific Gravity: : Not determined			
Color	: BRO		2	established		
Odor				applicable		
Melting point/range				applicable		
Boiling Point: Water solubility	: Not a : Insol	applicable pH	: Not	applicable		
water soluoiiity	. 111501	UDIE				
	10. S	STABILITY AND REACTIV	/ITY			
Stability	: S	table.				
Hazardous Polymerization	n : W	/ill not occur.				
Hazardous Polymerization: Will not occur.Conditions to avoid: Keep away from oxidizing agents and open flame. To avoid thermal						

PolyOne.

MATERIAL SAFETY DATA SHEET **SEDONA BROWN PEARL**

Version Number 1.0 Revision Date 10/21/2004 Page 4 of 6 Print Date 11/16/2011

		dec	composition	, do not overheat.	
Incompatible Materials :		: Inc	Incompatible with strong acids and oxidizing agents.		
Hazardous decomposition : products			Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
		11. TOX	ICOLOGI	CAL INFORMATIO	ON
health data for the	individual			health effects. Expose mprise the mixture.	ure effects listed are based on ex
<u>Toxicity Overviev</u> This product conta		owing con	ponents wh	ich in their pure form	have the following characteristi
CAS-No.		Chemical	Name	Effect	Target Organ
13463-67-7		nium dioxio	le	Systemic effects	Respiratory system.
7429-90-5	Alur	ninum		Irritant	Skin, Respiratory system.
				Systemic effects	Eyes, Skin, Respiratory system
Environmental To	-	: Ch pol : Ch	emicals are ymer matrix emicals are	x. not readily available :	as they are bound within the as they are bound within the
Environmental To Bioaccumulation I Additional advice	oxicity Potential	: Ch pol : Ch pol	emicals are ymer matrix	not readily available a c. not readily available a c.	
Environmental To Bioaccumulation l	oxicity Potential	: Ch pol : Ch pol : No	emicals are ymer matrix emicals are ymer matrix data availal	not readily available a c. not readily available a c.	as they are bound within the
Environmental To Bioaccumulation l	oxicity Potential	: Ch pol : Ch pol : No 13. D : Lik pos ger cla	emicals are ymer matrix emicals are ymer matrix data availal ISPOSAL (te most them ssible recycl merator of was ssification, t	not readily available a c. not readily available a c. ble CONSIDERATIONS moplastic plastics the ing is preferred to dis aste material has the r	as they are bound within the product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Environmental To Bioaccumulation I Additional advice	oxicity Potential	: Ch pol : Ch pol : No 13. D : Lik pos ger cla app : Re has and	emicals are ymer matrix emicals are ymer matrix data availal ISPOSAL (te most ther ssible recycl herator of was ssification, to blicable fede cycling is pro-	not readily available a not readily available a not readily available a c. ble CONSIDERATIONS moplastic plastics the ing is preferred to dis aste material has the r transportation and dis eral, state/provincial a referred when possible sibility for proper was accordance with app	as they are bound within the product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Environmental To Bioaccumulation I Additional advice Product	oxicity Potential	: Ch pol : Ch pol : No 13. D : Lik pos gen cla app : Re has and and	emicals are ymer matrix emicals are ymer matrix data availal ISPOSAL (the most therman sification, the plicable feder cycling is pro- the response disposal in local regul	not readily available a not readily available a not readily available a c. ble CONSIDERATIONS moplastic plastics the ing is preferred to dis aste material has the r transportation and dis eral, state/provincial a referred when possible sibility for proper was accordance with app	as they are bound within the product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materi- ste classification, transportation

VI VONE CODBOD		I	PolyOne.
OLYONE CORPORA A TERIAL SAFETY DATA SI			
EDONA BROWN PE			
rsion Number 1.0 vision Date 10/21/2004			Page 5 Print Date 11/16/2
ICAO/IATA (air)	: Refer to specific r	egulation.	
IMO / IMDG (maritime)	: Refer to specific r	egulation.	
	15. REGULATORY	INFORMATION	
US Regulations:			
OSHA Status	: Classified as haza	rdous based on compor	nents.
TSCA Status	: All components o Inventory.	f this product are listed	on or exempt from the TSCA
US. EPA CERCLA Hazardou	us Substances (40 CFR 30	2)	
Not applicable			
California Propositior	1 : This product does	not contain a substance	e listed by California Prop 65
California Propositior 65	1 : This product does	not contain a substance	e listed by California Prop 65
	-		e listed by California Prop 65
65	-		e listed by California Prop 65
65 SARA Title III Section 302 E	Extremely Hazardous Subs		e listed by California Prop 65
65 SARA Title III Section 302 E Not applicable	Extremely Hazardous Subs		e listed by California Prop 65 Weight %

Mational Foliutant Release Inventory (NFRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Aluminum	7429-90-5	22.04	12

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
7429-90-5	

:

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this

PolyOne

MATERIAL SAFETY DATA SHEET **SEDONA BROWN PEARL**

Version Number 1.0 Revision Date 10/21/2004 Page 6 of 6 Print Date 11/16/2011

product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.