MATERIAL SAFETY DATA SHEET

FIREFLY YELLOW

Version Number 1.0 Revision Date 11/10/2004

Page 1 of 5 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FIREFLY YELLOW
Product code	:	CC10061344
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	



MATERIAL SAFETY DATA SHEET FIREFLY YELLOW

ion Number 1.0 sion Date 11/10/2004	Page 2 Print Date 11/16/			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not applicable Contrast disside blanket meter des results formulas formu			
Suitable extinguishing media Special Fire Fighting	 Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive 			
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.			

PolyOne.

MATERIAL SAFETY DATA SHEET FIREFLY YELLOW

Version Number 1.0 Revision Date 11/10/2004 Page 3 of 5 Print Date 11/16/2011

Respiratory protection	: No personal respirat	bry protective equipment normally required.		
Eye/Face Protection				
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothir	g.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
There are no known hazardou				
9.	PHYSICAL AND CHEM	ICAL PROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets YELLOW Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicableSpecific Gravity::Not determineBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicablepH:Not applicable		
	10. STABILITY AND	REACTIVITY		
Stability	: Stable.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: Keep away from oxi decomposition, do n	dizing agents and open flame. To avoid therm ot overheat.		
Incompatible Materials	: Incompatible with st	rong acids and oxidizing agents.		
Hazardous decomposition products		2), carbon monoxide (CO), oxides of nitrogen ous materials, and smoke are all possible.		
products				

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET FIREFLY YELLOW

Version Number 1.0 Revision Date 11/10/2004 Page 4 of 5 Print Date 11/16/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	• Not regulated for transportation	
	: Not regulated for transportation.	
ICAO/IATA (air)	: Refer to specific regulation.	
IMO / IMDG (maritime)	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET FIREFLY YELLOW

ersion Number 1.0 evision Date 11/10/2004			Print Date	Page 5 o 11/16/20
California Proposition 65	:	This product does not contain a substance liste	ed by Californi	a Prop 65.
SARA Title III Section 302 Extr Not applicable	rem	ely Hazardous Substance		
SARA Title III Section 313 Tox	ic (Themicals:		
Not applicable Canadian Regulations:				
National Pollutant Releas	se Iı	ventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Ca Substances List (DSL) or are exempt.	nadian Domes	tic
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Listed		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.