POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **DEHCO-SILVER**

Version Number 1.0 Revision Date 11/16/2004

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	DEHCO-SILVER	
Product code	CC10061530	
Chemical Name	Mixture	
CAS-No.	Mixture	
Product Use	Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5
Mica	12001-26-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET DEHCO-SILVER

Version Number 1.0 Revision Date 11/16/2004 Page 2 of 6 Print Date 11/16/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **DEHCO-SILVER**

Version Number 1.0 Revision Date 11/16/2004 Page 3 of 6 Print Date 11/16/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
	15 mg/m3	PEL:	Total dust. as Al	OSHA ZI
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA ZI
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
		CAL AND CHEMICAL PRO	NDEDTIES	
	9. PH 1510	LAL AND CHEMICAL PRO	JPERTIES	
Form	: Solid	Evapo	ration rate : Not	applicable
Appearance	: Pelle			determined
Color	: GRE			established
Odor				applicable
Melting point/range				applicable
Boiling Point:		applicable pH	: Not	applicable
Water solubility	: Insol	uble		
	10. 8	STABILITY AND REACTIV	/ITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	/ill not occur.		
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal				

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET DEHCO-SILVER

rsion Number 1.0 vision Date 11/16/200	4			Page 4 o Print Date <i>11/16/20</i>	
	(decomposition,	do not overheat.		
Incompatible Material	s : 1	Incompatible w	ith strong acids and oxidizing agents.		
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrog (NOx), other hazardous materials, and smoke are all possible.					
	11. T	OXICOLOGI	CAL INFORMATIO	DN	
This mixture has not b health data for the indi <u>Toxicity Overview</u>				are effects listed are based on exis	
This product contains the following components which in their pure form have the following characteristics					
CAS-No.		cal Name	Effect	Target Organ	
7429-90-5	Aluminum		Irritant	Skin, Respiratory system.	
			Systemic effects	Eyes, Skin, Respiratory system	
12001-26-2	Mica		Systemic effects	Respiratory system.	
	12		L INFORMATION	I	
Bioaccumulation Potential : Chemicals		polymer matrix	als are not readily available as they are bound within the		
Additional advice	: 1	No data available			
	13.	DISPOSAL C	ONSIDERATIONS		
Product :		: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14	. TRANSPOR	T INFORMATION		
U.S. DOT Classification : Not re		Not regulated fo	or transportation.		

POLYONE CORPORA IATERIAL SAFETY DATA SHI DEHCO-SILVER ersion Number 1.0 evision Date 11/16/2004 ICAO/IATA (air)				
DEHCO-SILVER ersion Number 1.0 evision Date 11/16/2004 ICAO/IATA (air)	Page 5 of			
evision Date 11/16/2004 ICAO/IATA (air)				
	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	 All components of this product are listed on or exempt from the TSCA Inventory. 			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)			
Not applicable				
California Proposition	: WARNING! This product contains a chemical known to the State of			
California Proposition 65 SARA Title III Section 302 Ext Not applicable	California to cause cancer.			
65 SARA Title III Section 302 Ext	California to cause cancer. tremely Hazardous Substance			
65 SARA Title III Section 302 Ext Not applicable SARA Title III Section 313 To: Chemical Name	California to cause cancer. tremely Hazardous Substance xic Chemicals: CAS-No. Weight %			
65 SARA Title III Section 302 Ext Not applicable SARA Title III Section 313 To:	California to cause cancer. tremely Hazardous Substance xic Chemicals: CAS-No. Weight %			
65 SARA Title III Section 302 Ext Not applicable SARA Title III Section 313 To: Chemical Name	California to cause cancer. tremely Hazardous Substance xic Chemicals: CAS-No. Weight %			
65 SARA Title III Section 302 Ext Not applicable SARA Title III Section 313 To: Chemical Name ALUMINUM (FUME 6	California to cause cancer. tremely Hazardous Substance xic Chemicals: CAS-No. Weight % OR DUST) 7429-90-5 3.08			

PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **DEHCO-SILVER**

Version Number 1.0 Revision Date 11/16/2004 Page 6 of 6 Print Date 11/16/2011

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.