MATERIAL SAFETY DATA SHEET CATHEDRAL YELLOW #22

Version Number 1.0 Revision Date 11/19/2004 Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CATHEDRAL YELLOW #22
Product code	:	CC10061600
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET CATHEDRAL YELLOW #22

Version Number 1.0 Revision Date 11/19/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET CATHEDRAL YELLOW #22

Version Number 1.0 Revision Date 11/19/2004 Page 3 of 6 Print Date 11/16/2011

ð. F	XPOSURE	CONTROLS / PERSO	NAL PROTECTION	
Respiratory protection	: N	o personal respiratory pr	otective equipment norma	lly required.
Eye/Face Protection	: S	afety glasses with side-sh	nields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations			good industrial hygiene a and at the end of workday	
Engineering measures		eat only in areas with ap ppropriate exhaust ventile	propriate exhaust ventilati ation at machinery.	on. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
· •	20 mppcf	PEL:	Total dust.	Z3
	10 mg/m3	Time Weighted Avera (TWA):	ige	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ige	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
	<i>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</i>			
Form	: Solid			Not applicable
Appearance	: Pelle		1 2	Not determined
Color			5	Not established
Odor			1 1	Not applicable
Melting point/range				Not applicable
Boiling Point: Water solubility	: Not a : Insol	11 1	H :	Not applicable
water solubility	. 111501	uule		
	10. 5	STABILITY AND REA	CTIVITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	Vill not occur.		
Conditions to avoid	: K	eep away from oxidizing	g agents and open flame.	Γo avoid thermal

PolyOne.

MATERIAL SAFETY DATA SHEET CATHEDRAL YELLOW #22

Version Number 1.0 Revision Date 11/19/2004 Page 4 of 6 Print Date 11/16/2011

		decomposition	n, do not overheat.	
Incompatible Material	S :	Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomposi products	tion :			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11.	. TOXICOLOG	ICAL INFORMATIO	DN
This mixture has not b health data for the indi				ure effects listed are based on exi
<u>Toxicity Overview</u> This product contains	the followin	g components w	hich in their pure form	have the following characteristic
CAS-No.	Che	mical Name	Effect	Target Organ
7631-86-9	Silica, am		Irritant	Eyes, Respiratory system.
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.
	-	12. ECOLOGIC	AL INFORMATION	1
Persistence and degrad	lability :	Not readily bi	odegradable.	
Environmental Toxici	ty :	Chemicals are polymer matri		as they are bound within the
Bioaccumulation Pote	ntial :	Chemicals are polymer matri		as they are bound within the
Additional advice	:	No data availa	able	
		13. DISPOSAL	CONSIDERATIONS	5
Product	:	possible recyc generator of w classification,	ling is preferred to dis vaste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packagi	ng :	has the respon	sibility for proper was n accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial
		14. TRANSPOL	RT INFORMATION	
US DOT Classificati	on :	Not regulated	for transportation.	
U.S. DOT Classification		e	-	

PolyOne.

MATERIAL SAFETY DATA SHEET CATHEDRAL YELLOW #22

Version Number 1.0 Revision Date 11/19/2004 Page 5 of 6 Print Date 11/16/2011

	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr Not applicable	rem	ely Hazardous Substance
riot applicable		
SARA Title III Section 313 Tox	tic C	Chemicals:
	tic C	Chemicals:
SARA Title III Section 313 Tox Not applicable		
SARA Title III Section 313 Tox Not applicable Canadian Regulations:		
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable		
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable	se Ir	nventory (NPRI)
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification	se Ir	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	se Ir	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories:	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed



MATERIAL SAFETY DATA SHEET CATHEDRAL YELLOW #22

Version Number 1.0 Revision Date 11/19/2004 Page 6 of 6 Print Date 11/16/2011

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.