MATERIAL SAFETY DATA SHEET **NATURE'S THERAPY WHITE PEARL**

Version Number 1.0 Revision Date 11/18/2004

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NATURE'S THERAPY WHITE PEARL
Product code	:	CC10061658
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

MATERIAL SAFETY DATA SHEET **NATURE'S THERAPY WHITE PEARL**

Version Number 1.0 Revision Date 11/18/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable. Not applicable. Not applicable Carbon dioxide blanket, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne

MATERIAL SAFETY DATA SHEET NATURE'S THERAPY WHITE PEARL

Version Number 1.0 Revision Date 11/18/2004 Page 3 of 6 Print Date 11/16/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: U	nder normal handling condition	ons a respirator may not b	be required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with good /ash hands before breaks and a		afety practice	
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	2				
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
Titanium dioxide	10 mg/m3			ACGIH	
Titanium dioxide		(TWA): Time Weighted Average	Respirable fraction. Total dust.	ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA): PEL:	Total dust.	ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA):	Total dust.	ACGIH	
Form	10 mg/m3 15 mg/m3 9. PHYSIC : liquio	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo	Total dust. DPERTIES ration rate : Not	ACGIH OSHA Z1 determined	
Form Appearance	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor bus, liquid Specif	Total dust. DPERTIES ration rate : Not ic Gravity: : Not	ACGIH OSHA Z1 determined determined	
Form Appearance Color	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : WHI	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo bus, liquid Specifi TE Bulk d	Total dust. DPERTIES ration rate : Not ic Gravity: : Not ensity : Not	ACGIH OSHA Z1 determined determined applicable	
Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : WHI : Very	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo bus, liquid Specif TE Bulk d faint Vapor	Total dust. DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not	ACGIH OSHA Z1 determined determined applicable determined	
Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : liqui : Visco : WHI : Very : Not a	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo bus, liquid Specifi TE Bulk d faint Vapor applicable Vapou	Total dust. DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 determined determined applicable determined determined	
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquit : Visco : WHI : Very : Not a : Not a	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo ous, liquid Specifi TE Bulk d faint Vapor applicable Vapou applicable pH	Total dust. DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 determined determined applicable determined	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : liqui : Visco : WHI : Very : Not a	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo ous, liquid Specifi TE Bulk d faint Vapor applicable Vapou applicable pH	Total dust. DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 determined determined applicable determined determined	
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : WHI : Very : Not a : Inmm	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo ous, liquid Specifi TE Bulk d faint Vapor applicable Vapou applicable pH	Total dust. DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z1 determined determined applicable determined determined	
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visce : WHI : Very : Not a : Imm 10. §	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo pous, liquid Specifi TE Bulk d faint Vapor applicable pH scible State	Total dust. DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z1 determined determined applicable determined determined	

olyOne

MATERIAL SAFETY DATA SHEET NATURE'S THERAPY WHITE PEARL

Version Number 1.0 Revision Date 11/18/2004

Page 4 of 6 Print Date 11/16/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	· Not regulated for transportation

ICAO/IATA (air) : Not regulated for transportation.

IMO / IMDG (maritime): Not regulated for transportation.

15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **NATURE'S THERAPY WHITE PEARL**

Version Number 1.0 Revision Date 11/18/2004		Page 5 of 6 Print Date 11/16/2011			
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
SARA Title III Section 302 Ext Not applicable	SARA Title III Section 302 Extremely Hazardous Substance Not applicable				
SARA Title III Section 313 Tox	tic C	Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Not determined			
		16. OTHER INFORMATION			

PolyOne.

MATERIAL SAFETY DATA SHEET **NATURE'S THERAPY WHITE PEARL**

Version Number 1.0 Revision Date 11/18/2004 Page 6 of 6 Print Date 11/16/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.