#### MATERIAL SAFETY DATA SHEET PG 61789.00 PEARL RD PE AS

Version Number 1.0 Revision Date 11/24/2004

Page 1 of 6 Print Date 11/16/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 61789.00 PEARL RD PE AS
Product code	:	CC10061789
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

# MATERIAL SAFETY DATA SHEET PG 61789.00 PEARL RD PE AS

Version Number 1.0 Revision Date 11/24/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	eł
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	•
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET PG 61789.00 PEARL RD PE AS

Version Number 1.0 Revision Date 11/24/2004 Page 3 of 6 Print Date 11/16/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally r	equired.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practice		
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Mica	20 mppcf	PEL:	Total dust.	OSHA		
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES			
	: Solid	l Evana	oration rate : Not	applicable		
Form				determined		
	<ul> <li>• Dollo</li> </ul>	1 2				
Form Appearance Color	: Pelle		lensity · Not			
Appearance Color	: RED	Bulkd	lensity : Not			
Appearance Color Odor	: RED : Very	Bulk d faint Vapor	pressure : Not	applicable		
Appearance Color Odor Melting point/range	: RED : Very : Not c	Bulk dfaintVapordeterminedVapou	pressure : Not ir density : Not	applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: RED : Very : Not c : Not a	Provide applicableBulk db faintVaporv faintVapouv faintVapouv faintPh	pressure : Not ir density : Not	applicable		
Appearance Color Odor Melting point/range Boiling Point:	: RED : Very : Not c	Provide applicableBulk db faintVaporv faintVapouv faintVapouv faintPh	pressure : Not ir density : Not	applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: RED : Very : Not c : Not a : Insol	Provide applicableBulk db faintVaporv faintVapouv faintVapouv faintPh	r pressure : Not ir density : Not : Not	applicable applicable		
Appearance Color Odor Melting point/range	: RED : Very : Not c : Not a : Insol 10. S	Bulk dfaintVapordeterminedVapouapplicablepHuble	r pressure : Not ir density : Not : Not	applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: RED : Very : Not c : Not a : Insol <b>10. S</b> : S	Bulk d faint Vapor determined Vapou applicable pH uble	r pressure : Not ir density : Not : Not	applicable applicable		

PolyOne

# MATERIAL SAFETY DATA SHEET PG 61789.00 PEARL RD PE AS

Version Number 1.0 Revision Date 11/24/2004 Page 4 of 6 Print Date 11/16/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne

# MATERIAL SAFETY DATA SHEET PG 61789.00 PEARL RD PE AS

Version Number 1.0 Revision Date 11/24/2004 Page 5 of 6 Print Date 11/16/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.	
15. REGULATORY INFORMATION			
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance	
SARA Title III Section 313 Tox	kic C	Chemicals:	
Not applicable Canadian Regulations:			
National Pollutant Relea	se Ir	nventory (NPRI)	
Not applicable			
WHMIS Classification	:	Not controlled.	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	

PolyOne

MATERIAL SAFETY DATA SHEET
PG 61789.00 PEARL RD PE AS

Version Number 1.0 Revision Date 11/24/2004 Page 6 of 6 Print Date 11/16/2011

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.