MATERIAL SAFETY DATA SHEET SUMMER FROLIC

Version Number 1.0 Revision Date 01/05/2005

Page 1 of 6 Print Date 11/16/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone : Emergency telephone : number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|---|
| Product name | : | SUMMER FROLIC |
| Product code | : | CC10062601 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Silica, amorphous | 7631-86-9 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET SUMMER FROLIC

Version Number 1.0 Revision Date 01/05/2005 Page 2 of 6 Print Date 11/16/2011

| | 4. FIRST AID MEASURES | |
|---|---|----|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice. | of |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. | |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention. | at |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists so medical attention. | el |
| | 5. FIRE-FIGHTING MEASURES | |
| Flash point | : Not applicable | |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures | Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne | e |
| Unusual Fire/Explosion Hazards | contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | |
| | 5. ACCIDENTAL RELEASE MEASURES | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | |
| Environmental precautions | : Should not be released into the environment. The product should released to enter drains, water courses or the soil. | ot |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. | |
| | 7. HANDLING AND STORAGE | |
| Handling | : Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation. | t |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption | 1 |

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET SUMMER FROLIC

Version Number 1.0 Revision Date 01/05/2005 Page 3 of 6 Print Date 11/16/2011

| | <u>EXPOSURE</u> | CONTROLS / PERSONAL | PROTECTION | |
|--|---|--|---|---|
| Respiratory protection | : N | o personal respiratory protection | ive equipment normally | required. |
| Eye/Face Protection | : S | afety glasses with side-shields | | |
| Hand protection | : P: | rotective gloves. | | |
| Skin and body protection | : L | ong sleeved clothing. | | |
| Additional Protective Measures | : S | afety shoes. | | |
| General Hygiene Considerations | | andle in accordance with good Vash hands before breaks and a | | safety practic |
| Engineering measures | | eat only in areas with appropr ppropriate exhaust ventilation | | Provide |
| Exposure limit(s) | | | | |
| Components | Value | Exposure time | Exposure type | List: |
| Silica, amorphous | 20 mppcf | PEL: | Total dust. | OSHA |
| | 20 mppcf | PEL: | Total dust. | Z3 |
| | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| | 15 mg/m3 | PEL: | Total dust. | OSHA ZI |
| | | | | |
| | 9. PHYSIC | CAL AND CHEMICAL PRO |)PERTIES | |
| | | | | 1. 1.1 |
| Form | : Solid | l Evapo | ration rate : Not | t applicable |
| | : Solid : Pelle | | | t applicable t determined |
| | | ts Specif | ic Gravity: : Not | |
| Appearance Color Odor | : Pelle : GRE : Very | ts Specif EN Bulk d faint Vapor | ic Gravity: : Not lensity : Not pressure : Not | t determined t established t applicable |
| Appearance Color Odor Melting point/range | : Pelle : GRE : Very : Not c | ts Specif EN Bulk d faint Vapor letermined Vapou | ic Gravity: : Not lensity : Not pressure : Not ir density : Not | t determined t established t applicable t applicable |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : GRE : Very : Not c : Not a | ts Specif EN Bulk d faint Vapor determined Vapou applicable pH | ic Gravity: : Not lensity : Not pressure : Not ir density : Not | t determined t established t applicable |
| Appearance Color Odor Melting point/range | : Pelle : GRE : Very : Not c | ts Specif EN Bulk d faint Vapor determined Vapou applicable pH | ic Gravity: : Not lensity : Not pressure : Not ir density : Not | t determined t established t applicable t applicable |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : GRE : Very : Not c : Not a : Insol | ts Specif EN Bulk d faint Vapor determined Vapou applicable pH | ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | t determined t established t applicable t applicable |
| Appearance Color Odor Melting point/range Boiling Point: | : Pelle : GRE : Very : Not c : Not a : Insol | ts Specif EN Bulk d faint Vapor determined Vapou applicable pH uble | ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | t determined t established t applicable t applicable |
| Appearance Color Odor Melting point/range Boiling Point: Water solubility | : Pelle : GRE : Very : Not c : Not a : Insol 10. S | ts Specif EN Bulk d faint Vapor determined Vapou applicable pH uble | ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not | t determined t established t applicable t applicable |

PolyOne.

MATERIAL SAFETY DATA SHEET SUMMER FROLIC

| | 2005 | | | Print Date 11/16/2 |
|---|--------------|--|---|---|
| | | decompositio | n, do not overheat. | |
| Incompatible Mater | ials | : Incompatible | with strong acids and | oxidizing agents. |
| Hazardous decompo products | osition | | | oxide (CO), oxides of nitrogen nd smoke are all possible. |
| | 1 | 1. TOXICOLOG | ICAL INFORMATI | ON |
| health data for the in <u>Toxicity Overview</u> | ndividual co | mponents which co | omprise the mixture. | ure effects listed are based on ex |
| - | | | - | have the following characteristi |
| CAS-No. 7631-86-9 | | nemical Name | Effect | Target Organ |
| 13463-67-7 | | morphous m dioxide | Irritant Systemic effects | Eyes, Respiratory system.Respiratory system. |
| | | | | |
| | - | polymer matr | ix. | as they are bound within the |
| Environmental Toxi Bioaccumulation Po Additional advice | - | polymer matr Chemicals are polymer matr No data avail | ix. e not readily available ix. able | as they are bound within the |
| Bioaccumulation Po | - | polymer matr Chemicals are polymer matr No data avail | ix. e not readily available ix. | as they are bound within the |
| Bioaccumulation Po | - | polymer matr Chemicals are polymer matr No data availe 13. DISPOSAL Like most the possible recycl generator of v classification. | ix. e not readily available ix. able CONSIDERATIONS crmoplastic plastics the cling is preferred to disvaste material has the procession of the cling is preferred to disvaste material has the cling is the cling is | as they are bound within the product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with |
| Bioaccumulation Po Additional advice | otential | polymer matr Chemicals are polymer matr No data availe 13. DISPOSAL Like most the possible recyagenerator of v classification, applicable fee Recycling is p has the response | ix. e not readily available ix. able CONSIDERATIONS rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible sibility for proper was n accordance with app | as they are bound within the product can be recycled. Where posal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. |
| Bioaccumulation Po Additional advice Product | otential | polymer matrix Chemicals are polymer matrix No data availe 13. DISPOSAL Like most the possible recycling is phas the respondent of the possible feet of t | ix. e not readily available ix. able CONSIDERATIONS rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible sibility for proper was n accordance with app | as they are bound within the product can be recycled. Where esposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materi ste classification, transportation licable federal, state/provincial |
| Bioaccumulation Po Additional advice Product | aging | polymer matrix Chemicals are polymer matrix No data availation 13. DISPOSAL Like most the possible recycle generator of vectors of the vector of the classification, applicable feed Recycling is phas the respondent disposal in and local regulation 14. TRANSPO | ix. e not readily available ix. able CONSIDERATIONS rmoplastic plastics the cling is preferred to dis waste material has the r transportation and dis leral, state/provincial a preferred when possible nsibility for proper was n accordance with app ilations. | as they are bound within the product can be recycled. Where esposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materi ste classification, transportation licable federal, state/provincial |

PolyOne.

MATERIAL SAFETY DATA SHEET SUMMER FROLIC

Version Number 1.0 Revision Date 01/05/2005 Page 5 of 6 Print Date 11/16/2011

| IMO / IMDG (maritime) | | |
|--|-----------------|---|
| | 15 | S. REGULATORY INFORMATION |
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Sub | stances (40 CFR 302) |
| Not applicable | | |
| California Proposition 65 | : | WARNING! This product contains a chemical known to the State of California to cause cancer. |
| SARA Title III Section 302 Extr | rem | ely Hazardous Substance |
| Not applicable | | |
| SARA Title III Section 313 Tox | kic C | Chemicals: |
| | xic C | Chemicals: |
| SARA Title III Section 313 Tox Not applicable | | |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: | | |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas | se Iı | |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable | se Iı | nventory (NPRI) |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: | se Ir : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS | se In : : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined |
| SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS | se In : : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined Listed |



MATERIAL SAFETY DATA SHEET SUMMER FROLIC

Version Number 1.0 Revision Date 01/05/2005

Page 6 of 6 Print Date 11/16/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.