MATERIAL SAFETY DATA SHEET SHEET RED 185C M6379C

Version Number 1.1 Revision Date 05/19/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SHEET RED 185C M6379C
Product code	:	CC10062714
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET SHEET RED 185C M6379C

Version Number 1.1 Revision Date 05/19/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	ons : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	

PolyOne.

MATERIAL SAFETY DATA SHEET SHEET RED 185C M6379C

Version Number 1.1 Revision Date 05/19/2005 Page 3 of 6 Print Date 11/18/2011

8. H	XPOSURE	CONTROLS / PERSO	ONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory j	protecti	ve equipment normally	y required.
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance wi Vash hands before break			l safety practice
Engineering measures		leat only in areas with a ppropriate exhaust vent			n. Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):			ACGIH
	15 mg/m3			Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	L PRC	PERTIES	
Form Appearance	: Solic : Pelle				ot applicable ot determined
Color	: RED		Bulk d		ot established
Odor	: Very				ot applicable
Melting point/range		determined			ot applicable
Boiling Point:		applicable	pН	•	ot applicable
Water solubility	: Insol	···			
	10. 5	STABILITY AND RE	ACTIV	/ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
mazardous i orymenzation	·к	eep away from oxidizii			avoid thermal
Conditions to avoid		ecomposition, do not ov	venneat		

PolyOne

MATERIAL SAFETY DATA SHEET SHEET RED 185C M6379C

Version Number 1.1 Revision Date 05/19/2005

Page 4 of 6 Print Date <u>11/1</u>8/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects Respiratory system.				
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degrada	bility : Not readily bi	odegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avail	able				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is phase the response of the recycling is phase the response of	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Not regulated	for transportation.				
ICAO/IATA (air)	: Refer to speci	to specific regulation.				
IMO / IMDG (maritime	e) : Refer to speci	fic regulation.				
	15. REGULATO	ORY INFORMATION	1			

PolyOne.

MATERIAL SAFETY DATA SHEET SHEET RED 185C M6379C

sion Number 1.1 ision Date 05/19/2005			Print Date	Page 5 11/18/2
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or Inventory.	exempt from	the TSCA
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance		
SARA Title III Section 313 Tox	kic C	'hemicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se Ir	wentory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domes	tic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET **SHEET RED 185C M6379C**

Version Number 1.1 Revision Date 05/19/2005 Page 6 of 6 Print Date 11/18/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.