MATERIAL SAFETY DATA SHEET

STYLING SILVER

Version Number 1.1 Revision Date 04/26/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Product Stewardship (770) 271-5902Emergency telephone:CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, expo or accident).	osure
Product name : STYLING SILVER	
Product code : CC10062720	
Chemical Name : Mixture	
CAS-No. : Mixture	
Product Use : Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **STYLING SILVER**

Version Number 1.1 Revision Date 04/26/2005 Page 2 of 6 Print Date 11/17/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET STYLING SILVER

Version Number 1.1 Revision Date 04/26/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ive equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solid	l Evapo	ration rate : Not	applicable
	: Pelle			determined
Appearance	: GRE		-	established
	· Vor	faint Vapor	pressure : Not	applicable
Appearance Color Odor	. very	iumit vupor		applicable
Color Odor			r density : Not	
Color Odor Melting point/range	: Not o			applicable
Color	: Not o	determined Vapou applicable pH		
Color Odor Melting point/range Boiling Point:	: Not a : Not a : Insol	determined Vapou applicable pH	: Not	
Color Odor Melting point/range Boiling Point:	: Not a : Not a : Insol	determined Vapou applicable pH uble	: Not	
Color Odor Melting point/range Boiling Point: Water solubility	: Not a : Not a : Insol 10. S : S	determined Vapou applicable pH uble	: Not	

POLYONE	CORPORATION



MATERIAL SAFETY DATA SHEET STYLING SILVER

Version Numb	er 1.1
Revision Date	04/26/2005

Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET **STYLING SILVER**

Version Number 1.1 Revision Date 04/26/2005 Page 5 of 6 Print Date 11/17/2011

US Regulations:	15	. REGU	LATORY IN	NFORMATION		
OSHA Status	:	Classif	ied as hazardo	ous based on com	ponents.	
TSCA Status	:	All con Invento		his product are lis	ted on or exemp	ot from the TSC
US. EPA CERCLA Hazardous	Subs	stances ((40 CFR 302)			
Not applicable						
California Proposition 65	:	Not ap	plicable			
SARA Title III Section 302 Ext Not applicable						
SARA Title III Section 313 Tox Not applicable Canadian Regulations:	xic C	Chemical	ls:			
Not applicable Canadian Regulations: National Pollutant Relea						
Not applicable Canadian Regulations:				CAS-No. 7429-90-5	Weight % 0.38	NPRI ID# 12
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	ise In	Not co All co	(NPRI) ntrolled.		0.38	12
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification	ise In	Not co All co	(NPRI) ntrolled.	7429-90-5	0.38	12
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL	ise In	Not co All co	ntrolled. mponents of t	7429-90-5	0.38	12
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name Aluminum WHMIS Classification DSL National Inventories:	ise In : :	Not co All co Substa	ntrolled. mponents of t	7429-90-5	0.38	12
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL National Inventories: Australia AICS	ise In : :	Not co All co Substa	ntrolled. mponents of t	7429-90-5	0.38	12
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification	ise In	Not co	r (NPRI)	7429-90-5	0.38	12



MATERIAL SAFETY DATA SHEET STYLING SILVER

Version Number 1.1

Revision Date 04/26/2005

Philippines PICCS

Listed :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.

Page 6 of 6 Print Date 11/17/2011