### MATERIAL SAFETY DATA SHEET

### PG 63184.00 WT PET

Version Number 1.0 Revision Date 06/10/2005 Page 1 of 6 Print Date 11/18/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 63184.00 WT PET
Product code	:	CC10063184
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET PG 63184.00 WT PET

Version Number 1.0 Revision Date 06/10/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 63184.00 WT PET**

Version Number 1.0 Revision Date 06/10/2005 Page 3 of 6 Print Date 11/18/2011

8.1	EXPOSURE	CONTROLS / PERSO	DNAL I	PROTECTIO	DN	
Respiratory protection	: N	lo personal respiratory p	rotectiv	ve equipment	normally	required.
Eye/Face Protection	: S	afety glasses with side-s	shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance wit Vash hands before break				safety practic
Engineering measures		leat only in areas with appropriate exhaust venti			entilation.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure	e type	List:
Silica, amorphous	20 mppcf	PEL:		Total dust.		OSHA
	20 mppcf	PEL:		Total dust.		Z3
	10 mg/m3	Time Weighted Aver (TWA):	age			ACGIH
	0.8 mg/m3	Time Weighted Aver (TWA):	age			Z3
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age			ACGIH
	15 mg/m3	PEL:		Total d	lust.	OSHA Z
		CAL AND CHEMICA		DEDTIES		
	9.11130	LAL AND CHEMICA		F EK I IES		
Form	: Solic			ation rate		applicable
Appearance	: Pelle			c Gravity:		determined
Color	: WHI		Bulk de			t established
Odor				pressure		applicable
Melting point/range			-	density		applicable
Boiling Point:	: Not a : Insol		pН		: NO	applicable
Water solubility	: Insol	uble				
	10. 8	STABILITY AND REA	ACTIV	ITY		
Stability	: S	table.				
5						

PolyOne.

# MATERIAL SAFETY DATA SHEET PG 63184.00 WT PET

Version Number 1.0 Revision Date 06/10/2005		Page 4 of 6 Print Date <i>11/18/2011</i>
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 63184.00 WT PET**

Version Number 1.0 Revision Date 06/10/2005 Page 5 of 6 Print Date 11/18/2011

ICAO/IATA (air)	: Refer to specific regulation.					
IMO / IMDG (maritime)	D / IMDG (maritime) : Refer to specific regulation.					
	15. REGULATORY INFORMATION					
US Regulations:						
OSHA Status	: Classified as hazardous based on components.					
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous	Substances (40 CFR 302)					
Not applicable						
California Proposition	: Not applicable					
65						
SARA Title III Section 302 Ext Not applicable	remely Hazardous Substance					
SARA Title III Section 313 Tox	tic Chemicals:					
Not applicable Canadian Regulations:						
	se Inventory (NPRI)					
Canadian Regulations:	se Inventory (NPRI)					
Canadian Regulations: National Pollutant Relea						
Canadian Regulations: National Pollutant Relea Not applicable						
Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	<ul><li>Not controlled.</li><li>All components of this product are on the Canadian Domestic</li></ul>					
Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	<ul><li>Not controlled.</li><li>All components of this product are on the Canadian Domestic</li></ul>					
Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories:	<ul> <li>Not controlled.</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> </ul>					
Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS	<ul> <li>Not controlled.</li> <li>All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.</li> <li>Not determined</li> </ul>					

POLYONE CORPORATION POLYONE CORPORATION						
MATERIAL SAFETY DATA SHEET						
PG 63184.00 WT PET						
Version Number 1.0 Revision Date 06/10/2005	Print Date	Page 6 of 6 11/18/2011				
Korea KECI : Listed						
Philippines PICCS : Not determined						
16. OTHER INFORMATION						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.