MATERIAL SAFETY DATA SHEET

All GREEN 577C

Version Number 1.0 Revision Date 01/14/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AII GREEN 577C
Product code	:	CC10063932
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET AII GREEN 577C

ision Date 01/14/2005	Page 2 Print Date 11/17/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive
Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET AII GREEN 577C

Version Number 1.0 Revision Date 01/14/2005 Page 3 of 6 Print Date 11/17/2011

	AIUSUKE	CONTROLS / PERSO	INAL I N	OTECTION	
Respiratory protection		o personal respiratory pr usty conditions occur we			
Eye/Face Protection	: sa	: safety glasses			
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	p	Vash hands and face before roduct. Handle in accord ractice for diagnostics.			
Engineering measures		leat only in areas with ap ppropriate exhaust ventil			on. Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average			ACGIH
			-8-		
	15 mg/m3	(TWA): PEL:	.8.	Total dust.	OSHA Z1
		(TWA):			OSHA Z1
	9. PHYSIC	(TWA): PEL: CAL AND CHEMICAL	PROPE	CRTIES	
Form	9. PHYSIC : Solic	(TWA): PEL: CAL AND CHEMICAL	PROPE	CRTIES	Not applicable
Form Appearance	9. PHYSIC : Solic : flake	(TWA): PEL: CAL AND CHEMICAL I E ss S	PROPE	CRTIES	Not applicable Not determined
Form Appearance Color	9. PHYSIC : Solic : flake : GRE	(TWA): PEL: CAL AND CHEMICAL I E I S S EN E	PROPE Evaporation pecific C Bulk dens	CRTIES	Not applicable Not determined Not determined
Form Appearance Color Odor	9. PHYSIC : Solic : flake : GRE : Very	(TWA): PEL: CAL AND CHEMICAL I E I S S EN E faint V	PROPE Evaporation pecific C Bulk dens 7 apor pre	CRTIES	Not applicable Not determined Not determined Not determined
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solic : flake : GRE : Very : Grea	(TWA): PEL: CAL AND CHEMICAL CAL AND CHEMICAL E S S EN E Faint V ter than 130 °C V	PROPE Evaporation pecific C Bulk dens Vapor pre Vapour de	CRTIES on rate : Gravity: : ity : ssure : ensity :	Not applicable Not determined Not determined Not determined Not determined
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : flake : GRE : Very : Grea : Not a	(TWA): PEL: CAL AND CHEMICAL I E 'ss S 'EN E 'faint V ter than 130 °C V applicable p	PROPE Evaporation pecific C Bulk dens 7 apor pre	CRTIES on rate : Gravity: : ity : ssure : ensity :	Not applicable Not determined Not determined Not determined
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solic : flake : GRE : Very : Grea	(TWA): PEL: CAL AND CHEMICAL I E 'ss S 'EN E 'faint V ter than 130 °C V applicable p	PROPE Evaporation pecific C Bulk dens Vapor pre Vapour de	CRTIES on rate : Gravity: : ity : ssure : ensity :	Not applicable Not determined Not determined Not determined Not determined
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : flake : GRE : Very : Grea : Not a : Insol	(TWA): PEL: CAL AND CHEMICAL I E 'ss S 'EN E 'faint V ter than 130 °C V applicable p	PROPE Evaporatio pecific C Bulk dens Vapor pre Vapour de H	CRTIES on rate : dravity: : ity : ssure : ensity : : 1	Not applicable Not determined Not determined Not determined Not determined
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : flake : GRE : Very : Grea : Not a : Insol 10. S	(TWA): PEL: CAL AND CHEMICAL CAL AND CHEMICAL E E S EN E faint V ter than 130 °C V applicable p uble	PROPE Evaporatio pecific C Bulk dens Vapor pre Vapour de H	CRTIES on rate : dravity: : ity : ssure : ensity : : 1	Not applicable Not determined Not determined Not determined Not determined
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solic : flake : GRE : Very : Grea : Not a : Insol 10. S : S	(TWA): PEL: CAL AND CHEMICAL 1 E 28 S 28 S 29 Faint 1 Taint 1 Y 1 Taint 1 Y 1 Taint 1 Y 1	PROPE Evaporatio pecific C Bulk dens Vapor pre Vapour de H	CRTIES on rate : dravity: : ity : ssure : ensity : : 1	Not applicable Not determined Not determined Not determined Not determined
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solic : flake : GRE : Very : Grea : Not a : Insol 10. § : S n : W	(TWA): PEL: CAL AND CHEMICAL I E I E I E I E I E I E I F I E I F I E S S I I I E I S I E I S I E I I I E I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I <	PROPE Evaporation pecific C Bulk dens Vapor pre Vapour de H	CRTIES on rate : 1 Gravity: : 1 ity : 1 ssure : 1 ensity : 1 : 1	Not applicable Not determined Not determined Not determined Not determined



MATERIAL SAFETY DATA SHEET **All GREEN 577C**

Version Number 1.0 Revision Date 01/14/2005 Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition	
products	

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	N			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		Chemicals are not readily available as they are bound within the polymer matrix.Not inherently biodegradable.				
Bioaccumulation Potent	ial : Not inherentl					
Additional advice	: Chemicals ar polymer mat		as they are bound within the			
	13. DISPOSAL	CONSIDERATIONS	5			
Product	generator of classification	waste material has the 1	ed to disposal or incineration. The responsibility for proper waste posal in accordance with and local regulations.			
Contaminated packaging	has the respo and disposal	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	: Refer to spec	ific regulation.				
ICAO/IATA (air)	: Refer to spec	: Refer to specific regulation.				
IMO / IMDG (maritime) : Refer to spec	ific regulation.				
	15. REGULATO	ORY INFORMATIO	N			
US Regulations:						

PolyOne.

MATERIAL SAFETY DATA SHEET *All GREEN 577C*

ion Number 1.0 sion Date 01/14/2005		Page 5 Print Date 11/17/2
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance
SARA Title III Section 313 Tox	kic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Listed
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET All GREEN 577C

Version Number 1.0 Revision Date 01/14/2005

Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.