## MATERIAL SAFETY DATA SHEET

## **GREEN 365C**

Version Number 1.0 Revision Date 01/17/2005 Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN 365C
Product code	:	CC10064132
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **GREEN 365C** 

Version Number 1.0 Revision Date 01/17/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET **GREEN 365C**

Version Number 1.0 Revision Date 01/17/2005 Page 3 of 6 Print Date 11/17/2011

8. H	XPOSURE	CONTROLS / PERSO	NAL P	ROTECTION		
Respiratory protection	: N	lo personal respiratory pr	rotectiv	e equipment normal	ly required.	
Eye/Face Protection	: S	afety glasses with side-sh	hields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance with Vash hands before breaks				
Engineering measures		leat only in areas with ap ppropriate exhaust ventil			on. Provide	
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age		ACGIH	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL	PROI	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not o	ets S EN E 7 faint V determined V applicable p	Evaporation rate : Specific Gravity: : Bulk density :		Not applicable Not determined Not established Not applicable Not applicable Not applicable	
	10. 8	STABILITY AND REA	CTIVI	TY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				
Conditions to avoid		Leep away from oxidizing ecomposition, do not ove		s and open flame. T	o avoid thermal	



## MATERIAL SAFETY DATA SHEET

## **GREEN 365C**

## Version Number 1.0

Revision Date 01/17/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity	Chemicals ar polymer mat		as they are bound within the			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avai	lable				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is has the respo and disposal	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Not regulated	l for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.				
	15. REGULAT	ORY INFORMATION	1			

PolyOne.

# MATERIAL SAFETY DATA SHEET **GREEN 365C**

rsion Number 1.0						
vision Date 01/17/2005				Prir	Page nt Date 11/1	
US Regulations:						
-						
OSHA Status	:	Classified as hazard	ous based on comp	oonents.		
TSCA Status	:	All components of t Inventory.	his product are list	ed on or exem	pt from the TS	CA
US. EPA CERCLA Hazardou	ıs Sub	stances (40 CFR 302)				
Not applicable						
California Proposition 65 SARA Title III Section 302 E		California to cause c	cancer.	chemical know	vn to the State	of
Not applicable						
SARA Title III Section 313 T	'oxic (	Chemicals:				
Not applicable Canadian Regulations: National Pollutant Rele	ease I	nventory (NPRI)				
L Chemical Name			CAS No	Waight %	NPPTIN# 1	
Chemical Name Aluminum oxide			CAS-No. 1344-28-1	Weight % 0.27	NPRI ID# 13	
Aluminum oxide Rutile, antimony chromi			1344-28-1 68186-90-3	0.27 0.44	13 69	
Aluminum oxide			1344-28-1	0.27	13	
Aluminum oxide Rutile, antimony chromi	um bu	ıff	1344-28-1 68186-90-3 68186-90-3	0.27 0.44 0.44	13 69 17	
Aluminum oxide Rutile, antimony chromi Rutile, antimony chromi WHMIS Classification	um bu	Not controlled.	1344-28-1 68186-90-3 68186-90-3	0.27 0.44 0.44	13 69 17	
Aluminum oxide Rutile, antimony chromi Rutile, antimony chromi WHMIS Classification DSL	um bu	Not controlled.	1344-28-1 68186-90-3 68186-90-3	0.27 0.44 0.44	13 69 17	
Aluminum oxide Rutile, antimony chromi Rutile, antimony chromi WHMIS Classification DSL National Inventories:	<u>um bu</u> n : :	off Not controlled. All components of Substances List (DS	1344-28-1 68186-90-3 68186-90-3	0.27 0.44 0.44	13 69 17	
Aluminum oxide Rutile, antimony chromi Rutile, antimony chromi WHMIS Classification DSL National Inventories: Australia AICS	<u>um bu</u> n : :	nff Not controlled. All components of t Substances List (DS Listed	1344-28-1 68186-90-3 68186-90-3	0.27 0.44 0.44	13 69 17	
Aluminum oxide Rutile, antimony chromi Rutile, antimony chromi WHMIS Classification DSL National Inventories: Australia AICS China IECS	<u>um bu</u> n : :	nff Not controlled. All components of t Substances List (DS Listed Listed	1344-28-1 68186-90-3 68186-90-3	0.27 0.44 0.44	13 69 17	
Aluminum oxide Rutile, antimony chromi Rutile, antimony chromi WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	<u>um bu</u> n : :	Not controlled. All components of t Substances List (DS Listed Listed Listed	1344-28-1 68186-90-3 68186-90-3	0.27 0.44 0.44	13 69 17	



MATERIAL SAFETY DATA SHEET **GREEN 365C** 

Version Number 1.0 Revision Date 01/17/2005

Page 6 of 6 Print Date 11/17/2011

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.