## MATERIAL SAFETY DATA SHEET RELAXED BRONZE PEARL

Version Number 1.1 Revision Date 06/16/2005

Page 1 of 6 Print Date 11/18/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RELAXED BRONZE PEARL
Product code	:	CC10065036
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **RELAXED BRONZE PEARL**

Version Number 1.1 Revision Date 06/16/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	<ul> <li>Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.</li> </ul>
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **RELAXED BRONZE PEARL**

Version Number 1.1 Revision Date 06/16/2005 Page 3 of 6 Print Date 11/18/2011

8. H	XPOSURE	<b>CONTROLS / PERSONAL</b>	PROTECTION	
Respiratory protection	: U	Inder normal handling condition	ons a respirator may not b	be required.
Eye/Face Protection	: S	afety glasses with side-shields	5.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		afety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSI(	CAL AND CHEMICAL PRO	OPERTIES	
F	: liqui			established
Form	. Vice	ous, iiquid Specii	2	determined
Appearance	: Visco			applicable determined
Appearance Color	: ORA	NGE Bulk o		nererminen
Appearance Color Odor	: ORA : Very	NGE Bulk o faint Vapor	pressure : Not	
Appearance Color Odor Melting point/range	: ORA : Very : Not a	NGE Bulk of faint Vapor applicable Vapor	pressure : Not ir density : Not	determined
Appearance Color Odor	: ORA : Very : Not a	NGE Bulk of faint Vapor applicable PH	pressure : Not ir density : Not	
Appearance Color Odor Melting point/range Boiling Point:	: ORA : Very : Not a : Not a : Imm	NGE Bulk of faint Vapor applicable PH	r pressure : Not ir density : Not : Not	determined
Appearance Color Odor Melting point/range Boiling Point:	: ORA : Very : Not a : Not a : Imm <b>10. S</b>	NGE Bulk of faint Vapor applicable Vapor applicable pH iscible	r pressure : Not ir density : Not : Not	determined
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: ORA : Very : Not a : Not a : Imm <b>10. S</b> : S	NGE Bulk of faint Vapor applicable Vapor applicable pH iscible	r pressure : Not ir density : Not : Not	determined

<u>vOne</u>

## MATERIAL SAFETY DATA SHEET RELAXED BRONZE PEARL

Version Number 1.1 Revision Date 06/16/2005 Page 4 of 6 Print Date 11/18/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Not regulated for transportation.

IMO / IMDG (maritime) : Not regulated for transportation.

### **15. REGULATORY INFORMATION**

PolyOne.

# MATERIAL SAFETY DATA SHEET RELAXED BRONZE PEARL

ion Number 1.1 sion Date 06/16/2005					Print Date	Page 5 11/18/2
US Regulations:						
OSHA Status	:	Classified as ha	zardous based or	n components.		
TSCA Status	:	All components Inventory.	s of this product a	are listed on or ex	empt from	the TSC.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR	302)			
Not applicable						
California Proposition 65	:	Not applicable				
SARA Title III Section 302 Ext Not applicable	treme	ely Hazardous Su	Ibstance			
SARA Title III Section 313 Tox Not applicable Canadian Regulations:	xic C	Chemicals:				
Not applicable Canadian Regulations: National Pollutant Relea			CAS No.	Weight %	NDDI	10#
Not applicable Canadian Regulations:			CAS-No. 103-23-1	Weight % 30.00 - 60.0	NPRI 00 24	ID#
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name		Not controlled.	103-23-1	30.00 - 60.0 are on the Canad	00 24	
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Bis (2-ethylhexyl) adipate WHMIS Classification	ise In	Not controlled.	103-23-1 s of this product	30.00 - 60.0 are on the Canad	00 24	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Bis (2-ethylhexyl) adipate WHMIS Classification DSL	ise In	Not controlled.	103-23-1 s of this product	30.00 - 60.0 are on the Canad	00 24	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories:	ise In	Not controlled. All component Substances List	103-23-1 s of this product	30.00 - 60.0 are on the Canad	00 24	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS	ise In	Not controlled. All component Substances List	103-23-1 s of this product	30.00 - 60.0 are on the Canad	00 24	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS China IECS	ise In	Not controlled. All component: Substances List Listed Listed	103-23-1 s of this product (DSL) or are ex	30.00 - 60.0 are on the Canad	00 24	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	ise In	Not controlled. All component: Substances List Listed Listed Listed	103-23-1 s of this product (DSL) or are ex	30.00 - 60.0 are on the Canad	00 24	
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Bis (2-ethylhexyl) adipate WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	ise In	Not controlled. All component: Substances List Listed Listed Listed Not determined	103-23-1 s of this product (DSL) or are ex	30.00 - 60.0 are on the Canad	00 24	

PolyOne.

# MATERIAL SAFETY DATA SHEET RELAXED BRONZE PEARL

Version Number 1.1 Revision Date 06/16/2005 Page 6 of 6 Print Date 11/18/2011

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.