MATERIAL SAFETY DATA SHEET

METALLIC SILVER

Version Number 1.0 Revision Date 02/08/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	METALLIC SILVER
Product code	:	CC10065127
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET METALLIC SILVER

Version Number 1.0 Revision Date 02/08/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **METALLIC SILVER**

Version Number 1.0 Revision Date 02/08/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSON	NAL PROTECTION	
Respiratory protection	: N	lo personal respiratory pro	otective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-sh	ields.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations			good industrial hygiene and a and at the end of workday.	safety practice
Engineering measures		leat only in areas with app ppropriate exhaust ventila	propriate exhaust ventilation. ation at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Avera (TWA):	ge Dust.	ACGIH
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
Form	: Solic			t applicable
Appearance	: Pelle		1 2	t determined
Color Odor	: GRE		5	t established
Melting point/range	•			t applicable t applicable
Boiling Point:		applicable p		t applicable
Water solubility	: Insol			upplicable
5				
	10. 8	STABILITY AND REA	CTIVITY	
Stability	: S	table.		
Hazardous Polymerizatior	n : W	Vill not occur.		
Conditions to avoid		Leep away from oxidizing ecomposition, do not over	agents and open flame. To a rheat.	avoid thermal
Incompatible Materials	T	ncompatible with strong a		

PolyOne

MATERIAL SAFETY DATA SHEET METALLIC SILVER

Version Number 1.0 Revision Date 02/08/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	CAS-No.	Chemical Name	Effect	Target Organ
ſ	7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
			Systemic effects	Eyes, Skin, Respiratory system.

	12	. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET METALLIC SILVER

Version Number 1.0 Revision Date 02/08/2005 Page 5 of 6 Print Date 11/17/2011

US Regulations:				
OSHA Status	: Classified as haz	zardous based on comp	oonents.	
TSCA Status	: All components Inventory.	of this product are list	ed on or exemp	ot from the TSC
US. EPA CERCLA Hazardo	ous Substances (40 CFR 3	302)		
Not applicable				
California Propositio 65	on : This product doe	es not contain a substar	nce listed by C	alifornia Prop 6
SARA Title III Section 302 Not applicable SARA Title III Section 313		bstance		
Chemical Name	Toxic chemiculs.	CAC N	XX7 1.4	0/
		$(\Delta S_{-}N)$		
ALUMINUM (FUN	ME OR DUST)	CAS-No. 7429-90-5	Weight 17.04	%
ALUMINUM (FUM	IE OR DUST) elease Inventory (NPRI)			% NPRI ID# 12
ALUMINUM (FUM Canadian Regulations: National Pollutant Re Chemical Name	elease Inventory (NPRI)	7429-90-5 CAS-No.	17.04 Veight %	NPRI ID#
ALUMINUM (FUM Canadian Regulations: National Pollutant Ro Chemical Name Aluminum WHMIS Classificati WHMIS Ingredient I CAS-No.	elease Inventory (NPRI) on : D2B Disclosure List	7429-90-5 CAS-No.	Ueight %	NPRI ID# 12
ALUMINUM (FUN Canadian Regulations: National Pollutant Ro Chemical Name Aluminum WHMIS Classificati WHMIS Ingredient I CAS-No. 7429-90-5	elease Inventory (NPRI) on : D2B Disclosure List	CAS-No. 7429-90-5 7429-90-5	Ueight %	NPRI ID# 12

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET METALLIC SILVER

Version Number 1.0 Revision Date 02/08/2005

Page 6 of 6 Print Date 11/17/2011

China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.