# MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 12/19/2006

Page 1 of 6 Print Date 11/25/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10065482
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1
Titanium dioxide	13463-67-7	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 12/19/2006 Page 2 of 6 Print Date 11/25/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	es : Rinse immediately with plenty of water, also under the eyelids, least 15 minutes. If eye irritation persists, seek medical attention				
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Elemmehle Limite					
Flammable Limits Upper explosion limit		Not applicable			
Lower explosion limit	:	Not applicable			
Autoignition temperature	:	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. A(	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

2/6



## MATERIAL SAFETY DATA SHEET WHITE

### Version Number 1.1 Revision Date 12/19/2006

\_\_\_\_

Page 3 of 6 Print Date 11/25/2011

8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protectiv	ve equipment normally i	required.		
Eye/Face Protection : Safety glasses with side-shields.						
Hand protection : Protective gloves.						
Skin and body protection	and body protection : Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice.		
Engineering measures		eat only in areas with appropri ppropriate exhaust ventilation a		Provide		
Components	Value	Exposure time	Exposure type	List:		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
Components	5 mg/m3 15 mg/m3	PEL: PEL:	Respirable fraction. Total dust.	OSHA Z1 OSHA Z1		
Components	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
Components	5 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average	Respirable fraction. Total dust.	OSHA Z1 OSHA Z1		
Components	5 mg/m3 15 mg/m3 0.1 mg/m3	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average	Respirable fraction. Total dust. Respirable.	OSHA Z1 OSHA Z1 Z3		
Components	5 mg/m3 15 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 0.025	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	Respirable fraction. Total dust. Respirable.	OSHA Z1 OSHA Z1 Z3 Z3		
Components	5 mg/m3 15 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	Respirable fraction. Total dust. Respirable. Total dust.	OSHA Z1 OSHA Z1 Z3 Z3 MX OEL		
Quartz	5 mg/m3 15 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 0.025 mg/m3 10 mg/m3	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction. Total dust. Respirable. Total dust. Respirable fraction.	OSHA Z1 OSHA Z1 Z3 Z3 MX OEL ACGIH ACGIH		
Components Quartz	5 mg/m3 15 mg/m3 0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 0.025 mg/m3	PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction. Total dust. Respirable. Total dust.	OSHA Z1 OSHA Z1 Z3 Z3 MX OEL ACGIH		

Appearance Color Odor Melting point/range: Not determinedBoiling Point:: Not applicableWater solubility: Insoluble

\_\_\_\_

- : Pellets : WHITE : Very faint
- Specific Gravity::Not determinedBulk density:Not establishedVapor pressure:Not applicableVapour density:Not applicablepH:Not applicable

# MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 12/19/2006

Page 4 of 6 Print Date 11/25/2011

	10	. STABILITY AND REACTIVITY	t
Stability	:	Stable.	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	no
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

## **12. ECOLOGICAL INFORMATION**



# MATERIAL SAFETY DATA SHEET **WHITE**

sion Number 1.1 ision Date 12/19/2006	Page 5 Print Date 11/25/2
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition	: WARNING! This product contains a chemical known to the State of



# MATERIAL SAFETY DATA SHEET **WHITE**

iin Number 1.1				Dama (
sion Number 1.1 ision Date 12/19/2006			Prir	Page 6 nt Date 11/25/2
65	Californi	a to cause cancer.		
05	Camorini	a to cause cancer.		
SARA Title III Section 302 E	xtremely Hazard	lous Substance		
Unless specific chemicals are	identified under	this section, this produce	ct is Not Applicable	under this regulat
SARA Title III Section 313 T	oxic Chemicals:			
Unless specific chemicals are	identified under	this section, this produ	ct is Not Applicable	under this regulat
Canadian Regulations:				
National Pollutant Rele	ease Inventory (1	NPRI)		
Chemical Name	use meenory (i	CAS-No.	Weight %	NPRI ID#
Aluminum oxide		1344-28-1	0.10 - 1.00	13
DSL		ponents of this product es List (DSL) or are exe		Domestic
National Inventories:				
Australia AICS	: Listed			
China IECS	: Listed			
Europe EINECS	: Listed			
Japan ENCS	: Not deter	rmined		
Korea KECI	: Listed			
Philippines PICCS	: Not deter	rmined		
	16. OTH	HER INFORMATION	I	
e information provided in this Sa	afety Data Sheet	is correct to the best of	our knowledge, info	ormation and belie
date of its publication. The info	rmation given is	designed only as a guid	lance for safe handl	ing, use, processin
rage, transportation, disposal and			* 1 * 1	

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.