## MATERIAL SAFETY DATA SHEET

## BLACK PVC STREAK

Version Number 1.0 Revision Date 03/15/2005 Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	BLACK PVC STREAK
Product code	CC10067034
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron chromite brown spinel	12737-27-8	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET BLACK PVC STREAK

Version Number 1.0 Revision Date 03/15/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

## MATERIAL SAFETY DATA SHEET BLACK PVC STREAK

Version Number 1.0 Revision Date 03/15/2005 Page 3 of 6 Print Date 11/17/2011

Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures Handle in accordance with good industrial hygiene and safety practice. General Hygiene : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron chromite brown	0.5 mg/m3	Time Weighted Average	as Cr	ACGIH
spinel		(TWA):		
	0.5 mg/m3	PEL:	as Cr	OSHA Z1

Form	: Se	olid	Evaporation rate	:	Not applicable
Appearance	: P	ellets	Specific Gravity:	:	Not determined
Color	: B	LACK	Bulk density	:	Not established
Odor	: V	ery faint	Vapor pressure	:	Not applicable
Melting point/range	: N	ot determined	Vapour density	:	Not applicable
Boiling Point:	: N	ot applicable	pH	:	Not applicable
Water solubility	: In	isoluble			
Stability	:	Stable.			
·					
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:		oxidizing agents and open floor not overheat.	ame.	To avoid thermal

### MATERIAL SAFETY DATA SHEET BLACK PVC STREAK

Version Number 1.0 Page 4 of 6 Revision Date 03/15/2005 Print Date 11/17/2011 **Incompatible Materials** : Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition : products (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride. **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12737-27-8	Iron chromite brown spinel	Irritant	Eyes, Skin, Respiratory system.

#### Additional Health Hazard Information:

Iron chromite brown spinel 12737-27-8 The bi and trivalent forms of chrome have a low order of acute toxicity but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) componds are not considered carcinogenic in animals or humans.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.



## MATERIAL SAFETY DATA SHEET BLACK PVC STREAK

Version Number 1.0 Revision Date 03/15/2005 Page 5 of 6 Print Date 11/17/2011

Contaminated packaging	:	Recycling is preferred has the responsibility and disposal in accord and local regulations.	for	proper waste cl	lassit	fication,	transporta	tion
	1	4. TRANSPORT INF	OR	MATION				
U.S. DOT Classification	:	Not regulated for tran	SDO	rtation.				
ICAO/IATA (air)		Refer to specific regu	-					
	·							
IMO / IMDG (maritime)	:	Refer to specific regul	latio	on.				
	15	5. REGULATORY IN	FO	RMATION				
US Regulations:								
OSHA Status	:	Classified as hazardou	ıs b	ased on compo	nent	s.		
TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.								
US. EPA CERCLA Hazardou	is Sub	stances (40 CFR 302)						
Not applicable								
California Proposition 65		This product does not		ntain a substance	e list	ted by C	alifornia P	rop 65.
SARA Title III Section 302 E Not applicable	xtrem	ely Hazardous Substand	ce					
SARA Title III Section 313 T	oxic (	Chemicals:						
Chemical Name				CAS-No.		Weight	%	
CHROMIUM III CON	MPOU	JNDS		12737-27-8		16.97		
Canadian Regulations:								
National Pollutant Rele	ease I	nventory (NPRI)						
Chemical Name		, , , , , , , , , , , , , , , , , , , ,	C	AS-No.	We	eight %	NPRI ID	#
Manganese				39-96-5	0.5	52	147	
Iron chromite brown spin	nel		12	2737-27-8	16	.97	69	

		PolyOne.
POLYONE CORPORAT	<b>FI</b> (	ON .
MATERIAL SAFETY DATA SHE	ЕТ	
BLACK PVC STREAK		
Version Number 1.0 Revision Date 03/15/2005		Page 6 of 6 Print Date 11/17/2011
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	ire List
CAS-No. 12737-27-8		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.

6/6